



Compact 3-in-1 Monochrome Laser Printer

Designed for busy home and small offices, the affordable HL-L2395DW comes feature rich with fast print speeds and built-in wireless connectivity, in a quiet and compact unit.

HL-L2395DW



Key Features:

- Fast print speeds of up to 34 pages per minute
- Automatic 2-sided (duplex) print
- 250 sheet paper input
- Wireless connectivity
- Up to 3,000 page optional high-yield toner
- 128MB memory
- Near Field Communication (NFC)
- 6.8cm touchscreen







Business Performance

Designed to be set up and ready to use in minutes, the HL-L2395DW comes with fast print speeds of up to 34 pages per minute and wireless connectivity to print from your mobile phone or tablet.

Maximum value for money

With cost being a key factor for many homes and businesses, we've ensured that the HL-L2395DW gives you the best value for money. Using our optional high-yield toner cartridges together with automatic 2-sided (duplex) print can seriously reduce the cost of each print job.

Quiet without compromise

Print quietly without comprising on speed or quality, operating at the lowest decibel in its class (under 50dB). The compact HL-L2395DW is designed to sit on your desk, quietly printing at full speed, while you work without interruption.

Designed to go the distance

Built to perform for longer, the HL-L2395DW has been designed with you in mind. Made from robust and hardwearing materials and supported by outstanding service as standard, Brother's award winning** reliability allows you to deliver uncompromised performance at all times.



General

Technology

Electrophotographic Laser Printer

Laser Classification

Class 1 Laser Product (IEC60825-1:2014)

Processor 600MHz

Memory 128MB

Wireless Network Interface

IEEE 802.11b/g/n

Control Panel

6.8cm touchscreen

Local Interface

Hi-Speed USB 2.0

Print

Print Speed Standard (A4)

Up to 34ppm (pages per minute)

Print Speed 2-sided (duplex) (A4)

Up to 15 sides per minute (7.5 sheets per minute)

Resolution

Up to 1,200 x 1,200 dpi

Quiet Mode

A mode to reduce the printing noise by reducing the print speed to 13ppm

Automatic 2-sided (duplex) Printing

Print on to both sides of the paper

FPOT (First Print Out Time)

Less than 8.5 seconds from ready mode

Warm Up Time

Less than 9 seconds from sleep mode

Print Languages

PCL6, BR-Script3 (PostScript®3TM Language Emulation), PDF version1.7

Embedded Fonts (PCL)

66 scalable fonts, 12 bitmap fonts, 16 barcodes

Embedded Fonts (Postscript)

66 scalable fonts

Embedded Barcodes (PCL)

Code39, Interleaved 2 of 5, FIM (US-PostNet, Post Net (US-PostNet) EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN(EAN), ISBN(UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93, GS1Databar, MSI

Printer Functions

N-up Printing³

Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page (Mac, up to 2, 4, 6, 9, or 16)

Watermark Printing⁴

Watermark your documents with predefined text or with your own user-defined messages

ID Printing⁴

Add identification to your printed documents (date & time, short custom message or PC username)

Manual 2-sided (duplex) Print⁴

Manual 2-sided printing (recommended for media not supported by automatic 2-sided print)

Booklet Printing⁴

Print documents in A5 booklet format using automatic or manual 2-sided print

Skip Blank Page⁴

Ignores any blank pages in your documents by not printing them

Print Profiles³

Store your favourite driver settings as profiles to easily recall them

Print Text In Black⁴

Converts all text in your documents to black when printed

Print Archive⁴

An electronic carbon copy feature that saves an electronic copy of all printed documents as a PDF file

Printer Driver

Windows®

Windows® 10 (32 & 64 bit editions) Windows® 8 (32 & 64 bit editions) Windows® 7 (32 & 64 bit editions) Windows® Server 2016 (32 & 64 bit editions) Windows® Server 2012, 2012R2 & 2008R2 Windows® Server 2008 (32 & 64 bit editions)

Macintosh⁵

Mac OSX 10.10.5 or greater

Linux⁵

CUPS, LPD/LPRng (32 & 64 bit editions)

PostScript Universal Printer Driver

Driver for Windows® that enables you to print to any network or locally-connected Brother laser printer that supports PostScript

PCL Driver

PCL 6

7 Requires Brother software.

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

¹ Approx declared yield value in accordance with ISO/IEC 19752.

² Calculated with 80g/m² paper. 3 Windows® & Mac® only.

⁴ Windows® only.

⁵ Optional download.

⁶ Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

Standard Paper Handling

Paper Input²

Standard Tray - 250 sheets Manual feed slot - 1 sheet

Paper Output²

Face Down - 120 sheets Face Up - 1 sheets (Straight Paper Path)

Media Specification

Media Types & Weights Standard

Plain & recycled paper (between 60 - 163g/m²) Manual feed slot

Plain, Recycled, Bond, Label, Envelope, (between 60 - 230g/m²) 2-sided (duplex) Print Plain & recycled paper

(between 60 - 105g/m²)

Envelope & Label Printing

Yes, from the Manual feel slot: support for 1 envelope / sheet

Media Sizes Standard Trav

A4, Letter, A5, A5 (Long Edge), A6, Executive Manual feed slot

Width: 76.2mm to 215.9mm x Length: 127mm to 355.6mm 2-sided (duplex) Print A4

Mobile / Web Based **Printing & Scanning**

Brother iPrint&Scan (Android)

Print from, scan to, preview copies and check the machine status from an Android device

Brother iPrint&Scan (iPad / iPhone / iPod)

Print from, scan to, preview copies and check the machine status from an iPad / iPhone / iPod Touch

Brother iPrint&Scan (Windows® Phone)

Print from and scan to a smart phone running the Windows® Phone Operating System

Brother Print&Scan (Windows® 8,10 & RT)

Print from and scan to a Windows® 8,10 or Windows RT Tablet

AirPrint

Print from and scan to most common file types from any AirPrint enabled application

Brother Print Service Plugin

Print from Android devices without a dedicated App

Mopria

Print most common file types from Mopria supported Android devices

Copy

Speed - (A4)

Up to 34cpm (copies per minute)

FCOT (First Copy Time Out)

Less than 10 seconds from ready mode

Resolution

Up to 600 x 600dpi

Multi-Copying/Stack/Sort

Makes up to 99 copies of each page / Stacks or Sorts

Enlargement/Reduction

Reduce or Increase document sizes from 25% to 400% in 1% increments

N in 1 Copying

Allows the user to compress 2 or 4 pages on to a single A4 sheet

2in1 ID Copying

Allows the user to copy both sides of an ID card to a single A4 sheet

Grey Scale

256 shades of grey (8 bit)

Receipt Copying

Produces clearer copies of receipts

¹ Approx declared yield value in accordance with ISO/IEC 19752.

² Calculated with 80g/m² paper. 3 Windows® & Mac® only.

⁴ Windows® only.

⁵ Optional download

⁶ Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

⁷ Requires Brother software.

Scan

Scanner Type

CIS (Contact Image Sensor)

Colour & Monochrome Scanning

Yes

Scan Resolution from **Scanner Glass**

Up to 1,200 x 1,200dpi

Interpolated Scan Resolution

Up to 19,200 x 19,200dpi

Colour Depth

16.777.216 colour variations (24 bit)

Grey Scale

256 shades of grey (8 bit)

Standard Functions7

Scan to Email Client, OCR, Image & File

Scan Features

Remove Background, Skip Blank Page⁴, ID Scan⁴, 1 to 2 Scan⁴, Split PDF

Scan to SharePoint7

Scan documents directly into SharePoint

Windows® Web Services Scanning

Scan direct into Windows® (from Windows® 7 & onwards) without needing to install a scanner driver

Scanner Driver

Windows®

Windows® 10 (32 & 64 bit editions) Windows® 8.1 (32 & 64 bit editions) Windows® 8 (32 & 64 bit editions) Windows® 7 (32 & 64 bit editions)

Macintosh⁵

Mac OSX 10.10.5 or greater

Linux⁵

SANE(32 & 64 bit editions)

Network and Security

Wireless Network

IEEE 802.11b/a/n (Infrastructure Mode / Adhoc Mode)

Wi-Fi Direct™

Print wirelessly without having to go through a wireless access point (both automatic and manual methods supported)

Wireless Set-Up Support

Wi-Fi Protected Setup (WPS)

Wireless Applications

Vertical Pairing

Network Protocols

TCP/IP (IPv4 and IPv6)

Wired Network Security

SMTP-AUTH, SNMP v3,SSL/ TLS(SMTP,HTTP,IPP)

IPv4

ARP, RARP, BOOTP, DHCP. APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print)

IPv6

NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, SNTP Client, Web Services (Print)

Wireless Network Security

WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/ AES), SMTP-AUTH, SNMP v3,SSL/TLS(SMTP,HTTP,IPP)

E-mail Notifications

Automatically have the device send e-mail alerts when it requires attention, such as when the toner is low or needs replacing

E-mail Reports

Receive usage reports on a regular basis via e-mail

IP Filter

Restrict which network users can or cannot access the device over the network (IPv4 only)

¹ Approx declared yield value in accordance with ISO/IEC 19752.

² Calculated with 80g/m² paper. 3 Windows® & Mac® only.

⁴ Windows® only.

⁵ Optional download.

⁶ Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

Fleet Management Tools

Unattended Installer⁴

Ability to centrally deploy and customise Brother drivers and software

MSI Installer⁴

Modular installers that can be distributed through Active Directory®

BRAdmin Light^{4&5}

LAN/WAN management software

Embedded Web Server

Web based print management software embedded onto the device

Driver Deployment Wizard⁴

Easily create print drivers for hassle free deployment over your network

Supplies

In-box Toner

700 pages¹

Standard Yield Toner

1,200 pages¹ (TN-2430)

High Yield Toner

3,000 pages¹ (TN-2450)

Drum (DR-2425)

Approx 12,000 pages

Carton Contents

In-box Toner cartridge, drum, power supply cord, driver software for Windows®, Quick Set-Up Guide (USB cable NOT included)

Dimensions and Weights

With Carton (WxDxH)

580 x 517 x 434 mm - 13.1kg

Without Carton (WxDxH)

410 x 398.5 x 272 mm - 10.3kg

Duty Cycles

Recommended Monthly

Up to 2,000 pages monthly print volume

Environment

Power Consumption

Printing - 440W (260W in quiet mode), Ready - 42W, Sleep - 6.2W, Deep sleep - 0.6W, Off - 0.03W

Sound Pressure Level

Printing 48dbA, Quiet mode printing 44dbA, Ready Up to 30dbA

Power Saving

This enables the printer to consume less energy when not in use

Toner Saving

This reduces the toner usage and helps to reduce the total cost of printer ownership

Eco Mode

Yes











Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

