Data sheet

HP Color LaserJet Enterprise M653 series



This HP Color LaserJet with JetIntelligence merges performance, energy efficiency, and security.

This HP Color LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network with the industry's deepest security.



HP Color LaserJet Enterprise M653dh



HP Color LaserJet Enterprise M653dn



HP Color LaserJet Enterprise M653x

The world's most secure printing1

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help prevent potential attacks and take immediate action with instant notification of security issues.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.
- Give workgroups what they need to succeed. Choose and deploy over 175 HP and third-party security features.

High speed performance meets energy efficiency

- Speed through tasks and save paper. Print two-sided documents at up to 60 images per minute.
- This printer wakes up fast and prints your first page faster—in as quickly as 7.7 seconds.4
- This printer uses exceptionally low amounts of energy thanks to its innovative design and toner technology.5
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes 4 x 6" to legal.

More Pages, Performance, and Protection⁶

- ColorSphere3 toner formulation, combined with an automatic media sensor, help provide leading print quality.
- Original HP Toner Cartridges with JetIntelligence supply 46% more pages per color cartridge vs predecessor.⁶
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/Printers thatProtect. For more information: hp.com/go/Printers securityclaims. ² HP Web Jetadmin is available for download at no additional charge at hp.com/go/Webjetadmin. ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, offware application, driver, and document complexity. ⁴ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁴ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep. ⁵ Energy claim based on TEC data reported on energystar.gov as of January 2017. Data normalized to determine energy efficiency of in-class laser printers with published speed of 50 to 60 ppm. Subject to device settings. Actual results may vary. ⁶ More pages versus predecessor cartridges claim based on page-yield comparison of HP M647A and HP 648A Color Original Laser/let Toner Cartridges with HP 656X High Yield Color Original Laser/let Toner Cartridges. For more information, see hp.com/go/learnaboutsupplies ⁷ HP 656X High Yield Original Laser/let Toner Cartridges esparately. ⁸ An FCC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment due to the increased risk of interference to radio communications.

Product walkaround


- 1.500-sheet output bin
- 2. Front door access to toner cartridges
- 3. Wi-Fi Direct printing⁶/Bluetooth Low Energy⁸
- 4. Built-in automatic two-sided printing
- 5. 550-sheet tray 2
- 6. 550-sheet tray 3
- 7. 4.3-inch (10.9 cm) icon-based color touchscreen
- 8. Hardware Integration Pocket²
- 9. Easy-access USB port
- 10. 100-sheet multipurpose tray 1
- 11. Lower right door (access to print path)
- 12. Slot for cable-type security lock
- 13. Built-in Gigabit Ethernet
- 14. Hi-Speed USB 2.0 printing port
- 15. USB port for connecting external USB devices



HP Color LaserJet Enterprise M653x

Close-up of I/O ports

Series at a glance



¹ Built-in automatic two-sided printing is not supported on the M652n model. ² Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. ³ An administrator must enable the easy-access USB port before use. ⁴ Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁵ All models come with 100-sheet multipurpose tray 1 and 550-sheet tray 2. In addition, the M652n, M652n, M652n, and M653dn models can add up to two additional 550-sheet paper feeders; or, they can add one of the other accessories (550-sheet paper feeder with stand and cabinet, 3x550-sheet paper feeders and tsand, or 1x550- sheet/2,000 one 550-sheet paper feeder (tray 3) and it can add one additional 550-sheet HCI feeder and stand). The M653x model comes standard with --sheet paper feeder; it does not support any other paper-handing accessories. ⁶ Wi-Fi Direct printing is embedded in the HP Color LaserJet Enterprise M653x model. All other models can add wireless direct by purchasing the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device meets to be connected directly to the signal of a Wi-Fi Direct* supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/mobileprinting. Wi-Fi Direct is a registered trademark of Wi-Fi Alliance*. ⁷ Touch-to-print capability is optional for all models (except the M653x) with the purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting. ⁸ Bluetooth Low Energy is standard only on the HP Color LaserJet Enterprise M653x, and it cannot be added to other models. Bluetooth® is a trademark owned by its proprietor and used by hts proprietor and used by

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Next Business Day Onsite with Defective Media Retention:

Customers can retain their hard disk drive and keep control of sensitive data.

Same Day Onsite – 4 hour 9x5:

Sends an HP technician to customers' site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.

For carepack availability visit: hp.com/go/cpc













Top features

Only HP enterprise printers repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.

With speeds of up to 60 pages per minute³, fast first page out and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.

Get more pages and help protect your printer using Original HP Toner cartridges with JetIntelligence.

Accessories

P1B09A - HP Color LaserJet 550-sheet Paper Feeder

P1B10A - HP Color LaserJet 550-sheet Paper Feeder with Stand and Cabinet

P1B11A - HP Color LaserJet 3x550-sheet Paper Feeder with Stand P1B12A - HP Color LaserJet 1x550/2000-sheet Feeder and Stand

J8031A - HP Jetdirect 2900nw Print Server

J8030A - HP Jetdirect 3000w NFC/Wireless Accessory

F5S62A - HP Trusted Platform Module Accessory

B5L28A - HP Internal USB Ports

B5L29A - HP Secure High Performance Hard Disk Drive

E5K48A - HP 1GB DDR3 x32 144-Pin 800MHz SODIMM

Supplies

CF450A - HP 655A Black Original LaserJet Toner Cartridge (~12,500 pages)

CF460X - HP 656X High Yield Black Original LaserJet Toner Cartridge (~27,000 pages)

CF451A - HP 655A Cyan Original LaserJet Toner Cartridge (~10,500 pages)

CF461X - HP 656X High Yield Cyan Original LaserJet Toner Cartridge (~22,000 pages)

CF452A - HP 655A Yellow Original LaserJet Toner Cartridge (~10,500 pages)

CF462X - HP 656X High Yield Yellow Original LaserJet Toner Cartridge (~22,000 pages)

CF453A - HP 655A Magenta Original LaserJet Toner Cartridge (~10,500 pages)

CF463X - HP 656X High Yield Magenta Original LaserJet Toner Cartridge (~22,000 pages) P1B91A - HP LaserJet 110V Maintenance Kit (~150,000 pages)

P1B92A - HP LaserJet 220V Maintenance Kit (~150,000 pages)

P1B93A - HP LaserJet Image Transfer Belt Kit (~150,000 pages)

P1B94A - HP LaserJet Toner Collection Unit (~100,000 pages)

Services

U9NZ6E - HP 3 year Next Business Day Service w/Defective Media Retention

U9NZ9E - HP 3 year 4 hour 9x5 Service w/Defective Media Retention

U9PCOPE - HP 1 year Post Warranty NBD Service w/Defective Media Retention

U9PC2PE - HP 1 year Post Warranty 4 hour 9x5 Service w/DMR

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/Printers ThatProtect. For more information: hp.com/go/printerstation: hp.com/go/printerstation: a vailable for download at no additional charge at hp.com/go/webjetadmin. 3 Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. 4 Measured after 15 min in sleepe. Exact speeds aries depending on the system configuration, software application, driver, document complexity and time in sleepe. 5 Energy claim based on TEC data reported on energystar.gov as of January 2017. Data normalized to determine energy efficiency of in-class laser printers with published speed of 50 to 60 ppm. Subject to device settings. Actual results may vary. 6 More pages versus predecessor cartridges claim based on page-yield comparison of HP M647A and HP 648A Color Original Laser/let Toner Cartridges with HP 656X High Yield Color Original Laser/let Toner Cartridges. For more information, see hp.com/go/learnaboutsupplies 7 HP 656X High Yield Original Laser/let Toner Cartridges not included; please purchase separately. 8 A FCC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment due to the increased risk of interference to radio communications.

HP Color LaserJet Enterprise M653 series

Technical Specifications	GETJET ENTERPRISE M653 SERIES HP Color Laser Jet Enterprise M653dh (J8A06A)	HP Color LaserJet Enterprise M653dn (J8A04A)	HP Color LaserJet Enterprise M653x (J8A05A)
Print speed	· · · · · · · · · · · · · · · · · · ·	k; Up to 60 ppm color ⁸ ; First Page Out Black : As fast as 5.7 sec; First Page Out	
Print resolution	Black (best): Up to 1200 x1200 dpi; Colour (best): Up to 1200 x1200 dpi;		
Print Technology	Laser; Print Resolution Technologies: HP ImageRet 3600; 500 x 600 dp; HP ProRes 1200 (1200 x 1200 dpi); Pantone® Calibrated		
Print Cartridges Number	4 (1 each black, cyan, magenta, yellow)		
Standard Print Languages	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7), URF (AirPrint)		
Printer Smart Software Features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB		
Printer Management	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver		
Standard Connectivity	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket		1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Etherne 10/100/1000 Base-TX network; Hardware Integration Pocket; 1 Wi-Fi direc 802.11b/g/n; 1 Bluetooth low energy
Network Capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-Tx, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).		Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-1, 100Base-1x, 1000Base-1; 802.3az (EEE) support on Fa Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networkin (standard).
Wireless Capability	Optional, enabled with purchase of HP Jetdirect 2900nw Print Server J8031A or HP Jetdirect 3000w NFC/Wireless Accessory J8030A		Yes, Built-in Wi-Fi Direct, Bluetooth low energy; Optional, enabled with purchase of HP Jetdirect 2900nw Print Server J8031A
Mobile Printing Capability	HP ePrint; Apple AirPrint™, Mopria-certified ⁷ HP ePrint; Wireless direct printing; Apple AirPrint™, Mopria-certified ⁷ HP ePrint; Wireless direct printing; Apple AirPrint™, Mopria-certified ⁷		
Memory	Standard: 1 GB; Maximum: 2 GB		
Processor Speed	1.2 GHz / Hard disk: Standard, minimum 500 GB HIP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater); FIPS140 certified		
Duty Cycle	Month	ly, letter: Up to 120,000 pages Recommended Monthly Page Volume: 2000 to	17,000 pages
Paper Handling	Input Capacities: 100-sheet multi-purpose tray, 550-sheet input tray 2; Up to 650 sheets standard labels legal: Dupte Capacities: 500-sheet output biny to 500 sheets standard labels legal: Dupte Coptons: Automatic Standard; Erwelope Feeder: No. Standard per Trays: 2; Media Types Supported: Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparence labels, letterhead, evenlope, preprinted, prepunched, colored, rough, opaque film, user-defined; Media Weight Supported: Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2 and automatic two-sided printing unit: 16 to 90 lb (plain) 32 to 58 lb (glossy); Optional Tray 4, 2,000-sheet high capacity input: 16 to 58 lb (plain); Media Sizes Supported: Tray 1: letter, legal, executive, statement, 610i.0, 3 x 5 in, 4 6 in, 5 x 7 in, 5 x 8 in, envelope; (No. 9, No. 10, Monarch); Tray 2: letter, legal, executive, statement, 0ficio, 4 x 6 in, 5 x 7 in, 5 x 8 in; Optional 550-sheet trays: letter, legal, executive, statement, 0ficio, 4 x 6 in, 5 x 7 in, 5 x 8 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 2,000-sheet high-capacity tray: letter, legal, executive, statement, 0ficio, 4 x 6 in, 5 x 7 in, 5 x 8 in; Optional 2,000-sheet high-capacity tray: letter, legal, executive, statement, 0ficio, 4 x 6 in, 5 x 7 in, 5 x 8 in; Optional 2,000-sheet high-capacity tray: letter, legal, executive, statement, 0ficio, 4 x 6 in, 5 x 7 in, 5 x 8 in; Optional 2,000-sheet high-capacity tray: letter, legal, executive, statement, 0ficio, 4 x 6 in, 5 x 7 in, 5 x 8 in; Optional 2,000-sheet high-capacity tray: letter, legal, executive, statement, 0ficio, 4 x 6 in, 5 x 7 in, 5 x 8 in; Optional 2,000-sheet high-capacity tray: letter, legal, executive, statement, 0ficio, 4 x 6 in, 5 x 7 in, 5 x 8 in; Optional 2,000-sheet high-capacity tray: letter, legal, executive, statement, 0ficio, 4 x 6 in, 5 x 7 in, 5 x 8 in; Optional 2,000-sheet high-capacity tray: letter, legal, execut		to 1200 sheets standard labels legal; Output Capacities : 500-sheet output bin; Up to 500 sheets standard labels legal; Duplex Options : Automatic (standard); Envelope Feeder : No; Standard Paper Trays : : Media Types Supported : Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weigl glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy color transparency, labels, letterhead, envelope, preprinted, prepunched, a colored, rough, opaque film, user-defined; Media Weight Supported : Tray 1 16 to 58 lb (plain) 32 to 58 lb (glossy); Trays 2, 3 and automatic two-sided printing unit: 16 to 90 lb (plain) 32 to 58 lb (glossy); Optional Tray 4: 16 to 9 lb (plain) 32 to 58 lb; (glossy); Media Sizes Supported : Tray 1: letter, legal, executive, statement, Officio, 4 x in, 5 x 7 in, 5 x 8 in; Optional Tray 4: letter, legal, executive, statement, Officio, 4 x 6 in, 5 x 7 in, 5 x 8 in; Optional Tray 4: letter, legal, executive, statement, Officio, 4 x 6 in, 5 x 7 in, 5 x 8 in; Media Sizes Custom : Tray 1: 3 x 5 to 8.5 x 7 in, 6 to 8.5 x 7 in, 5 x 8 in; Media Sizes Custom : Tray 1: 3 x 5 to 8.5 x 7 in, 6 x 8 in; Media Sizes Custom : Tray 1: 3 x 5 to 8.5 x 7 in, 6 x 8 in; Media Sizes Custom : Tray 1: 3 x 5 to 8.5 x 7 in, 6 x 8 in; Media Sizes Custom : Tray 1: 3 x 5 to 8.5 x 7 in, 6 x 8 in; Media Sizes Custom : Tray 1: 3 x 5 to 8.5 x 7 in, 6 x 8 in; Media Sizes Custom : Tray 1: 3 x 5 to 8.5 x 7 in, 6 x 8 in; Media Sizes Custom : Tray 1: 3 x 5 to 8.5 x 7 in in; Media Sizes Custom : Tray 1: 3 x 5 to 8.5 x 7 in in; Media Sizes Custom : Tray 1: 3 x 5 to 8.5 x 7 in; Media Sizes Custom : Tray 1: 3 x 5 to 8.5 x 7 in; Media Sizes Custom : Tray 1: 3 x 5 to 8.5 x 7 in; Media Sizes Sizes Custom : Tray 1: 3 x 5 to 8.5 x 7 in; Media Sizes Sizes Sizes
Product Dimensions	₩ x D x H ; 20.08 x 18.03 x 20.08 in; Maximum ; 37.91 x 30.31 x 20.08 in		2, 3: 4 x 5.83 to 8.5 x 14 in; Optional Tray 4: 4 x 5.83 to 8.5 x 14 in W x D x H: 20.08 x 18.03 x 25.20 in; Maximum: 37.91 x 30.31 x 25.20 in
Product Weight	68.9 lb		82.7 lb
What's in the box	HP Color Laser Jet Printer; HP Black Original Laser Jet Toner Cartridge (~12,500 yield), HP Cyan, Magenta and Yellow Original Laser Jet Toner Cartridges (~10,500 yield each) (toner cartridges (~10,500 yield each) (toner cartridges (~10,500 yield each)).		
Triaco III die Dox	documentation; Documentation (Hardware Install Guide); Power cord; 1x550-sheet paper feeder (only J8A05A) ²		
Warranty Features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to hp.com/support to learn about HP award winning service and support options in your region.		
Energy Efficiency Compliance	ENERGY STAR® qualified; EPEAT® Gold (#AAZ, #201 options only)	ENERGY STAR® qualified; EPEAT® Silver; EPEAT® Gold (#AAZ; #201 options only); CECP	ENERGY STAR® qualified; EPEAT® Silver; CECP
Control Panel	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Home button		
Display Description	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)		
Software Included	HP Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals		
Fonts and Typefaces	105 internal True Type fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts		
Compatible Operating Systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions (4.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)		
Compatible Network Operating Systems Minimum System Requirements	[Litrix MetaFrame Presentation Server 3.0, Citrix MetaFrame xP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/FORM 2012/2012R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 Terminal Services, 32- and 64-bit, Citrix XenApp 6.0/6.5/7.5 (for Windows Server 2008 R2 Services) 32- and 64-bit, Citrix XenDesktop 7.5 (for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit, Citrix XenDesktop 5.6/7.0/7.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit), Citrix XenDesktop 5.6/7.0/7.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit), Citrix XenDesktop 7.0/7.5 (for Windows Server 2012 and 2012 R2 Terminal Services, 32- and 64-bit), Novell Departs of 64-bit, Citrix XenDesktop 7.0/7.5 (for Windows Server 2012 and 2012 R2 Terminal Services, 32- and 64-bit), Novell Server 2003/2003 R2 32-6/64-bit (SP1/SP2) Standard/Enterprise (PLUster & Terminal Services), Windows Server 2012 And 2012 R2 Terminal Services), Windows Server 2012 R2 Server 2003/2003 R2 32-6/64-bit (SP1/SP2) Standard/Enterprise (PLUster & Terminal Services), Windows Server 2003/2003 R2 32-6/64-bit (SP1/SP2) Standard/Enterprise (PLUster & Terminal Services), Windows Server 2003/2003 R2 32-6/64-bit (SP1/SP2) Standard/Enterprise (PLUster & Terminal Services), Windows Server 2003/2003 R2 32-6/64-bit (SP1/SP2) Standard/Enterprise (PLUster & Terminal Services), Windows Server 2003/2003 R2 32-6/64-bit (SP1/SP2) Standard/Enterprise (PLUSter & Terminal Services), Windows Server 2003/2003 R2 32-6/64-bit (SP1/SP2) Standard/Enterprise (PLUSter & Terminal Services), Windows Server 2003/2003 R2 32-6/64-bit (SP1/SP2) Standard/Enterprise (PLUSter & Terminal Services), Windows Server 2003/2003 R2 32-6/64-bit (SP1/SP2) Standard/Enterprise (PLUSter & Terminal Services), Windows Server 2003/2003 R2 32-6/64-bit (SP1/SP2) Standard/Enterprise (PLUSter & Terminal Services), Windows Server 2003/2003 R2 32-6/64-bi		
Power	Power Supply Type: Built in 115V or 220V Power Supply (not dual voltage, power supply varies by part number with option code identifier); Power Requirements: Input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/- 3Hz), 6A; Power Consumption: 780 watts (printing), 31 watts (ready), 0.7 watts (sleep), 0.7 watts (Auto Off/Manual On), 0.1 (Manual Off) ³		
Acoustics	Acoustic Power Emissions: 6.9 B(A); Acoustic Pressure Emissions: 53 dB(A) Acoustic Power Emissions: 6.8 B(A); Acoustic Pressure Emissions: 53 dB(A) Acoustic Power Emissions: 6.8 B(A); Acoustic Pressure Emissions: 53 dB(A)		
Operating Environment	Operating Temperature Range: 59 to 86%; Recommended Operating Temperature: 63.5 to 77%; Storage Temperature Range: 4 to 104%; Non-Operating Humidity Range: 10 to 90% RH; Operating Humidity Range: 10 to 80% RH; Recommended Humidity Operating Range: 30 to 70% RH		
Security Management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key, an Kerberos authentication; Supports WM-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SMMPv3; HTTPS; Certificates; Access Control List; Data: Storage Enroyption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability. Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs		

Learn more at hp.com

© Copyright 2017-2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.



¹ EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country. ² Cartridges included; yields 10,500 color (C/Y/M) and 12,500 black pages. Pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies. Pages may vary based on customer printing conditions and usage. ³ Dower requirements are based on the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device. ⁵ Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting. Wi-Fi disabled. ⁶ Nevrage color composite (C/M/M) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies. ⁷ May require a firmware upgrade to be compatible, download at http://www.hp.com/go/support ⁸ Nessured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed waries depending on the system configuration, software application, driver, and document complexity. ⁹ Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed waries depending on the system configuration, software application, driver, and document complexity. ¹¹ Neasured after 15 min in sleep. Exact speed waries depending on the system configuration, software application, driver, document complexity and time in sleep. ¹² Declared yield value in accordance with ISO/IEC 17752. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies