# HP PageWide Managed Color MFP E77650z-E77660z Printer series



# HP PageWide delivers a breakthrough low color cost, maximum uptime, and the strongest security.<sup>1</sup>

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copying costs. See your HP Authorized Reseller for details.



- Depend on lasting value. Get the results you expect for a game-changing low cost per color page.
- Print more pages and replace cartridges less often with optional high-yield cartridges.<sup>2</sup>
- Print even faster—and save even more per page—by setting this printer to General Office mode.<sup>3</sup>
- Help keep energy costs down with the most efficient printer in its class.4

#### Minimal interruptions. Maximum uptime.

- Minimize interruptions with an HP PageWide Managed MFP designed for the least maintenance in its class.<sup>5</sup>
- Print speeds up to 50% faster than competitors—as fast as 80 ppm in color and black-and-white.<sup>6</sup>
- Tailor this MFP to the needs of your business with a wide range of paper-handling accessories.
- Scan files directly to Microsoft<sup>®</sup> Office 365 and SharePoint, plus email, USB, and network folders.<sup>7</sup>

#### The world's most secure printing<sup>1</sup>

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Protect information on the MFP and in transit over the network, and store data on the encrypted hard disk.<sup>8</sup>
- Monitor activity to detect and stop attacks, then automatically reboot with run-time intrusion detection.
- Whitelisting checks firmware during startup to help ensure it's authentic, good code—digitally signed by HP.

#### Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages—every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 200 pages into the automatic document feeder for fast, unattended scanning.

HP PageWide Managed Color Flow MFP E77660z

<sup>1</sup> Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/PrintersThatProtect. For more at PageWide products. Subject to device settings. Actual results may vay. <sup>5</sup> Fever service parts claim based on BLI analysis of leading in-class A3 HPPs as of August 2016; calculations use publicly available and/or published manufacturer rated yields for long-life consumables and assume 600,000 pages printed (using a 60% black/40% color ratio). Learn more at http://www.hp.com/go/PrintersThatProtect. For more at 6 Calculations on the PageWide products. Subject to the printers Science may require registration. App availability varies by country, language, and agreements. For details, see http://www.hp.com/go/printersPageSi 4 Details and PageWide products. HP PageWide products. HP PageWide products. HP PageWide p



HP PageWide Managed Color Flow MFP E77650z



### Product walkaround

- 1. 20.3 cm (8.0 inch) pivoting color touchscreen
- 2. Hardware Integration Pocket<sup>1</sup>
- 3. Easy-access USB printing port
- 4. Retractable keyboard<sup>2</sup>
- 5. Front door access to cartridges
- 6. 100-sheet multipurpose tray 1 supports media up to 305 x 457 mm (12 x 18 inches)
- 7. Automatic two-sided printing
- 8. 550-sheet tray 2 supports media up to 297 x 432 mm (11.7 x 17 inches) $^{\scriptscriptstyle 3}$
- 9. 200-sheet ADF with single-pass, two-sided scanning with HP EveryPage<sup>4</sup> supports media up to 297 x 432 mm (11.7 x 17 inches)
- 10. Flatbed scanner handles sheets up to 297 x 432 mm (11.7 x 17 inches)
- 11.500-sheet output bin
- 12. Ethernet port, 2 Hi-Speed USB 2.0 Host ports, Hi-Speed USB 2.0 Device port



### Series at a glance





Model	HP PageWide Managed Color Flow MFP E77650z	HP PageWide Managed Color Flow MFP E77660z
Product number	J7Z08A	J7Z03A
Functions	Print, scan, copy	Print, scan, copy
Print speeds, black and color, letter and A4⁵	Up to 50/70 ppm, Professional/General Office mode	Up to 60/80 ppm, Professional/General Office mode
Retractable keyboard <sup>2</sup>	$\checkmark$	$\checkmark$
HP EveryPage with ultrasonic detection, embedded OCR4	V	√
Automatic page orientation, cropping, and tone adjustment	√	$\checkmark$
Control panel display	20.3 cm (8.0 inch) pivoting color touchscreen	20.3 cm (8.0 inch) pivoting color touchscreen
Paper input trays (standard)	100-sheet multipurpose tray 1, 550-sheet tray 2	100-sheet multipurpose tray 1, 550-sheet tray 2
Optional paper handling accessories <sup>3</sup>	550-sheet Paper Tray, 550 sheet Paper Tray and Cabinet, 3 x 550-sheet Paper, Tray and Stand, 4,000-sheet HCI Paper Tray and Stand	550-sheet Paper Tray, 550 sheet Paper Tray and Cabinet, 3 x 550-sheet Paper Tray and Stand, 4,000-sheet HCI Paper Tray and Stand
Input capacity (standard/maximum <sup>7</sup> )	Up to 650/4,650 sheets	Up to 650/4,650 sheets
Output	Up to 500 sheets	Up to 500 sheets

<sup>1</sup>Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. <sup>2</sup>The retractable keyboard is available with HP PageWide Managed Color Flow MFP E776502 and Color Flow MFP E776502 models only. <sup>3</sup>The HP PageWide Managed Color MFP E776502 models only. <sup>3</sup>The HP PageWide Managed Color MFP E776502 models only. <sup>3</sup>The HP PageWide Managed Color MFP E776502 models only. <sup>3</sup>The HP PageWide Managed Color MFP E776502 models only. <sup>3</sup>The HP PageWide Managed Color MFP E776502 models only. <sup>3</sup>The HP PageWide Managed Color MFP E776502 models only. <sup>3</sup>The HP PageWide Managed accessories: 550-sheet page tray and table with HP page Wide Managed Color Flow MFP E776502 models only. <sup>4</sup>The UP accessories: 550-sheet page tray and table with HP pageWide Managed Color Flow MFP E776502 models only. <sup>4</sup>The UP accessories: 550-sheet page tray and table with HP pageWide Managed Color Flow MFP E776502 models only. <sup>4</sup>The UP accessories: 550-sheet page tray and table with HP pageWide Managed Color Flow MFP E776502 models only. <sup>4</sup>The UP accessories: 550-sheet page tray and table with HP pageWide Managed Color Flow MFP E776502 models only. <sup>4</sup>Measured using ISO/IEC 42734, excludes first set of the pageWide Managed Color Flow MFP E776502 models only. <sup>4</sup>Measured using ISO/IEC 42734, excludes first set of the test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>4</sup>Purchase of optional paper tray required to reach maximum input capacity.

### **HP Services**

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

# Next Business Day Onsite with Defective Media Retention:

Customers can retain their hard disk drive and keep control of sensitive data.

## Top features

Accessories

Color printing is within every business' budget with HP PageWide Technology. Print professional-quality color for a breakthrough low cost—results you expect from HP for an exceptional value you can rely on.

Annoying interruptions and complex maintenance can slow down printing, and ultimately, the pace of business. Avoid pauses in productivity with an HP PageWide device designed for maximum uptime—so you can count on reliable results day in and day out.

Only HP Enterprise printers repair themselves from attacks in real time, with built-in security to help keep your network safe. Automatically monitor threats, detect intrusions, and validate operating software with security offered only by HP.<sup>1</sup>

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs super-fast—up to 240 ipm<sup>3</sup>—and avoid extra steps with a Flow MFP designed for maximum productivity.

For carepack availability visit: hp.com/go/cpc











B5L28A	HP Internal USB Ports	
B5L29A	HP High-Performance Secure Hard Disk	
B5L31A	HP Foreign Interface Harness	
CC487A	HP LaserJet MFP Analog Fax Accessory 500	
E5K48A	HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM	
J8030A	HP Jetdirect 3000w NFC/Wireless Accessory	
J8031A	HP Jetdirect 2900nw Print Server	
P1V16A	HP PageWide Managed 550-sheet Paper Tray	
P1V17A	HP PageWide Managed 550-sheet Paper Tray and Cabinet	
P1V18A	HP PageWide Managed 3x550 sheet Paper Tray and Stand	
P1V19A	HP PageWide Managed 4000 sheet High-capacity Paper Tray and Stand	
Supplies		
MOK28XC	HP 990XC Black Contract PageWide Crtg (~22,000 pages)	
MOK05XC	HP 990XC Cyan Contract PageWide Cartridges (~16,000 pages)	
MOK09XC	HP 990XC Magenta Contract PageWide Cartridges (~16,000 pages)	
M0K24XC	HP 990XC Yellow Contract PageWide Cartridges (~16,000 pages)	
Services		
U9RL2E	HP 3 year Next Business Day w/Disk Media Retention PgWd Color 776xx Managed Service	
U9RL3E	HP 4 year Next Business Day w/Disk Media Retention PgWd Color 776xx Managed Service	
U9RL4E	HP 5 year Next Business Day w/Disk Media Retention PgWd Color 776xx Managed Service	

<sup>1</sup> Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information. http://www.hp.com/go/PrintersThatProtect.For more information. http://www.hp.com/go/PrintersThatProtect.For more information. http://www.hp.com/go/PrintersThatPro

## HP PageWide Managed Color MFP E77650-E77660 Printer series

Technical Specifications	HP PageWide Managed Color Flow MFP E77650z (J7Z08A) HP PageWide Managed Color Flow MFP E77660z (J7Z03A)	
AIO functions	Print, copy, scan, fax (optional); AlO multitasking supported: Yes	
Print speed	A4/Letter: Up to 50 ppm black/color (Professional mode), Up to 70 ppm black/color (General Office mode) <sup>5</sup> ; First Page Out: As fast as 7.1 sec black/ color (General Office mode) <sup>5</sup> ; First Page Out: As fast as 7.1 sec black/ color <sup>6</sup>	
Print resolution	Black (best): Up to 1200 x 1200 optimized dpi from 600 x 600 input dpi (on Unspecified, Plain, HP Premium Presentation Matte, and HP Brochure Matte); Colou (best): Up to 2400 x 1200 optimized dpi from 600 x 600 input dpi (on HP Advanced Photo Papers)	
Print Technology	HP PageWide Technology; Print Resolution Technologies: HP PageWide Technology up to 1200 x 1200 optimized dpi from 600 x 600 input dpi	
Print Cartridges Number	4 (1 each black, cyan, magenta, yellow)	
Standard Print Languages	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation; PDF 1.7	
Printer Smart Software Features	HP SureStart; Run-time Intrusion detection; Whitelisting; HP Trusted Platform Module; HP JetAdvantage Security Manager; HP Web Jetadmin; Open Extensibilit Platform, FutureSmart Firmware, HP ePrint, Apple AirPrint <sup>™</sup> , HP Auto-On/Auto-Off technology, HP Color Access Control, HP EasyColor, Front-facing USB printin store print jobs, HP EasyColor, print preview, automatic two-sided printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, booklet printing, cover page tray selection, scaling, Portrait/Landscape orientation, High Quality Grayscale and Black Ink Only, General Office/Professional/Presentation dpi print modes, Optional: HP and third party extensibility solutions; wireless	
Printer Management	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver	
Scan Type / Technology	Type: Flatbed, ADF; Technology: Charge Coupled Device (CCD) & Contact Image Sensor (CIS)	
Scan Resolution	Hardware: Up to 600 ppi; Optical: Up to 600 ppi	
Scan Size	ADF: 297 x 432 mm; Up to 297 x 864 mm when "long scan size" selected; 11.7 x 17 in; Up to 11.7 x 34 in when "long scan size" selected Maximum; 68 x 148 m 2.7 x 5.8 in Minimum; Flatbed: 297 x 432 mm; Up to 90 ipm simplex and up to 180 ipm duplex	
Scan Speed	Up to 90 ipm simplex and up to 180 ipm duplex <b>Duplex:</b> Up to 90 ipm simplex and up to 180 ipm duplex	
Bit depth / Grayscale levels	24-bit/256	
Digital Sending Standard Features	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Pag Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF	
Copy Speed	A4/Letter:         Up to 50 cpm black/color;         A4/Letter:         Up to 50 cpm black/color;         A4/Letter:         Up to 60 cpm black/color;         General 0ffice mode);         First Copy Out:         As fast as 9.0 sec black/color         General 0ffice mode);         First Copy Out:         As fast as 7.9 sec black/color	
Copy Resolution	Black (text and Graphics): Up to 600 × 600 dpi; Color (text and Graphics): Up to 600 × 600 dpi	
Maximum Number of Copies	Up to 9999 copies	
Copier Resize	25 to 400%	
Copier Settings	Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, ID Scan, job build, edge-to-edge, job storage	
Fax Speed	Up to: 33.6 kbps <sup>4</sup>	
Fax Resolution	Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Color (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 204 x 98 dpi	
Fax Smart Software Features	Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule	
Fax Features	Auto Fax Reduction Supported: Yes; Auto-Redialing: Yes; Fax Delayed Sending: No; Distinctive Ring Detection Supported: No; Fax Forwarding Supported: Yes; Fax Phone TAM Interface Supported: No; Fax Polling Supported: Yes; (poll to receive only); Fax Telephone Mode Supported: No; Junk Barrier Supported: Yes; Maximum Speed Dialing Numbers: Up to 1000 numbers (each with 210 destinations); PC Interface Supported: Yes; Remote Retrieval Capability Supported: No; Telephone Handset Supported: No	
Standard Connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket	
Network Capabilities	Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx , 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabi Ethernet; IPsec (standard)	
Wireless Capability	Optional, enabled with purchase of a hardware accessory	
Mobile Printing Capability	HP ePrint, Apple AirPrint™, Google Cloud Print	
Processor Speed	1.2 GHz	
Duty Cycle	Monthly, A4: Up to 200,000 pages Recommended Monthly Page Volume: 2,500 to 50,000 (print)	
Paper Handling	Input Capacity, Max: Up to 4,650 sheets: Up to 2,300 sheets Legal/A3/Tabloid; Up to 10 envelopes; Up to 1,840 cards; Up to 1,840 labels; Output Capacity, Max: Up to 500 sheets: Up to 50 envelopes; Up to 2,300 sheets Legal/A3/Tabloid; Up to 10 envelopes; Up to 1,840 cards; Up to 1,840 labels; Output Capacity, Max: Up to 500 sheets: Up to 50 envelopes; Up to 200 cards; Up to 200 labels; Standard Input Capacities: 100-sheet multipurpose tray, 550-sheet input tray; Output Capacities: S00-sheet output bin; Duplex: Automatic (standard); Auto Document Feeder Capacity: Up to 200 sheets; Envelope Feeder: No; Standard Paper Trays: 2; Media Types Supported: Paper (Plain, Inkjet, Inkjet, Inkjet, Brochure/Glossy), Photo Paper, Envelope, Labels, Cards; Media Weight Supported: Tray 1: 16 to 58 lb; 80 lb Photo Paper Only; Trays 2-5: 16 to 58 lb; Media Sizes Supported: Letter -R, Legal, Executive, Statement, Officio (8.5x13), 11×17, 12×18; 4x6, 5x7, 5x8, Envelope B5, Envelope C5, Envelope C6, Envelope DL, Envelop Chou #3; Media Sizes Custom: Tray 1: 3.9 x 5 to 12 x18; 550-sheets: 8.27 x 5.83 to 11.70 x 17 in HCI Trays 3 & 4: A4 & Letter (no custom size)	

# HP PageWide Managed Color MFP E77650-E77660 Printer series Technical Specifications HP PageWide Managed Color Flow MFP E776502 (J7208A)

HP PageWide Managed Color Flow MFP E77660z (J7Z03A)

Technical Specifications	HP PageWide Managed Color Flow MFP E77650z (U7208A)	HP PageWide Managed Color Flow MFP E77660z (J7203A)		
Product Dimensions		WxDxH:813 x 616 x 680 mm; 32 x 24.25 x 26.75 in; Maximum:896 x 718 x 680 mm; 35.25 x 28.25 x 26.75 in		
Product Weight	69 k <u>c</u>	69 kg; 153 lb		
Warranty Features		90 days parts only warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.		
Control Panel		8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu) USB High-speed 2.0 port; Hardware Integration Pocket		
Display Description	8.0 in (20.3 cm) touchscreen,	XVA Color Graphic Display (CGD)		
Software Included	App Source for	HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or O App Source for printer software), Online user manuals		
Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP Laser Je Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts			
Compatible Operating Systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)			
Compatible Network Operating Systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows Server 2012/2012R2, Citrix Presentation Server 4.0/4,5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 R2 SP1, Citrix on Windows Server 2008/2, Citrix On Windows Server 2008 R2 Forminal Services 32- and 64-bit, Citrix XenApp 6.0/6.5 (for Windows Server 2008 R2 Terminal Services, 32- and 64-bit), Citrix XenApp 6.0/6.5/7.5 (for Windows Server 2012 and 2012 R2 Terminal Services, 32- and 64-bit), Citrix XenApp 6.0/6.5/7.5 (for Windows Server 2012 and 2012 R2 Terminal Services, 32- and 64-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit), Novell Open Enterprise Server 2012 and 2012 R2 Terminal Services, 64-bit), Novell NetWare 6.5/SP8 Novell Clients www.novell.com/iprint, Novell IPrint Appliance v1.0, Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2003/2003 R2 32-bit (SP1/SP2) Standard/203 R2 32-f64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-f64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-f64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-f64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2012 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services), Windows Server 2016/64-bit Standard/Essential/Datacenter (+ Cluster & Termina			
Minimum System Requirements		PC: 2GB available hard disk space, OS hardware requirements see microsoft.com; MAC: 1.3 GB available hard drive space; Internet; OS hardware requirements se Apple.com for more info		
Power	42 watts (ready), 1.6 watts (sleep), 0.2 watts (auto-off), 0.2 watts (off)Typical E	Power Supply Type: Internal (Built-in) power supply; Power Requirements: Input voltage: 100 to 240 VAC, 50/60 Hz; Power Consumption: 660 watts (print/copy), 42 watts (ready), 1.6 watts (sleep), 0.2 watts (auto-off), 0.2 watts (off)Typical Electricity Consumption (TEC) number: BA: 1.97 kWh/Week; ES: 2.03 kWh/Week <sup>2</sup> ; Blue Angel (Sleep mode): Test 2 (Blue Angel); Blue Angel (Normal mode): Test 3 (Blue Angel) <sup>39</sup>		
Acoustics	Acoustic Power Emissions: 6.8 B(A)	Acoustic Power Emissions: 6.8 B(A)		
Operating Environment	-40 to 60°C; After initial setup (Purged): 0 to 60°C. If stored below the lower operating temperature (HP recommends waiting 24 hours at approved operati	Operating Temperature Range: 15 to 30°C; Recommended Operating Temperature: 17 to 25°C; Storage Temperature Range: Before initial setup (Non-Purged): -40 to 60°C; After initial setup (Purged): 0 to 60°C. If stored below the lowest specified operating temperature, unit must slowly warm up to an approved operating temperature (HP recommends waiting 24 hours at approved operating temperature prior to using the printer).; Non-Operating Humidity Range: 10 to 80% RH; Operating Humidity Range: 10 to 80% RH; Recommended Humidity Operating Range: 30 to 70% RH		
Security Management	Identity Management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and third-party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-Shared Key, and Kerberos authentication, Supports WJA-10 IPsec configuration Plug in, 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List, HP Trusted Platform Module (TPM) comes standard; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft), Secure Erase, SSL/TLS (HTTPS), Encrypted Credentials; Device: Security lock slot, USB port disablement, Hardware Integration Pocket for security solutions, 18 Intrusion Detection with Red Balloon Security Technology (Constant in-device monitoring for attacks), IP Sure Start Secure Boot (BIOS) integrity checking with self-healing capability), Whiteisting (loads only known good code (DLLs, EXEs, etc.); Security Management: Compatible with HP JetAdvantage Security Manager,21 Device Security Syslog Messages processed and accessible in ArcSight and Splunk SIEMs; For more security settings go to http://h10032.www1.hp.com/ctg/Manual/c03602120			

<sup>1</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device. <sup>2</sup> Based on the BA TEC regular integration are used on the country regular where the primer is source to perform outsides. The source is a set of the country regular water operating water water ope

#### Learn more at hp.com

© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windowsis a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.