HP PageWide Managed Color MFP E77650dn-E77660dn Printer series



HP PageWide delivers a breakthrough low color cost, maximum uptime, and the strongest security.¹

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copying costs. See your HP Authorized Reseller for details.



- Depend on lasting value. Get the results you expect for a game-changing low cost per color page.
- Print more pages and replace cartridges less often with optional high-yield cartridges.²
- Print even faster—and save even more per page—by setting this printer to General Office mode.³
- Help keep energy costs down with the most efficient printer in its class.⁴

Minimal interruptions. Maximum uptime.

- Minimize interruptions with an HP PageWide Managed MFP designed for the least maintenance in its class.⁵
- Print speeds up to 50% faster than competitors—as fast as 80 ppm in color and black-and-white.⁶
- Tailor this MFP to the needs of your business with a wide range of paper-handling accessories.
- Scan files directly to Microsoft[®] Office 365 and SharePoint, plus email, USB, and network folders.⁷

The world's most secure printing¹

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Protect information on the MFP and in transit over the network, and store data on the encrypted hard disk.^a
- Monitor activity to detect and stop attacks, then automatically reboot with run-time intrusion detection.
- Whitelisting checks firmware during startup to help ensure it's authentic, good code—digitally signed by HP.



HP PageWide Managed Color MFP E77660dn

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, wish http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/PrintersThatProtect. For more at PageWide products. Subject to device settings. Actual results may way. ⁵ Fewer service parts claim based on BL analysis of leading in-class A3 HPPs as of August 2016; calculations use publicly available and/or published manufacturer rated yields for long-life consumables and assume 600,000 pages printed (using a 60% black/40% color ratio). Learn more at http://www.hp.com/go/PrintersThatProtect. For more at 6 Calculations on the PageWide products. Subject to http://sof-25299 and 6 Calculations and featine-Calculations of earlies and featine-Calculations and earlies and assume 600,000 pages printed (using a 60% black/40% color ratio). Learn more at http://www.Hp.com/go/printerspeeds ⁷ Requires an Internet connection to the printer



HP PageWide Managed Color MFP E77650dn

Product walkaround

- 1. 20.3 cm (8.0 inch) pivoting color touchscreen
- 2. Hardware Integration Pocket¹
- 3. Easy-access USB printing port
- 4. Front door access to cartridges
- 5. 100-sheet multipurpose tray 1 supports media up to 305 x 457 mm (12 x 18 inches)
- 6. Automatic two-sided printing
- 7. 550-sheet tray 2 supports media up to 297 x 432 mm (11.7 x 17 inches)^{\rm 2}
- 8. 200-sheet ADF with single-pass, two-sided scanning supports media up to 297 x 432 mm (11.7 x 17 inches)
- 9. Flatbed scanner handles sheets up to 297 x 432 mm (11.7 x 17 inches)
- 10. 500-sheet output bin
- 11. Ethernet port, 2 Hi-Speed USB 2.0 Host ports, Hi-Speed USB 2.0 Device port



Series at a glance





		· · · · ·
Model	HP PageWide Managed Color MFP E77650dn	HP PageWide Managed Color MFP E77660dn
Product number	J7Z13A	Z5G77A
Functions	Print, scan, copy	Print, scan, copy
Print speeds, black and color, letter and A4 ³	Up to 50/70 pages per minute (ppm), Professional/General Office mode	Up to 60/80 pages per minute (ppm), Professional/General Office mode
Control panel display	20.3 cm (8.0 inch) pivoting color touchscreen	20.3 cm (8.0 inch) pivoting color touchscreen
Paper input trays (standard)	100-sheet multipurpose tray 1, 550-sheet tray 2	100-sheet multipurpose tray 1, 550-sheet tray 2
Optional paper handling accessories ²	550-sheet Paper Tray, 550 sheet Paper Tray and Cabinet, 3 x 550-sheet Paper, Tray and Stand, 4,000-sheet HCI Paper Tray and Stand.	550-sheet Paper Tray, 550 sheet Paper Tray and Cabinet, 3 x 550-sheet Paper Tray and Stand, 4,000-sheet HCI Paper Tray and Stand
Input capacity (standard/maximum ⁷)	Up to 650/4,650 sheets	Up to 650/4,650 sheets
Output	Up to 500 sheets	Up to 500 sheets

¹Solutions deployed through the Hardware integration Pocket (HIP) may require additional purchase. ²The HP PageWide Managed Color MFP E77650 series comes standard with a 100-sheet multipurpose tray that supports up to 12 x 18 inches (305 x 457 mm) and one 550 sheet tray that supports up to 11.7 x 17 inches (297 x 432 mm). All models can add up to one of the following optional accessories: 550-sheet paper tray, 550 sheet paper tray and cabinet, 3x550-sheet paper tray and stand, or 4,000 sheet HCI paper tray and stand. The 550-sheet trays support up to 11.7 x 17 inches (297 x 432 mm). The optional HCI tray supports up to letter (A4). ^MMeasured using IS0/IEC 24734, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁴Purchase of optional aper trays required to reach maximum input capacity.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Next Business Day Onsite with Defective Media Retention:

Customers can retain their hard disk drive and keep control of sensitive data.

For carepack availability visit: hp.com/go/cpc









Top features

Color printing is within every business' budget with HP PageWide Technology. Print professional-quality color for a breakthrough low cost—results you expect from HP for an exceptional value you can rely on.

Annoying interruptions and complex maintenance can slow down printing, and ultimately, the pace of business. Avoid pauses in productivity with an HP PageWide device designed for maximum uptime—so you can count on reliable results day in and day out.

Only HP Enterprise printers repair themselves from attacks in real time, with built-in security to help keep your network safe. Automatically monitor threats, detect intrusions, and validate operating software with security offered only by HP.

Accessories	
B5L28A	HP Internal USB Ports
B5L29A	HP High-Performance Secure Hard Disk
B5L31A	HP Foreign Interface Harness
CC487A	HP LaserJet MFP Analog Fax Accessory 500
E5K48A	HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM
J8030A	HP Jetdirect 3000w NFC/Wireless Accessory
J8031A	HP Jetdirect 2900nw Print Server
P1V16A	HP PageWide Managed 550-sheet Paper Tray
P1V17A	HP PageWide Managed 550-sheet Paper Tray and Cabinet
P1V18A	HP PageWide Managed 3x550 sheet Paper Tray and Stand
P1V19A	HP PageWide Managed 4000 sheet High-capacity Paper Tray and Stand
Supplies	
M0K28XC	HP 990XC Black Contract PageWide Cartridges (~22,000 pages)
MOKO5XC	HP 990XC Cyan Contract PageWide Cartridges (~16,000 pages)
MOKO9XC	HP 990XC Magenta Contract PageWide Cartridges (~16,000 pages)
MOK24XC	HP 990XC Yellow Contract PageWide Cartridges (~16,000 pages)
Services	
U9RL2E	HP 3 year Next Business Day w/Disk Media Retention PqWd Color 776xx Managed Service
U9RL3E	HP 4 year Next Business Day w/Disk Media Retention PgWd Color 776xx Managed Service
U9RL3E U9RL4E	HP 4 year Next Business Day w/Disk Media Retention PgWd Color 776xx Managed Service HP 5 year Next Business Day w/Disk Media Retention PgWd Color 776xx Managed Service
U9KL4E	היי סיצעו זיצגו בעטוויפט שעי שישוא וייפעוע גפופוונוטוו פעשע נטנטר 776XX שמוועצע ספרעונפ

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/PrintersThatProtect.For more information: http://www.hp.com/go/PrintersThatProtect.For more information: http://www.hp.com/go/PrintersThatPro

HP PageWide Managed Color MFP E77650-E77660 Printer series

Technical Specifications	HP PageWide Managed Color MFP E77650dn (J7Z13A)	HP PageWide Managed Color MFP E77660dn (Z5G77A)	
AIO functions	Print, copy, scan, fax (optional)	; AIO multitasking supported: Yes	
Print speed	A4/Letter: Up to 50 ppm black/color (Professional mode), Up to 70 ppm black/color (General Office mode) ⁵ ; First Page Out: As fast as 7.1 sec black/ color ⁶	A4/Letter: Up to 60 ppm black/color (Professional mode), Up to 80 ppm black/color (General Office mode) ⁵ ; First Page Out: As fast as 7.1 sec black/ color ⁶	
Print resolution		Black (best): Up to 1200 x 1200 optimized dpi from 600 x 600 input dpi (on Unspecified, Plain, HP Premium Presentation Matte, and HP Brochure Matte); Colour (best): Up to 2400 x 1200 optimized dpi from 600 x 600 input dpi (on HP Advanced Photo Papers)	
Print Technology	HP PageWide Technology; Print Resolution Technologies: HP PageWid	HP PageWide Technology; Print Resolution Technologies: HP PageWide Technology up to 1200 x 1200 optimized dpi from 600 x 600 input dpi	
Print Cartridges Number		an, magenta, yellow)	
Standard Print Languages	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation; PDF 1.7		
Printer Smart Software Features	Platform, FutureSmart Firmware, HP ePrint, Apple AirPrint™, HP Auto-On/Auto- store print jobs, HP EasyColor, print preview, automatic two-sided printing, prin tray selection, scaling, Portrait/Landscape orientation, High Quality Grayscal	HP SureStart; Run-time Intrusion detection; Whitelisting; HP Trusted Platform Module; HP JetAdvantage Security Manager; HP Web Jetadmin; Open Extensibilit Platform, FutureSmart Firmware, HP ePrint, Apple AirPrint [™] , HP Auto-On/Auto-Off technology, HP Color Access Control, HP EasyColor, Front-facing USB printing store print jobs, HP EasyColor, print preview, automatic two-sided printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, booklet printing, cover pages tray selection, scaling, Portrait/Landscape orientation, High Quality Grayscale and Black Ink Only, General Office/Professional/Presentation dpi print modes, Optional: HP and third party extensibility solutions; wireless	
Printer Management		HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver	
Scan Type / Technology		Type: Flatbed, ADF; Technology: Charge Coupled Device (CCD) & Contact Image Sensor (CIS)	
Scan Resolution		pi; Optical: Up to 600 ppi	
Scan Size	2.7 x 5.8 in Minimum; Flatbed: 297 x 432 mm (11.7 x 1	ADF: 297 x 432 mm; Up to 297 x 864 mm when "long scan size" selected; 11.7 x 17 in; Up to 11.7 x 34 in when "long scan size" selected Maximum; 68 x 148 m 2.7 x 5.8 in Minimum; Flatbed: 297 x 432 mm (11.7 x 17 inches); Up to 90 ipm simplex and up to 180 ipm duplex	
Scan Speed	Duplex: Up to 90 ipm simpl	Up to 90 ipm simplex and up to 180 ipm duplex Duplex: Up to 90 ipm simplex and up to 180 ipm duplex	
Bit depth / Grayscale levels	24-bit/256		
Digital Sending Standard Features	Removal; Edge Erase; Auto Color Sen	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF	
Copy Speed	A4/Letter: Up to 50 cpm black/color; A4/Letter: Up to 50 cpm black/ color (General Office mode); First Copy Out: As fast as 9.0 sec black/ color	A4/Letter: Up to 60 cpm black/color; A4/Letter: Up to 60 cpm black/ color (General Office mode); First Copy Out: As fast as 7.9 sec black/ color	
Copy Resolution	Black (text and Graphics): Up to 600 × 600 dp	Black (text and Graphics): Up to 600 x 600 dpi; Color (text and Graphics): Up to 600 x 600 dpi	
Maximum Number of Copies	Up to 99	999 copies	
Copier Resize	25 to	25 to 400%	
Copier Settings		Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, ID Scan, job build, edge-to-edge, job storage	
Fax Speed		3.6 kbps ⁴	
Fax Resolution	(standard):	Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Color (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 204 x 98 dpi	
Fax Smart Software Features		Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule	
Fax Features	Phone TAM Interface Supported: No; Fax Polling Supported: Yes (poll to receive Speed Dialing Numbers: Up to 1000 numbers (each with 210 destinations); PC	Auto Fax Reduction Supported: Yes; Auto-Redialing: Yes; Fax Delayed Sending: No; Distinctive Ring Detection Supported: No; Fax Forwarding Supported: Yes; Fax Phone TAM Interface Supported: No; Fax Polling Supported: Yes (poll to receive only); Fax Telephone Mode Supported: No; Junk Barrier Supported: Yes; Maximum Speed Dialing Numbers: Up to 1000 numbers (each with 210 destinations); PC Interface Supported: Yes; Remote Retrieval Capability Supported: No; Telephone Handset Supported: No	
Standard Connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket	
Network Capabilities	Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx , 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabi Ethernet; IPsec (standard)		
Wireless Capability	Optional, enabled with purchase of a hardware accessory		
Mobile Printing Capability	HP ePrint, Apple AirPrint™, Google Cloud Print		
Processor Speed	1.2 GHz		
Duty Cycle	Monthly, A4: Up to 200,000 pages Recommended Monthly Page Volume: 2,500 to 50,000 (print)		
Paper Handling	Input Capacity, Max: Up to 4,650 sheets; Up to 2,300 sheets Legal/A3/Tabloid; Up to 10 envelopes; Up to 1,840 cards; Up to 1,840 labels; Output Capacity, Max: Up to 500 sheets; Up to 50 envelopes; Up to 200 cards; Up to 200 labels; Standard Input Capacities: 100-sheet multipurpose tray, 550-sheet input tray; Output Capacities: 500-sheet output bin; Duplex: Automatic (standard); Auto Document Feeder Capacity: Up to 200 sheets; Envelope Feeder: No; Standard Paper Trays: 2; Media Types Supported: Paper (Plain, Inkjet, Inkjet Brochure/Glossy), Photo Paper, Envelopes, Labels, Cards; Media Weight Supported: Tray 1: 16 to 58 lb; 80 lb Photo Paper Only; Trays 2-5: 16 to 58 lb; Media Sizes Supported: Letter, Letter-R, Legal, Executive, Statement, Officio (8.5x13), 11x17, 12x18, 4x6, 5x7, 5x8, Envelope #10, Envelope B5, Envelope C5, Envelope C6, Envelope Chou, #3; Media Sizes Custom: Tray 1: 3.9 x 5 to 12 x18; 550-sheets: 8.27 x 5.83 to 11.70 x 17 in HCI Trays 3 & 4: A4 & Letter (no custom size)		

HP PageWide Managed Color MFP E77650-E77660 Printer series

Technical Specifications	HP PageWide Managed Color MFP E77650dn (J7Z13A)	HP PageWide Managed Color MFP E77660dn (Z5G77A)		
Product Dimensions	Maximum: 896 x 718 x 66	WxDxH: 813 x 616 x 680 mm; 32 x 24.25 x 26.75 in; Maximum: 896 x 718 x 680 mm; 35.25 x 28.25 x 26.75 in		
Product Weight	69 kg	69 kg; 153 lb		
Warranty Features	90 days parts only warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.			
Control Panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu USB High-speed 2.0 port; Hardware Integration Pocket			
Display Description	8.0 in (20.3 cm) touchscreen,	8.0 in (20.3 cm) touchscreen, XVA Color Graphic Display (CGD)		
Software Included	HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or O App Source for printer software), Online user manuals			
Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts			
Compatible Operating Systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Vosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows XP SP3 32-bit editions (MP Home, XP Pro, etc.)			
Compatible Network Operating Systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows Server 2012/2012R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 R2 SP1, Citrix on Windows Server 2008 R2 Terminal Services, 32- and 64-bit], Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenApp 7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenApp 7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenApp 7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Novell Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Novell NetWare 6.5/SP8 Novell Cients www.novell.com/jprint, Novell iPint Appliance v1.0, Novell Open Enterprise Parver 1/SP1, Novell Open Enterprise Server 1/SP1, Novell Open Enterprise Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2012/2012 R2 64-bit Standard/Enterprise), Windows Server 2016/64-bit Standard/Essential/Datacenter (+ Cluster & Terminal Services), Windows Server 2016/64-bit Standard/Essential/Datacenter (+ Cluster & Terminal Services), Server 2016/64-bit Standard/Essential/Datacenter (+ Cluster & Terminal Services), Server 2016/64-bit Standard/Essential/Datacenter (+ Cluster			
Minimum System Requirements	PC: 2GB available hard disk space, OS hardware requirements see microsoft.com; MAC: 1.3 GB available hard drive space; Internet; OS hardware requirements su Apple.com for more info			
Power	Power Supply Type: Internal (Built-in) power supply; Power Requirements: Input voltage: 100 to 240 VAC, 50/60 Hz; Power Consumption: 660 watts (print/copy), 42 watts (ready), 1.6 watts (sleep), 0.2 watts (auto-off), 0.2 watts (off) Typical Electricity Consumption (TEC) number: BA: 1.97 kWh/Week; ES: 2.03 kWh/Week ² ; Blue Angel (Sleep mode): Test 2 (Blue Angel); Blue Angel (Normal mode): Test 3 (Blue Angel) ⁹⁹			
Acoustics	Acoustic Power Emissions: 6.7 B(A)	Acoustic Power Emissions: 6.8 B(A)		
Operating Environment	Operating Temperature Range: 15 to 30°C; Recommended Operating Temperature: 17 to 25°C; Storage Temperature Range: Before initial setup (Non-Purged): -40 to 60°C; After initial setup (Purged): 0 to 60°C. If stored below the lowest specified operating temperature, unit must slowly warm up to an approved operating temperature (HP recommends waiting 24 hours at approved operating temperature prior to using the printer).; Non-Operating Humidity Range: 10 to 80% RH; Operating Humidity Range: 10 to 80% RH; Recommended Humidity Operating Range: 30 to 70% RH			
Security Management	Identity Management: Kerberos authentication, IDAP authentication, 1000 user PIN codes, optional HP and third-party advanced authentication solutions (e.g., badge readers); Network: IPsecfirewall with Certificate, Pre-Shared Key, and Kerberos authentication, Supports WA-10 IPsec configuration Plug in, 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List, HP Trusted Platform Module (TPM) comes standard; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft), Secure Erase, SSL/TLS (HTTPS), Encrypted Credentials; Device: Security lock slot, USB port disablement, Hardware Integration Pocket for security solutions, 18 Intrusion Detection with Red Balloon Security Technology (Constant in-device monitoring for attacks), HP Sure Start Secure Boot (BIOS integrity checking with self-healing capability), Whitelisting (loads only known good code (DLLs, EXEs, etc.); Security Management: Compatible with HP JetAdvantage Security Manager,21 Device Security Syslog Messages processed and accessible in ArcSight and Splunk SIEMs; For more security settings go to http://h10032.www1.hp.com/ctg/Manual/c03602120			

¹ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device. ² Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled. ³ Average color composite (C/M/Y) and black declared yields based on ISO/IEC 24711 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies. ⁴ Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17 ⁵ ISO speeds measured using ISO/IEC 24714. Excludes first page or first set of ISO test pages. For details see http://www.hp.com/go/learnaboutsupplies.⁴ Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17 ⁵ ISO speeds measured using ISO/IEC 24734. Excludes first page or first set of ISO test pages. For details see http://www.hp.com/go/learnaboutsupplies.⁴

Learn more at hp.com

© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windowsis a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

