

Accurio*Press* C3080/C3080P/C3070

AccurioPrint C3070L

COLOR DIGITAL PRODUCTION PRESS / COPIER / SCANNER







NOW YOU CAN HAVE IT ALL IN ONE PRESS: **ENHANCED PRODUCTIVITY, EXPANDED PRINT**

SERVICES AND BRILLIANT QUALITY.

Imagine having a single press that literally does everything: 2-sided banner printing, professional finishing, high productivity up to 80 ppm, real-time automated quality adjustments, excellent image quality and so much more. That's the AccurioPress C3080 series from Konica Minolta, our revolutionary production color press with features that allow your business to expand into new markets and develop new revenue streams.



BRILLIANT IMAGE QUALITY, PRINT AFTER PRINT

Konica Minolta's exclusive IQ-501 Intelligent Quality Optimizer provides easy-to-use, real-time auto color adjustment functions for brilliant quality in every print.



IMPROVE EFFICIENCIES

Your AccurioPress C3080 series operators can count on simple setup, an ultra-reliable paper path, exceptional print speed and outstanding automated image stability for superior output and minimal waste. It all adds up to world-class productivity on every job, and unlike some of its competitors, the C3080 series' Energy Star rating ensures that your business is efficient even beyond your print floor.



GROW YOUR BUSINESS

The AccurioPress C3080 series expands your business with capabilities that your clients have been looking for: thick paper (up to 350 gsm), embossed media and envelopes. The auto-duplex banner printing option lets you produce 6-page tri-folds, brochures, book jackets, pocket folders and more, previously only available on an offset press.



A SINGLE ENGINE DOES IT ALL

The AccurioPress C3080 series provides a fully configured press to expand your business offerings and capabilities. You can print flat sheets, duplexed banners, full-bleed, saddle-stitched books and perfect bound books to meet your clients' every need, all in one press.



FASTEST DUAL-COLOR SCANNER

The AccurioPress C3080 series delivers reliable high-volume scanning with enhanced Open API and IWS applications support.



DURABLE AND RELIABLE FOR MAXIMUM UPTIME

With one of the most aggressive monthly duty cycle ratings in the industry, you can trust the AccurioPress C3080 series to get the job done.

IQ-501 INTELLIGENT QUALITY OPTIMIZER **REDEFINES ACCURACY.**

You've come to expect quality and precision from Konica Minolta and the new IQ-501 Intelligent Quality Optimizer lives up to our reputation. Picture constant, closed-loop paper registration — image-on-image, image-on-paper and side one/side two registration — on every page, measured and managed automatically, in real time, by your digital press. What if you could skip the use of an external spectrophotometer, manual measurements or complex color formulas, yet achieve the highest industry standards for color and registration with the simple touch of a button?

You can, today, with the IQ-501 Intelligent Quality Optimizer on the AccurioPress C3080 series. How IQ-501 will drive results for your business:

- · Minimizing variability in color and registration
- · Reducing waste through real-time defect detection
- · Minimizing manual intervention
- Increasing uptime by decreasing the need for service with automated, autonomous self-correction
- Executing the highest standards of accurate color that meet G7, Gracol and other print industry calibration requirements

The IQ-501 Intelligent Quality Optimizer is compatible with all controller offerings and allows you to achieve industry standards for color, such as G7 and Gracol, all at the touch of a button. The C3080 series also supports Cloud-based color management software for further color control.

HOW THE IQ-501 WORKS

IQ-501 Intelligent Quality Optimizer uses a spectrophotometer/scanner combination to examine each sheet in real time, and using a closed-loop feedback system, continually measures and transmits color density, color fidelity and registration information to the controller. Corrections are then made on the fly, ensuring that every print is of the highest quality, with the least amount of labor intervention.



AT A GLANCE

AccurioPress C3080 Series

- · Speeds up to 80 ppm
- · Duplex printing on media weights up to 350 gsm
- On-board media catalog system for one-touch optimized print quality
- Duplex banner printing up to 30"
- . Simplex banner printing up to 51"
- · Automated, in-line quality management option
- Choice of print controllers including Konica Minolta, Fiery and Creo
- · Industry-leading array of finishing options
- · Convenient high-speed scanning
- Superior print capacity with a monthly duty cycle up to 864,000 A4/LTR pages



ENGINEERED TO EXCEED EXPECTATIONS.

Automate processes to drive productivity.

AccurioPro is a comprehensive suite of modular tools and solutions that automate labor-intensive processes to streamline workflow and maximize productivity. AccurioPro helps you reduce costs, increase accuracy and strengthen your investments.

Accurio Pro Conductor

This single point of control allows you to centrally manage an array of printers — even when running multiple printing jobs with different specifications and requirements. Jobs are automatically allocated to the right printer and processed according to priority.

Accurio Pro Cloud Eye

This Cloud-based color management system allows centralized color management of printers at multiple locations. The easy-to-use browser-based interface enables any operator to produce accurate, real-time color output.

Accurio Pro Flux

AccurioPro Flux is a powerful make-ready solution for professional print management, job editing, cluster printing and product-based job processing. It allows you to manage incoming jobs by choosing from a wide range of intelligent print functions. AccurioPro Flux optimizes your print output and processing while minimizing costs, reducing waste and saving time.

Accurio Pro Connect

AccurioPro Connect provides you with the tools you need to streamline your production print workflow. This powerful application allows you to automate pre-press processes, customize complex print jobs, route files based on color, page count and metadata as well as connect to other AccurioPro systems, manage job ticket information and much more.





BEST-IN-CLASS MEDIA RANGE

The AccurioPress C3080 series can print up to 350 gsm stock. It produces outstanding quality on brochures, postcards, menus, sales promotion flyers, shelf-talkers, signage, select packaging and other applications. The dedicated envelope fusing technology delivers high-quality, low-cost envelopes quickly and efficiently.

OPTIMIZED MEDIA CATALOGS

We take our reputation of image excellence seriously so we've enhanced our media catalog feature in the AccurioPress C3080 series like never before. Each press is equipped with precise, built-in media selection parameters that ensure exactly the optimal settings for hundreds of stocks, increasing productivity by automatically matching the best print settings to the paper selected.

LARGE CAPACITY BANNER PRINTING

The C3080 series allows you to print the largest banners in its class, up to 51" and duplex paper stock up to 30". An optional paper feeder for 30" banners accommodates 1,000 sheets for continuous feeding.



WIDE RANGE OF FINISHING OPTIONS

FOR UNMATCHED PRODUCTIVITY AND VERSATILITY.

FINISHING OPTIONS

The AccurioPress C3080 series features a variety of finishing options to meet customers' needs and tap into new revenue streams.



Booklets (including square-fold and full-bleed finishing)



Perfect bound



Punching



GBC punching and binding



Stapling



Stacking



Envelopes











POWERFUL CONTROLLERS TO **OPTIMIZE YOUR WORKFLOW.**

Konica Minolta's exclusive internal image controller delivers a powerful, affordable color management solution that supports Konica Minolta Solution Platform Open API and IWS-related applications. The new web-based job management interface lets the user manage their jobs in any web browser without the need to install proprietary software.

Both EFI Fiery and Creo controller options offer graphic communications professionals unprecedented color performance and world-class functionality with hot folders, advanced color management controls, spot color libraries and seamless integration with third-party systems.









MADE TO BOOST YOUR BUSINESS.

COMMERCIAL PRINTERS

The AccurioPress C3080 series delivers in-line, closed-loop quality management for automated color calibration and control, and in-line automated image registration without the need for highly specialized press operator skills. Combined with its ability to print on stocks up to 350 gsm, envelopes and banners, the C3080 series brings your commercial print business a whole new world of possibilities.

DIGITAL PRINTERS

The AccurioPress C3080 series is an ideal solution for digital printers — and it's affordable. The one-touch closed-loop image quality management, huge array of stock choices and extremely robust in-line finishing suite means it meets or exceeds the exacting standards of short-run on-demand workflows.

CRD

The AccurioPress C3080 series offers the high-speed scanning, versatile controller options and one-touch media setup critical to the diverse legacy job flows and ultra-tight turnaround times of the typical in-plant/CRD environment. The C3080 series meets those demands with a smooth, easy productivity model, tidy footprint, less specialized work force requirement and the green advantages of Energy Star compliance.



DESIGNED FOR OUR PLANET.

Konica Minolta's Clean Planet Program provides cost-free recycling for all our consumables, including toner cartridges, toner bottles, imaging units, developer and drums, with prepaid shipping labels and cost-free packaging. Courtesy pick-up is available to high-volume users.

SUSTAINABILITY

Our exclusive Simitri® HDE toner formulation uses plant-based biomass material to reduce environmental impact. Our presses use recycled PC/ABS resins and bioplastics in construction. The AccurioPress series models are EPEAT-Gold Certified and achieve among the lower power consumption rate of presses in their class.

ECOVISION 2050

We're committed to a mid-century goal of reducing CO₂ emissions by 80% from 2005 levels, minimizing greenhouse gases that may contribute to global warming. We pursue that goal every day, with focused energy savings, clean manufacturing and highly efficient recycling practices.

CONTROLLER OPTIONS

AccurioPress C3080 Series

COLOR DIGITAL PRODUCTION PRESS / COPIER / SCANNER

KONICA MINOLTA IMAGE CONTROLLER IC-605	ACCURIOPRESS C3080/C3080P	ACCURIOPRESS C3070/ ACCURIOPRINT C3070L	
Туре	Embedded	Embedded	
CPU	Intel Core i5 4570S 2.9 GHz	Intel Core i5 4570S 2.9 GHz	
Memory	Max.: C3080 – 18 GB, C3080P – 16 GB Including UK-104	Max.: C3070 – 18 GB including UK-104, C3070L – 14 GB UK-104 not compatible	
HDD	Max.: 3.5 TB including UK-104	Max.: C3070 – 3.5 TB including UK-104, C3070L – 3 TB UK-104 not compatible	
Page-description language	PS3 (CPSi3020), PDF version 1.7, TIFF version 6 compliant, PPML version 2.2, PCL5c compatible, PCL XL (PCL6 version 3) compatible, APPE version 4.2*1, PDF/VT version 2*1		
Printing method	TCP/IP, NetBEUI, IPP, WSD, SMB, Bonjour		
Applicable OS	Windows Server 2008*1/R2, 7, 8.1, Server 2012/R2, 10, Server 2016 Mac OS X v10.8 – v10.12		
Interface	Ethernet (10Base-T / 100Base-TX / 1000Base-T)		

^{*1}UK-104 + UK-218 required, not compatible with C3070L.

FIERY IMAGE CONTROLLER IC-313 VERSION 2.0

Туре	Server	
CPU	Intel® Core™ i5-4570S Processor (up to 3.6 GHz, quad core)	
Memory	4 GB	
HDD	2 TB	
Page-description	Adobe PostScript 3 (3020), PDF 1.7, PPML v3.0GA,	
language	APPE 3.0, PCL 5/6 emulation	
Printing method	TCP/IP, SNMP, SMB, FTP, LPR, IPP, Bonjour	
Applicable OS	Windows 7 / 8.1 / 10, Windows Server 2012 / 2016*1	
	Mac OS X v10.8 - v10.12	
Interface	10Base-T / 100Base-TX / 1000Base-T	
+1		

^{*1}Including 64-bit versions.

FIERY IMAGE CONTROLLER IC-417

Туре	Embedded		
CPU	Intel Celeron® Processor G1820 (2M Cache, 2.70 GHz)		
Memory	2 GB		
HDD	500 GB SATA		
Page-description language	Adobe PostScript3 (3020), PDF 1.7, PCL 5/6 emulation		
Printing method	TCP/IP, SNMP, SMB, FTP, LPR, IPP, Bonjour		
Applicable OS	Windows 7 / 8.1 / 10*1		
	Windows Server 2008 / 2012*1		
	Mac OS X v10.8 / v10.9 / v10.10		

^{*1}Including 64-bit versions.

CREO IMAGE CONTROLLER IC-314 VERSION 2.0

Туре	Server		
CPU	Intel Core i7-4790S 3.2 GHz		
Memory	12 GB (7 GB: system memory, 5 GB: image memory)		
HDD	3 x 1 TB (1 TB system disk, 2 x 1 TB image disks)		
Page-description language	Adobe PostScript CPSI 3020, APPE 3.4		
Printing method	TCP/IP, SMB, LPR, Bonjour		
Applicable OS	Vindows 7 / 8.1 / 10, Windows Server 2012 / 2016*1 Mac OS X v10.8 – v10.12		
Interface	1 Gbit Ethernet LAN port x 2		
41			

^{*1}Including 64-bit versions.

OPTIONS

OPTIONS		
CR-101	Creaser unit	
DF-706	Automatic document feeder	
EF-103	Envelope fusing	
FA-502	Feed adjuster	
FD-503	Multi-folding unit	
FD-504	Square-folding unit	
FS-531	50-sheet staple finisher	
FS-532	100-sheet staple finisher	
FS-532 PK/SD	100-sheet staple finisher with PK and SD-510	
FS-612	Booklet finisher	
GBC Punch G2	GBC punch unit (punch dies sold separately)	
GP-501	GBC punch unit (punch dies sold separately)	
GP-502	Ring binder	
HM-103	Humidification unit	
HT-503	Dehumidification heating unit for LU-202	
HT-505	Dehumidification heating unit for PF-602	
HT-506	Dehumidification heating unit for PF-707m	
HT-511	Dehumidification heating unit	
HT-515	Dehumidification heating unit for LU-202XLm	
IQ-501	Intelligent Quality Optimizer	
LC-501	Large-capacity stacker handcart	
LS-506	Large stacker unit	
LU-202m	Paper feed tray	
LU-202XL	Extra long paper feed unit (29.5" max.)	
LU-202XLm	Extra long paper feed unit (29.5" max.)	
MB-506	Multi-bypass tray	
MB-508	Multi-bypass tray	
MK-732	Mount kit for PI-502	
MK-737	Mount kit for 3rd party options	
MK-740	Media feeding kit for banner printing (300 sheets)	
MK-740m	Media feeding kit for banner printing (1,000 sheets)	
MK-746	Envelope print guide for LU-202m and LU-202XL	
OC-511	Original cover	
OT-510	Open stacker (3,000-sheet stacking)	
OT-511	Output tray	
PB-503	Perfect binder	
PF-602	Paper feed unit	
PF-707m	Paper feed unit	
PI-502	Multi-post inserter	
PK-512	2/3-hole punch kit for FS-612/FS-531	
PK-522	Punch kit	
RU-510	Relay unit	
RU-518	Relay unit	
SD-506	Saddle stitch unit	
SD-510	Saddle stitch kit	
SD-513	Saddle stitcher	
SD-513/F	Saddle stitcher front	
TU-503	Trimmer unit	
UK-104	Upgrade kit (additional 500 GB memory)	
VI-511	Video interface kit (required for IQ-501)	
WT-511	Working table	
Plockmatic	Plockmatic SD-350 booklet maker	
Plockmatic	Plockmatic 50-sheet upgrade kit	
Plockmatic	Plockmatic face trimmer	
Plockmatic	Plockmatic book folder (square-folder)	
Plockmatic	Plockmatic cover feeder	
Plockmatic	Plockmatic RCT (includes interface module)	
Plockmatic	Plockmatic high capacity belt stacker	
Plockmatic	Plockmatic trim waste conveyor for RCT	

AccurioPress C3080/C3080P/C3070 **AccurioPrint C3070L**

COLOR DIGITAL PRODUCTION PRESS / COPIER / SCANNER

SPECIFICATIONS	ACCURIOPRESS C3080	ACCURIOPRESS C3080P	ACCURIOPRESS C3070	ACCURIOPRINT C3070L
Resolution	1,200 x 1,200 dpi	1,200 x 1,200 dpi	1,200 x 1,200 dpi	1,200 x 1,200 dpi
	(3,600 equivalent)	(3,600 equivalent)	(3,600 equivalent)	(3,600 equivalent)
	8-bit, 256 gradations	8-bit, 256 gradations	8-bit, 256 gradations	8-bit, 256 gradations
aper weight	Standard: 62-256 gsm	Standard: 62-256 gsm	Standard: 62–256 gsm	Standard: 62-256 gsm
aper weight	Opt.: MB-506 – 62–300 gsm	Opt.: MB-506 - 62-300 gsm	Opt.: MB-506 – 62–300 gsm	Opt.: MB-506 – 62–300 gsm
	LU-202XL/m - 62-300 gsm	LU-202XL/m - 62-300 gsm	LU-202XL/m - 62-300 gsm	LU-202XL/m - 62-300 gsm
	PF-707m - 62-350 gsm	PF-707m – 62–350 gsm	PF-707m – 62–350 gsm	E0 202X2/III 02 300 g3III
Duplex unit	62-350 gsm	62-350 gsm	62-350 gsm	62-300 gsm
Paper sizes (max.)	Standard: 330 x 487 mm	Standard: 330 x 487 mm	Standard: 330 x 487 mm	Standard: 330 x 487 mm
aper sizes (iliax.)	(13" x 19.2")	(13" x 19.2")	(13" x 19.2")	(13" x 19.2")
	Opt.: MB-506 – 330 x 1200 mm	Opt.: MB-506 – 330 x 1200 mm	Opt.: MB-506 – 330 x 1200 mm	Opt.: MB-506 – 330 x 1200 mm
	LU-202XL/m - 330 x 750 mm	LU-202XL/m - 330 x 750 mm	LU-202XL/m - 330 x 750 mm	LU-202XL/m - 330 x 750 m
mage loss (max.)	4 mm or less for top edge	4 mm or less for top edge	4 mm or less for top edge	4 mm or less for top edge
illage ioss (illax.)	4.5 mm or less for bottom edge	4.5 mm or less for bottom edge	4.5 mm or less for bottom edge	4.5 mm or less for bottom edge
	3.0 mm or less for right/left edges	3.0 mm or less for right/left edges	3.0 mm or less for right/left edges	3.0 mm or less for right/left edge
la man in must as ma site :	Standard: 1,500 sheets	Standard: 1,500 sheets	Standard: 1,500 sheets	Standard: 1,500 sheets
aper input capacity				
	Max.: 15,390 sheets	Max.: 15,390 sheets	Max.: 15,390 sheets	Max.: 2,750 sheets
Paper output capacity	Max.: LS-506 Stacker - 5,000	Max.: LS-506 Stacker - 5,000	Max.: LS-506 Stacker – 5,000	Max.: FS-531 Finisher – 3,000
	FS-532 Finisher – 4,500	FS-532 Finisher – 4,500	FS-532 Finisher – 4,500	
Main unit dimensions (W x D x H)	31.5" x 35.6" x 42.4"	31.5" x 35.6" x 40.9"	31.5" x 35.6" x 42.4"	31.5" x 35.6" x 42.4"
Main unit weight	703 lb	687 lb	703 lb	703 lb
ower requirements	AC208 – 240 V, 60 Hz	AC208 – 240 V, 60 Hz	AC208 – 240 V, 60 Hz	AC208 – 240 V, 60 Hz
ower requirements	24 A dedicated line	24A dedicated line	24A dedicated line	24A dedicated line
	24A dedicated line	24A dedicated line	24A dedicated line	24A dedicated line
POPULCTURITY				
PRODUCTIVITY		20	70	70
3.5" x 11"	80 ppm	80 ppm	70 ppm	70 ppm
max. per minute)				
Monthly duty cycle	864,000 pages	864,000 pages	758,000 pages	758,000 pages
CONTROLLER				
CONTROLLER	10.0051	10.0050	10.0054	10.0054
C-605A/B	IC-605A	IC-605B	IC-605A	IC-605A
nternal Konica				
Minolta controller				
C-313 External	Available	Available	Available	N/A
FI Fiery controller				
C-417 Internal	Available	Available	Available	Available
FI controller				1
C-314 External	Available	Available	Available	N/A
Creo controller				
CANNED CDECIFICA	TIONS			
SCANNER SPECIFICA Scan speed (dual)	120 ipm simplex / 240 duplex	N/A	120 ipm simplex / 240 duplex	120 ipm simplex / 240 duplex
8.5" x 11")	120 Ipili simplex / 240 duplex	N/A	120 Ipini Simplex / 240 duplex	120 Ipini simplex / 240 duplex
Scan resolution	600 x 600 dpi	N/A	600 x 600 dpi	600 x 600 dpi
Scan modes	TWAIN scan, Scan-to-HDD,	N/A	TWAIN scan, Scan-to-HDD,	TWAIN scan, Scan-to-HDD,
reali filoues	Scan-to-FTP, Scan-to-SMB,	TV /	Scan-to-FTP, Scan-to-SMB,	Scan-to-FTP, Scan-to-SMB,
	Scan-to-Email, Scan to USB		Scan-to-Email, Scan to USB	Scan-to-Email, Scan to USB
Scan formats	PDF, TIFF, IPEG (all controllers),	N/A	PDF, TIFF, IPEG (all controllers),	PDF, TIFF, IPEG (all controllers),
scan formats		TV M		
	Secured PDF, Compact PDF, XPS,		Secured PDF, Compact PDF, XPS,	Secured PDF, Compact PDF, XPS,
	PDF/A-1a,1b (with IC-605)		PDF/A-1a,1b (with IC-605)	PDF/A-1a,1b (with IC-605)
COPIER SPECIFICATION	ONS			
Gradations	256 gradations	N/A	256 gradations	256 gradations
irst copy out	6.5 sec. or less	N/A	6.9 sec. or less	6.9 sec. or less
		N/A	A 77 (7 (7 (7 (8 (8 (8 (8 (8 (8 (8 (8 (8 (8 (8 (8 (8	
Magnification	25-400%, in 0.1% steps	IVA	25–400%, in 0.1% steps	25–400%, in 0.1% steps





For complete information on Konica Minolta products and solutions, please visit: CountOnKonicaMinolta.com

© 2018 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. All rights reserved. Reproduction in whole or in part without written permission is prohibited. KONICA MINOLTA and the KONICA MINOLTA logo are registered trademarks or trademarks of KONICA MINOLTA, INC. All other product and brand names are trademarks or registered trademarks of their respective companies or organizations. All features and functions described here may not be available on some products. Design & specifications are subject to change without notice.



KONICA MINOLTA

KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. 100 Williams Drive, Ramsey, New Jersey 07446

CountOnKonicaMinolta.com





