



KONICA MINOLTA

AccurioPrint
C2060L

AccurioPrint C2060L



Your advantages with AccurioPrint C2060L

Advanced, Accurate & Reliable

The new Accurio brand reflects our advanced, accurate and reliable colour print system.

Accurio offers outstanding new features including scan & print to/from USB, a dual colour high speed scanner and the ability to manage print jobs directly from the operating panel. Print operations will find it easy to adapt to changing document workflows, enhance their overall productivity and extend their range of products and services by offering new sophisticated print products.

Highest Reliability

- Long-life platform
- Long-lasting parts and consumables
- Registration-swing mechanism for accurate duplex registration
- Fusing-rolling mechanism
- For prints with maximum efficiency
- For lucrative short-run printing

Durable Performance

- Up to 61 A4 pages per minute
- Up to 31 SRA3 pages per minute
- Up to 3,380 A4 pages per hour
- Up to 1,681 SRA3 pages per hour
- Enhanced overall performance for scanning and copying
- Features of the hotfolder, printer driver and imposition are enhanced for facilitated use
- Enhanced work efficiency helps handle short turnaround jobs

Ready-Made Print Products

- 20-sheet booklet making
- 50-sheet stapling
- For highest automation and enormous productivity
- For more profit in the print room

Geared-Up Finishing

- Letter fold-in
- Stacking of up to 3,000 sheets
- Optional 2- & 4-hole punching





Enhanced Scanning Performance i

- The dual scanner scans documents in one path
- Double sheet detector
- Max. 240 ipm (A4, 300 dpi)
- Scanner capacity of 300 sheets

High-End Print Control i

- Flexible choice of controller technology: Efi® or own Konica Minolta controller
- For intuitive operation
- To save time and money

Ease Of Use i

- Automatic density balance adjustment
- Open API/IWS support
- Scan & print to USB
- Simple paper catalogue settings

Sophisticated Media Handling i

- New banner tray
- Capable of feeding maximum 1,000 sheets of 750 mm long size in LU-202XL
- Banner size up to 1,200 x 330 mm
- Envelope printing support

Comprehensive Media Processing i

- Simplex & duplex printing on paper weights up to 300 gsm
- Envelope printing support
- Supports a wide range of embossed papers
- For highly flexible print products

Perfect Image Quality i

- S.E.A.D. IV technology and 1,200 x 1,200 dpi x 8 bit resolution (equivalent to 1,200 x 3,600 dpi)
- Simitri® HD E toner technology
- For new print applications

Environmentally Sound i

- Robust and powerful despite the compact, lightweight body with fewer parts
- Reduced power consumption with Simitri® HD E toner
- Industry-leading usage ratio of recycled PC and PET
- For reduced environmental impact
- Improved efficiency based on green values



For more information visit konicaminolta.com.au/midrange



Specifications

System Specifications

Resolution	1,200 x 1,200 dpi x 8 bit 1,200 x 3,600 dpi equivalent
Paper Weight	62-300 gsm
Duplex Unit	Non-stack type: 62-300 gsm
Paper Sizes	330 x 487 mm; 330 x 1,200 mm (optional)
Maximum Image Area	323 x 480 mm
Paper Input Capacity	Standard: 1,500 sheets Max: 4,250 sheets
Paper Output Capacity	Max: 3,100 sheets
Main Unit Dimensions (W x D x H)	800 x 903 x 1,076 mm
Main Unit Weight	316 kg

Productivity

A4 - max. per minute	61 ppm
A3 - max. per minute	33 ppm
SRA3 - max. per minute	31 ppm
A4 - max. per hour	3,380 pph
A3 - max. per hour	1,792 pph
SRA3 - max. per hour	1,681 pph

Controller

Internal Konica Minolta Controller	IC-603-A
Internal Fiery Controller	IC-417

Scanner Specifications

Scan Speed A4	Up to 240 ipm
Scan Modes	TWAIN scan; Scan-to-HDD; Scan-to-FTP; Scan-to-SMB; Scan-to-eMail
Scan Formats	TIFF (single and multi page); PDF
Scan Resolution	600 x 600 dpi

Copier Specifications

Gradations	256 gradations
FCOT	Less than 8 sec. (colour A4)
Magnification	25 - 400%, in 0.1% steps
Multiple Copies	1 - 9,999

Accessories

Original Cover	OC-511
Automatic Document Feeder	DF-706
Working Table	WT-511
Heating Unit for Main Body Trays	HT-511
Heating Unit for LU-202m/XL	HT-503 (long sheet up to 1200 mm)
Bypass Tray	MB-506
Booklet Finisher	FS-612
2/4-Hole Punch Kit for FS-612/531	PK-512
2-Hole Punch Kit for FS-612/531	PK-513
Post Inserter for FS-612/531	PI-502
Envelope Fuser	EF-103
Banner Tray	MK-740
Large Capacity Unit	LU-202m (long sheet up to 750 mm)
Large Capacity Unit	LU-202XL
Output Tray	OT-511
High Capacity Output Tray	OT-510
Envelope Feeding Kit	MK-746



KONICA MINOLTA

Konica Minolta
Business Solutions Australia Pty Ltd

Free Call 1800 789 389
konicaminolta.com.au



Demonstration

Want to learn more?

Book a demonstration today with an expert



Software

Want to innovate?

Automate your workflow



Success Stories

Want to succeed?

Find out how our customers succeed



For more information, visit konicaminolta.com.au/midrange

Product appearance, configuration and/or specifications are subject to change without notice.

The Konica Minolta logo and the symbol mark, are registered trademarks or trademarks of Konica Minolta Holdings, Inc. bizhub, PageScope, SimiTri and the Emporon logo are registered trademarks or trademarks of KONICA MINOLTA BUSINESS TECHNOLOGIES, INC. Windows is registered trademark of Microsoft Corporation in the United States and other countries. Adobe and PostScript are registered trademarks or trademarks of Adobe Systems Incorporated. All other brand and product names are registered trademarks or trademarks of their respective owners.



Ecology & Environment

KONICA MINOLTA copiers and multi-functional products are designed with the environment in mind.

- Energy Star
- RoHS Compliance
- WEEE Compliance
- Eco-conscious Toners
- Production at ISO Certified Factories



Requirements for safe use.

- Please read and follow the instruction manual to ensure safe operation.
- Only operate using appropriate power supply and voltage.
- Connecting the earth wire to an inappropriate place may cause explosion or electric shock. Please connect accordingly (Taiwan and the Philippines only).