

## bizhub C25

Versatile A4 administrator in a compact size





## The colour all-in-one

## for all-round administration



No matter which trade or industry, similar needs unite offices in different environments. Whether order processing, sales administration, accounting or logistics, back office teams need direct and instant access to a versatile multifunctional output device to process enquiries, orders, delivery notes and similar documents without delay.

Perfect for this purpose, the bizhub C25 offers the comprehensive capabilities of a fully featured A4 colour all-in-one. This is the ideal compact multifunction device for locations that require full versatility but don't have a lot of room to spare. Combining printing, copying and scanning in colour and black and white as well as fax capabilities in a single system, the bizhub C25 impresses with its all-round functionality.

#### Workflow options



# Compact partner

## for the back office



With its small footprint, compact size and light weight, the bizhub C25 is the perfect A4 all-in-one that fits in without taking up a lot of space. Its quiet operation makes it ideal for installation close to the busy workgroup, while the attractive InfoLine design ensures user comfort and convenience for most A4 office requirements, whether that's printing, copying, scanning or faxing. Such comprehensive functionality makes the bizhub C25 an asset to every small office where enquiries, orders, delivery notes and more need to be processed instantly.

#### Sound eco-performance

The bizhub C25 combines energy-saving features with the use of recycled materials and ozone-free parts in its manufacture. The system also impresses with an extremely low energy consumption that is largely due to Konica Minolta's state-of-the-art fusing technology. The use of Simitri® HD polymerised toner enables fixing at lower temperatures, which effectively shortens the warm-up period while enhancing energy efficiency. These comprehensive eco-technologies help minimise the bizhub C25's environmental impact and merit the renowned eco-labels Blue Angel and Energy Star.

In addition, Simitri® HD polymerised toner itself enhances the bizhub C25's eco-performance even further. The toner's polymerisation process is much kinder to the environment than the production of conventional toner. And using biomass as a carbon-neutral ingredient, Konica Minolta's Simitri® HD toner answers the essential requirements of the modern,  $CO_2$ -conscious society.

#### Key features Key benefits

Small footprint	Can be installed in close proximity to the workplace
InfoLine design	High user comfort thanks to easy operation and clearly structured user panel
Simitri® HD	Combines superior image quality with sound eco-performance

#### Configurations







## Administrative workflows

# perfectly supported

#### Instant printer

The bizhub C25 is ideal as a printer in any office where documents including orders and delivery notes are mostly printed in black and white and occasionally contain colour, i.e. on company stationery. Konica Minolta's latest Emperon™ controller technology is applied to the bizhub C25 and ensures its seamless integration into most networks as well as compatibility with standard operating systems and most business applications. Its 800 MHz page-processor, 256 MB standard and 512 optional RAM as well as the optional 40 GB hard disc guarantee a smooth and productive performance. Standard PostScript and PCL as well as optional XPS support are also available via the Emperon™ system.

With Konica Minolta's award-winning My Tab feature, all functions that are frequently needed in the office, including standard duplex, n-up and overlay, can be combined under a single convenient tab. The combination of duplex and the overlay function can be used to print a company's terms and conditions on the reverse side of an official order or delivery note generated for distribution.

#### Productive copier

Equipped with a standard document feeder and a duplex unit, the bizhub C25 delivers up to 24 A4 copies per minute and offers highest convenience for quick and flexible copying close to the workgroup. Its standard 250-sheet paper feeder and flexible 100-sheet multi manual feed tray can be extended with an optional lower paper feeder to provide a maximum paper capacity of 850 sheets. All paper sources and even the duplex unit can process up to 210 gsm paper, providing a high level of media handling capability to accommodate most office printing requirements.


Where required, access to colour printing or copying can be restricted to authorised operators, while both functionalities remain freely available in black and white.

#### Versatile scanner

Scanning is essential for today's office communication and facilitates the sharing and distribution of information. The bizhub C25 scans up to 20 originals per minute in black and white and produces up to 10 colour scans per minute. The efficient scanning functionality includes Scan-to-Email, -FTP, -SMB and supports PDF, TIFF and JPEG as scan formats. Scanning is the perfect application not only to share and distribute relevant information among team members in the office, but also to digitise office documents in colour and archive them electronically. User flexibility is further enhanced with the clever scan to USB feature that enables timesaving direct scanning to the USB stick without any detour via the PC.

#### Efficient fax

The bizhub C25 provides a highly efficient Super G3 fax functionality. With the bizhub C25 users can set up automatic forwarding of incoming faxes to a particular email account. This gives the recipient the choice of archiving the email, printing it or deleting it after reading the message. PC fax on the other hand is an important eco-friendly feature, as sending faxes directly from the PC saves having to print documents before faxing them.





## Barcode printing with BENS G3\*

Barcode and Unicode printing are essential applications for businesses with varied backgrounds, in particular the logistics field where many small offices are found. The optional universal printing solution BENS G3 from Suchy MIPS is a hardware tool that works like a network print server. Completely application-independent, BENS G3 detects PCL barcode sequences in print data and changes these into barcodes before sending the print job with the barcode to the bizhub C25 on the network. The feature set includes a filter for carbon copy functionality, so that a print job only needs to be sent once; depending on the filter setting one or more copies are simultaneously produced and can be output on paper from different trays. BENS G3 is particularly attractive for SAP users. Representing a flexible, comprehensive yet cost-effective tool, it is the ideal replacement for printerspecific barcode solutions, whether SIMMs, DIMMs, flash cards or others.

## Printing from AS/400 with IAPS\*

For companies working with AS/400, iSeries or zSeries environments, IAPS series is the ideal, optional AS/400 printing solution that provides innovative, high-quality IPDS print servers for workgroup and small office printers. With IAPS (Intermediate Advanced Print Servers), any PostScript or PCL5 compatible multi-functional printing device can print AFP/IPDS from an IBM host. The bizhub C25 can then retain its ability to print different types of incoming print jobs; and the IAPS itself can be placed anywhere on the network. The IAPS series supports the latest AFP FS45 full image printing features. This versatile printing option provides maximum print job security, stability and reliability in combination with complete workflow and process flexibility.

## Key features Key benefits

Multifunctionality	Increases user flexibility and saves space as it replaces four separate devices
Enhanced scanning with Scan-to-Email, -FTP, -SMB and -USB	Ensures convenient operation, streamlines workflows and improves overall productivity
Efficient faxing	PC fax, e.g. helps to save paper because documents don't need to be printed before faxing
Supports almost any workflow	Suitable for typical back office environments, e.g. because of SAP and AS/400 printing (optional)

<sup>\*</sup> Optional

<sup>\*</sup> Optional

# Administration and service made easy

#### PageScope Net Care Device Manager

The standard PageScope Net Care Device Manager facilitates the central implementation of system network configurations and central status monitoring. The application provides fast access to and simple monitoring of individual or all devices on the network, helping to maximise the uptime of all monitored equipment.

#### **CS** Remote Care

Pro-active and highly flexible service support is available with CS Remote Care. Konica Minolta's remote monitoring application helps to keep the bizhub C25 running smoothly, minimising interruptions and maximising system availability. All relevant system data are transmitted directly to the Konica Minolta service in an automated process that never needs user intervention.

#### Key features

Central administration

#### Key benefits

Facilitates the administrator's task, saves time and effort

# Versatile options



<sup>\*</sup> Optional

<sup>\*\*</sup> Compact Flash card not included

## **Technical**

# **Specifications**

#### Copier

#### Copying process

Electrostatic laser copy Tandem, indirect

#### Toner system

Simitri® HD - polymerised toner

#### Copy/print speed A4 (mono/colour)

Up to 24/24 ppm

#### Autoduplex speed A4 (mono/colour) Up to 24/24 ppm

#### 1st Copy time (mono/colour) 11/16 sec

#### Warm-up time

Approx. 38 sec.\*\*\*

#### Copy resolution

600 x 600 dpi

#### Gradation

256 gradations

#### Multi-copy 1-99

#### **Original format** Max. A4

#### Magnification

25-400% in 0.1% steps

#### Copy functions

Duplex copy 2in1, 4in1

Density adjustment Card Shot Electronic collation\*

#### **Printer specifications**

#### Print resolution

600 x 600 dpi x 3 bit 1st print time (mono/colour) 16/16 sec

#### Controller CPU

800 MHz

#### Page description language

PostScript 3 (CPSI 3016) PCL 6 (XL 3.0) PCL 5e/c

PDF 1.7 Direct Printing\*

#### Operating systems

Windows XP (32/64) Windows VISTA (32/64) Windows 7 (32/64)

Windows Server 2003 (32/64)

Windows Server 2008 (32/64) Windows DPWS support

Macintosh OSX

(10.2.8/10.3.9/10.4/10.5/10.6)

Linux: SUSE; Red Hat

Citrix

Netware 4/5/6

#### **Printer fonts**

80x PCL Latin

137x PostScript 3 Emulation Latin

#### Print functions

Direct print\* of PDF (version 1.7); JPEG;

TIFF; XPS\*\* Overlay

Watermark

N-up

Poster

Booklet page order

Collating\*

#### Scanner specifications

#### Scan speed (colour/mono)

Up to 10/20 opm (300 dpi via DF)

#### Scan resolution

Max. 600 x 600 dpi (TWAIN/WIA only)

Network TWAIN scan

WIA Scan

Scan-to-Email Scan-to-FTP

Scan-to-SMB

Scan-to-USB File formats

#### JPEG; TIFF; PDF

Scan destinations Up to 220 (shared with fax)

#### **Fax Specifications**

#### Fax standard

Super G3

#### Fax transmission

Analogue; PC-Fax

#### Fax resolution

Max. 203 x 392 dpi (super fine)

#### Fax compression MH; MR; MMR; JBIG

#### Fax modem

#### Fax destinations

Up to 220 (shared with scan)

#### Fax functions

Time shift: Fax Forwarding to Email

#### System specifications

#### System memory

Standard 256 MB Max. 768 MB

#### System hard disc\*\*

40 GB optional

#### CF Card Adapter\*

Direct printing

#### Interface

10Base-T/100Base-TX/1000Base-T

#### Ethernet USB 2.0

Network protocols TCP/IP (IPv4 / IPv6); IPX/SPX; NetBEUI;

AppleTalk (EtherTalk); SMB; LPD; IPP; SNMP; HTTP; HTTPS

#### Frame types

Ethernet 802.2; Ethernet 802.3; Ethernet II; Ethernet SNAP

#### Automatic document feeder

Up to 35 originals; A4; 50-110 gsm

#### Printable paper size

A6-A4; Customised paper sizes

#### Printable paper weight

#### Paper input capacity

Standard 350 sheets Max. 850 sheets

#### Trav 1

250 sheets; A6-A4; 60-210 gsm Custom (92-216 x 148-297 mm)

#### Tray 2 (optional)

500 sheets; 60-90 gsm; A4

#### **Manual Bypass**

100 sheets; A6-A4; 60-210 gsm Custom (92-216 x 148-356 mm)

#### **Automatic duplexing**

A4; 60-210 gsm

#### **Output capacity**

Max. 150 sheets face down

#### Copy/print volume

Recommended 1,260 pages (monthly)

Max. 120,000 pages

#### Toner lifetime\*\*\*\*

Cyan, magenta, yellow and black yield pre-installed up to 2,000 pages Cyan, magenta, yellow and black yield replacements up to 6,000 pages

#### **Imaging Unit lifetime**

Cyan, magenta, yellow and black yield up to 30,000 pages

#### Power consumption

220-240V / 50/60Hz; less than 1.1 KW

#### System dimensions (W x D x H, mm)

447 x 558 x 490

#### System weight Approx. 32.5 kg

#### System features Security

IP filtering and port blocking SSL2, SSL3 and TSL1.0 network communication IPsec support IEEE 802.1x support Secure Print\*\*

#### Hard disc data encryption (print only)\*\* Software

PageScope Net Care Device Manger PageScope Direct Print PageScope WebConnection

- \* Optional CF card enables direct printing (PDF, TIFF, JPEG), downloading fonts/profiles/overlays, collating, PDF
- direct print. \*\* Optional hard disc kit enables secure printing, proof-then-print, print & hold, job storing, XPS emulation and using downloaded profiles in addition to all
- extra functions with CF card. \*\*\* Warm up time may vary depending on the operating environment and usage \*\*\*\* Declared yield in accordance with ISO/IEC 19798.



















## Konica Minolta Business Solutions Australia Pty Ltd

## Free Call 1800 789 389 konicaminolta.com.au

#### **New South Wales**

4 Drake Avenue Macquarie Park NSW 2113 (02) 8026 2222

#### Victoria

21-29 Moray Street Southbank VIC 3006 (03) 8699 0777

#### Queensland

64 Brookes Street Bowen Hills QLD 4006 (07) 3872 9100

1/55 Wentworth Avenue Kingston ACT 2604 (02) 6206 6500

#### South Australia

255 Gilbert Street Adelaide SA 5000 (08) 8231 2911

#### Western Australia

50 Belgravia Street Belmont WA 6104 (08) 9479 6600



## Product appearance, configuration and/or specifications

are subject to change without notice.

The Konica Minolta logo and the symbol mark, are registered trademarks or trademarks of trademarks of trademarks of Konica Minolta Holdings, Inc. bizhiva, PagesScope, Simitir and the Emperon logo are registered trademarks or trademarks of KONICA MINOLTA BUSINESS TECHNOLOGIES, INC.

Windows is registered trademark of Miscrosoft Corporation in the United States and other countries. Adobe and PostScript are registered trademarks or Adobe and PostScript are registered trademarks or Adobe and PostScript are registered trademarks or trademarks of their respective owners.



#### **Ecology & Environment** KONICA MINOLTA copiers and multi-functional products

are designed with the environment in mind.

- Energy Star
   RoHS Compliance
   WEEE Compliance
   WEEE Compliance

#### Requirements for safe use.

- Please read and follow the instruction manual to ensure safe operation.
- Only operate using appropriate power supply and voltage.
- Connecting the earth wire to an inappropriate place may cause explosion or electric shock. Please connect accordingly (Taiwan and the Philippines only).

All specifications relating to paper capacity refer to A4 size paper of 80 gsm quality.

All specifications relating to scanning, copying or printing speeds refer to A4 size paper that is scanned, copied or printed crosswise in multi-page, simplex mode.

The support and availability of the listed specifications and functionalities varies depending on operating systems, applications, network protocols as well as network and The support and availability of the listed specifications and functionalists with a separation of the product illustrations contain optional accessories.

Some of the product illustrations contain optional accessories.

Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.

Konica Minolta does not warrant that all specifications mentioned will be error-free.

Microsoft, Windows and the Windows logo are trademarks, or registered trademarks, of Microsoft Corporation in the United States and/or other countries.

All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.