

TECHNOLOGY



MONOCHROME MID-VOLUME MULTIFUNCTION PRINTER

Up to 45 ppm print/copy output to keep pace with rising demands	
Standard dual scanning up to 240 originals per minute	-
High capacity 300-sheet document feeder	
Large 9" color display with quick tablet-like touchscreen interface	
3rd-party software integration with standard web browser	100
Built-in Emperon® print system, universal printer drivers	
Simitri® HD polymerized toner for high-resolution imaging	
Standard 250 GB HDD for on-board document storage	
Meets ISO 15408 and IEEE 2600.1 Security standards*	81
Standard web browser, 4 GB of memory	

Power-saving design with quick recovery from sleep mode
6,650-sheet maximum capacity, tab printing support, carbon-copy printing
Advanced authentication, secure print release, remote firmware updates
Multiple bypass tray and detachable paper feed trays improve paper handling
Finishing options for 80-page booklet-making, up to 100-sheet stapling
Options for 2/3-hole punch, tri-fold, z-fold, post-insertion and more
Downloadable apps to help you work faster and smarter
Multiple i-Options to suit the needs of your workflow
EPEAT Gold-certified, low power consumption to cut costs
Mobile printing support (AirPrint, Google Cloud Print Classic, NFC)
*May not be available at time of launch.

bizhub 458e

MONOCHROME MID-VOLUME MULTIFUNCTION PRINTER

The bizhub 458e is the perfect device for customers with high demand on printing and scanning but with focus on professional output quality. The numerous finishing options allow a lot of flexibility for in-house production, which is highly cost-effective and beneficial for entire departments and organizations.

		VIEW

OI DI LIN OU LINVILLE			
System memory	4 GB		
System hard disk	250 GB Standard		
Interface	10-BASE-T / 100-BASE-TX / 1,000-BASE-T Ethernet, USB 2.0		
Network protocols	TCP/IP (IPv4/IPv6), FTP, SMB v2, SMTP, WebDAV		
Frame types	Ethernet 802.2, Ethernet 802.3, Ethernet II, Ethernet SNAP		
Document feeder	Up to 300 originals / 5.5" x 8.5" to 11" x 17" / 35-210 gsm		
Printable paper size	Scanning/Copying: up to 11" x 17"		
	Printing: up to 11" x 17" full bleed on 12" x 18" paper		
	Custom paper sizes		
	Banner paper max.: 11.75" x 47.25"		
Printable paper	52-300 gsm		
weight			
Paper input capacity	Standard: 1,150 sheets / Max.: 6,650 sheets		
Tray 1	500 sheets / 5.5" x 8.5" to 11" x 17" / 52-256 gsm		
Tray 2	500 sheets / 5.5" x 8.5" to 12" x 18" / 52-256 gsm		
Tray 3 (optional)	500 sheets / 5.5" x 8.5" to 11" x 17" / 52-256 gsm		
Tray 4 (optional)	2 x 500 sheets / 5.5" x 8.5" to 8.5" x 11" / 52-256 gsm		
Large capacity tray	2,500 sheets / 8.5" x 11" to 12" x 18" / 52-256 gsm		
LU-207 (optional)	79 30 30		
Large capacity tray	3,000 sheets / 8.5" x 11" / 52-256 gsm		
LU-302 (optional)			
Large capacity tray	2,500 sheets / 8.5" x 11" / 52–256 gsm		
PC-415 (optional)			
Manual bypass	150 sheets / 4" x 6" to 12" x 18" / custom paper sizes /		
	50–300 gsm		
Automatic duplexing	5.5" x 8.5" to 12" x 18" / 52-256 gsm		
Finishing modes	Offset, group, sort, staple, punch, half-fold, z-fold, tri-fold,		
	post-insertion, booklet		
Output capacity	Max. with finisher: 3,200 sheets		
	Max. without finisher: 250 sheets		
Stapling (optional)	Max.: 100 sheets or 94 sheets + 2 cover sheets		
	(up to 209 gsm)		
Stapling output	Max.: 1,000 sheets		
capacity			
Tri-fold (optional)	Up to 3 sheets		
Tri-fold capacity	Max.: 30 sheets (tray)		
Booklet (optional)	Max.: 20 sheets or 19 sheets + 1 cover sheet (up to 209 gsm		
Booklet output	Max.: 100 sheets (tray)		
capacity			
Copy/print volume	Max.: 200,000 pages/month ¹		
Toner lifetime	26,000 pages		
Imaging unit lifetime	275,000 pages / 600,000 pages (Drum/Developer)		
Power consumption	120 V / 60 Hz, less than 0.5 kW (system)		
System dimensions	24.2" x 27" x 38" (W x D x H)		
System weight			

PRINTER SPECIFICATIONS

IUNS		
1,800 (equivalent) x 600 dpi, 1,200 x 1,200 dpi		
PCL6 (XL 3.0), PCL5c, PostScript 3 (ver. 3016), XPS		
Windows (x32 / x64): Vista 7 / 8.1 / 10		
Windows Server (x32 / x64): 2003 / 2008 / 2008 R23 / 20123		
Macintosh OS X 10.7 or later		
Red Hat Enterprise Linux		
80 PCL Latin, 137 PostScript 3		
Direct Print of PCL, PS, TIFF, XPS, PDF, encrypted PDF files		
and OOXML (DOCX, XLSX, PPTX), mixmedia and mixplex,		
"Easy Set" job programming, overlay, watermark, copy		
protection, carbon copy print		

COPIER SPECIFICATIONS

Copying process	Electrostatic laser copy, tandem, indirect		
Toner system	Simitri HD Polymerized Toner		
Print speed	Up to 45 ppm (portrait)		
(8.5" x 11")			
Print speed	Up to 22 ppm (portrait)		
(11" x 17")			
Autoduplex speed	Up to 45 ppm (portrait)		
(8.5" x 11")			
1st copy out time	4.0 sec.		
Warm-up time	Approx. 25 sec. ²		
Copy resolution	600 x 600 dpi		
Gradations	256 gradations		
Multi-copy	1-9,999		
Original format	Up to 11" x 17"		
Magnification	25-400% in 0.1% steps, auto zooming		
Copy functions	Electronic sorting, multi-job, adjustments (contrast,		
	sharpness, image density), proof copy, interrupt mode,		
	color mode, separate scan, sort/group, combination,		
	original selection, ID card copy, 2-in-1, 4-in-1		

SCANNER SPECIFICATIONS

Scan speed B&W / Color: up to 240 ipm			
Scan resolution	Max.: 600 x 600 dpi		
Scan modes	Scan-to-Email, Scan-to-SMB, Scan-to-FTP, Scan-to-Box, Scan-to-USB, Scan-to-WebDAV, Scan-to-DPWS, Network TWAIN scan		
File formats	JPEG, TIFF, PDF, PDF/A 1a and 1b (optional), compact PDF, encrypted PDF and searchable PDF (optional), XPS, compact XPS, PPTX and searchable PPTX (optional), searchable DOCX/XLSX (optional)		
Scan destinations	2,100 (shared with fax), LDAP support		
Scan functions	Annotation (text/time/date) for PDF, up to 400 job programs, realtime scan preview		

FAX SPECIFICATIONS

Fax	Super G3 (optional)		
Transmission	Analog, Internet Fax, Color i-Fax, IP-Fax		
Resolution	Max.: 600 x 600 dpi (ultra-fine)		
Compression	MH, MR, MMR, JBIG		
Modem	Up to 33.6 Kbps		
Destinations	2,100 (single + group)		
Functions	Polling, time shift, PC-fax, receipt to confidential box,		
	receipt to Email/FTP/SMB, up to 400 job programs		

USER BOX SPECIFICATIONS

Max.: 3,000 documents or 10,000 pages	
Public	
Personal (with password or authentication)	
Group (with authentication)	
Secure print, encrypted PDF, fax receipt,	
fax polling, annotation	
Reprint, combination, download, sending	
(email/FTP/SMB and fax), copy box-to-box	
	Public Personal (with password or authentication) Group (with authentication) Secure print, encrypted PDF, fax receipt, fax polling, annotation Reprint, combination, download, sending

SY			

Security	ISO 15408 EAL4
	IEEE 2600.14
	IP filtering and port blocking
	SSL2, SSL3 and TSL1.0 network communication
	IPsec support
	IEEE 802.1x support
	FIPS 140-2
	User authentication
	Authentication log
	Secure print
	Hard disk overwrite (8 standard types)
	Hard disk data encryption (AES 128)
	Memory data auto deletion
	Confidential fax receipt
	Print user data encryption
2	Copy protection (Copy Guard, Password Copy) optional
Accounting	Up to 1,000 user accounts
	Active Directory support
	(user name + password + email + SMB folder)
	User function access definition
	Optional Biometric authentication (finger vein scanner)
	Optional ID card authentication (ID card reader)
Software	PageScope Net Care Device Manager
	PageScope Data Administrator
	PageScope Box Operator
	PageScope Direct Print
	Print Status Notifier
	Driver Packaging Utility
	Log Management Utility

¹ Maximum monthly duty cycle describes the maximum number of pages a device can output on a monthly basis. This specification is a guideline intended to offer a comparison of durability as it relates to the entire Konica Minotla MFP and printer product line so that the appropriate device can be placed in order to meet customer needs.



COMPONENTS AND OPTION	ONS
AU-102 Biometric	Finger vein scanner
authentication	D METERCHALL T.I.
Dynamag magnetic	Requires WT-506 Working Table
stripe card reader	
AU-205H Universal	Various ID card technologies
ID card reader*	
AU-211 CA/PIV solution	Requires WT-506 Working Table
EK-608 USB I/F kit	USB keyboard connection
EK-609 USB I/F kit	USB keyboard connection, Bluetooth
DK-510 Copier desk	Provides storage space for print media and other materials
FK-514 Fax board	Super G3 fax, digital fax functionality
FK-515 Fax board	Super G3 fax, digital fax functionality, lines 3 & 4 support
	(requires MK-742)
FS-533 Staple finisher	50-sheet stapling, 500 sheets max. output
FS-536 Staple finisher	50-sheet stapling, 3,200 sheets max. output (requires RU-513)
FS-536SD Booklet	50-sheet staple finisher, 20-sheet booklet finisher,
finisher	2,200 sheets max. output (requires RU-513)
FS-537 Staple finisher	100-sheet stapling, 3,200 sheets max. output (requires RU-513)
FS-537SD Booklet	100-sheet stapling, 20-sheet booklet finisher,
finisher	2,500 sheets max. output (requires RU-513)
HD-524 Hard disk	Hard disk mirroring, 250 GB
	Separation for fax output, etc.
JS-506 Job separator	
JS-602 Job separator	Separation for fax output, etc.
for FS-537	T 1 11001 1 1
KH-102 Keyboard holder	To place USB keyboard
KP-101 10-Key pad	For use instead of touchscreen
LK-102 v3 PDF	PDF/A, PDF encryption, digital signature
enhancements	
LK-104 v3	Provides voice guidance functions
LK-105 v4	Searchable PDF
LK-106	Supports native barcode printing
LK-107	Supports native Unicode printing
LK-108	Supports native OCR A and B font printing
LK-110 v2	Generates various file formats incl. DOCX, XLSX and
	combines LK-102 (encrypted PDF) + LK-105 (searchable
	PDF/OCR functionality)
LK-111 ThinPrint® Client	Print data compression for reduced network impact
LU-207 Large	2,500 sheets / 8.5" x 11" to 12" x 18" / 52-256 gsm
capacity unit	
LU-302 Large	3,000 sheets / 8.5" x 11" / 52-256 gsm
capacity unit	
MK-730 Mount kit	Banner paper guide
MK-735 Mount kit	Installation kit for ID card reader
MK-742 Mount kit	Installation kit for FK-515 fax board
OT-506 Output tray	Output tray use instead of finisher
PC-115 Universal	500 sheets / 5.5" x 8.5" to 11" x 17" / 52–256 gsm
tray (x1)	300 sheets / 3.3 x 0.3 to 11 x 17 / 32 230 gsiii
PC-215 Universal	2 x 500 sheets / 5.5" x 8.5" to 11" x 17" / 52-256 gsm
tray (x2)	2 x 300 sheets / 3.5 x 0.5 to 11 x 17 / 32-230 gsm
PC-415 Large	2,500 sheets / 8.5" x 11" / 52-256 gsm
	2,500 sileets / 6.5 X 11 / 52-250 gsili
capacity tray	C
PI-507 Post inserter	Cover insertion, post finishing
for FS-537	2/2
PK-519 Punch kit	2/3-hole punching, autoswitching
for FS-533	0/01-1
PK-520 Punch kit	2/3-hole punching, autoswitching
for FS-536	
	2/3-hole punching, autoswitching
PK-523 Punch kit	
for FS-537	
for FS-537 RU-513 Relay unit	Required for the FS-537 / FS-537SD, FS-536 / FS-536SD
for FS-537	Required for the FS-537 / FS-537SD, FS-536 / FS-536SD Copy Guard function (2x required)
for FS-537 RU-513 Relay unit	
for FS-537 RU-513 Relay unit SC-508 Security kit	Copy Guard function (2x required)
for FS-537 RU-513 Relay unit SC-508 Security kit SP-501 Stamp unit	Copy Guard function (2x required) Added fax stamp capability kit

Authentication device placement

Z-fold for 11" x 17" prints, 2/3-hole punching

UK-501 Multi-feed detection kit WT-506 Working table

ZU-609 Z-fold unit

 $^{^{\}rm 2}$ Warm-up time may vary depending on the operating environment and usage.

³ Supports x64 only.

⁴ Certification pending.

for FS-537
*May not be available at time of launch.



PARTNERSHIP

Konica Minolta can help give shape to your ideas and partner with you to achieve your corporate objectives. Contact us to realize opportunities in:

INFORMATION MANAGEMENT	IT SERVICES	TECHNOLOGY
Enterprise Content Management (ECM)	Application Services	Office Multifunction Business Solutions
Document Management	Cloud Services	Commercial and Production Printers
Automated Workflow Solutions	IT Security	3D Printers
Business Process Automation	Managed IT Services	Wide Format Printers
Security and Compliance	IT Consulting & Projects	Laptops, Desktops and
Mobility	Business Consulting Services	Computer Hardware
eDiscovery Services		Servers and Networking Equipment
		Managed Print Services (MPS)
		Managed Enterprise Services







For complete information on Konica Minolta products and solutions, please visit: CountOnKonicaMinolta.com

© 2017 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. All rights reserved. Reproduction in whole or in part without written permission is prohibited. KONICA MINOLTA, the KONICA MINOLTA logo and bizhub are registered trademarks or trademarks of KONICA MINOLTA, InC. All other product and brand names are trademarks or registered trademarks of their respective companies or organizations. All features and functions described here may not be available on some products. Design & specifications are subject to change without notice.



KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. 100 Williams Drive, Ramsey, New Jersey 07446

CountOnKonicaMinolta.com





Item #: 458ESS 11/2017-C