

LANIER

Lanier SP311DNw SP311SFNw

A4 B/W Printer & Multifunction Printer

☑ Copier ☑ Printer ☑ Facsimile ☑ Scanner



SP311DNw

28 B/W
ppm

SP311SFNw

28 B/W
ppm

fast, compact B/W MFPs & Printers with low energy consumption

Small, smart and energy-efficient, the SP311DNw/SP311SFNw are designed to impress. Compact enough to fit unobtrusively on a desk, these innovative B/W A4 laser MFPs/printers will astound you with their speed and efficiency. The devices are easy to operate and simple to maintain. Their energy consumption is very low. And they incorporate a host of environmentally responsible features such as Energy Saver mode and automatic duplex to lower your carbon footprint. In short, if you're looking for fast, compact, energy-efficient B/W MFPs/printers, you'll find them in the SP311DNw/SP311SFNw.

- Simple, full-front operation and easy maintenance
- Built-in network card
- PCL support & WiFi
- Short warm-up time and fast print speed
- Low running costs with energy-saving features



cut your costs and increase your productivity

Budget-friendly and highly productive

The long-lasting, high-yield, all-in-one toner cartridge gives you an attractive cost per print. Along with a low hardware price, the SP311DNw/SP311SFNw are therefore affordable investments for cost-conscious offices. These devices are also extremely productive. They only take 26 seconds to warm up and speed along at a fast 28 pages per minute. Automatic duplex further improves productivity – and saves paper too.

Easy to use

Full-front operation is straightforward as all the devices feature just a few buttons. The SP311SFNw's 4-line display provides clearly legible instructions, and replacing the cartridge is also easy. The MFP model SP311SFNw allows you to print at a resolution of 1,200 dpi and scan in high-resolution colour. You can also send scans to email, folder or FTP and copy both sides of an ID card onto one side of paper. For all models the standard tray takes up to 250 sheets while the 50-sheet bypass tray can be used as second paper tray.




Simple to connect

With standard USB 2.0 and a built-in Network Interface Card plus WiFi possibilities, these devices will fit neatly into your existing network. You can send each job to the most appropriate network machine. That way, you get the best value from each of your output systems. Fax quickly and efficiently (SP311SFNw) with PC Fax and Super G3 Fax capabilities.

Environmentally responsible

Lower your environmental impact with features such as short warm-up time, sleep mode, automatic duplex printing, Energy Saver mode, and low Typical Electricity Consumption. In addition, these devices are Energy Star compliant. This means less CO₂ is produced in providing the energy needed to run them.



Main Specifications

GENERAL

| | |
|--------------------------|--|
| Warm-up time: | 26/30 seconds |
| First output speed: | 8 seconds |
| Continuous output speed: | 28 pages per minute |
| Memory: | Standard: 28 MB Maximum: 28 MB |
| Dimensions (W x D x H): | SP311DNw: 370 x 392 x 262 mm SP311SFNw: 405 x 392 x 390mm |
| Weight: | 12.7/17.5 kg |
| Power source: | 220 - 240 V, 50/60 Hz |
| Duty cycle: | 20,000 prints per month |
| Duplex: | Yes |

COPIER

| | |
|-------------------|---|
| Copying process: | Laser beam scanning and electro-photographic printing |
| Multiple copying: | Up to 99 copies Resolution: 600 x 600 dpi |
| Zoom: | From 25% to 400% in 1% steps |

PRINTER

| | |
|------------------------|---|
| Printer language: | Standard: PCL5e, PCL6 |
| Print resolution: | 600 x 600 dpi, 1,200 x 600 dpi |
| Interface: | Standard: USB 2.0, Ethernet 10 base-T/100 base-TX, Wireless LAN (IEEE 802.11b/g/n) |
| Network protocol: | TCP/IP, IPP |
| Windows® environments: | Windows® XP, Windows® Vista, Windows® 7, Windows® 8, Windows® Server 2003, Windows® Server 2008 |

SCANNER

| | |
|------------------|---|
| Scanning speed: | Full colour: Maximum 6 originals per minute B/W: Maximum 12 originals per minute |
| Resolution: | 600 dpi Original size: A4 |
| Bundled drivers: | Network TWAIN |
| Scan to: | E-mail, Folder, FTP |

FAX

| | |
|----------------|------------------|
| Circuit: | PSTN, PBX |
| Compatibility: | ITU-T (CCITT) G3 |

| | |
|---------------------|---|
| Resolution: | 8 x 3.85 line/mm, 200 x 100 dpi 8 x 7.7 line/mm, 200 x 200 dpi |
| Transmission speed: | 3 second(s) |
| Modem speed: | Maximum: 33.6 Kbps |
| Scanning speed: | 5 second(s) |

PAPER HANDLING

| | |
|-------------------------|---|
| Recommended paper size: | A4, A5, A6, B5, B6 |
| Paper input capacity: | Maximum: 300 sheets |
| Paper output capacity: | Maximum: 50 sheets |
| Paper weight: | Standard paper tray(s): 52 - 162 g/m ² Bypass tray: 52 - 162 g/m ² Duplex tray: 60 - 105 g/m ² |

ECOLOGY

| | |
|---------------------|----------------|
| Power consumption: | Maximum: 890 W |
| Energy Saver timer: | 50 W |

CONSUMABLES

| | |
|-----------------------------|--------------|
| All-in-one cartridge yield: | 3,500 prints |
|-----------------------------|--------------|

Machine ships with starter cartridge that yields approximately 1,000 prints.

Consumable yield measuring method ISO/IEC 19752.
Copy, scan, fax functionality is only applicable to SP311SFNw
For availability of models, options and software, please consult your local Lanier supplier.

ISO9001 certified, ISO14001 certified, ISO27001 certified

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear.

Copyright © 2013 Lanier. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Lanier.

LANIER

Lanier (Australia) Pty Ltd HEAD OFFICE
854 Lorimer Street | Port Melbourne | Victoria 3207

SYDNEY Branch Office
Suite G2 Riverside Corporate Park |
2 Richardson Place | North Ryde NSW 2113

BRISBANE Branch Office
Unit 1/50 Borthwick Avenue | MURARRIE | QLD 4172

PERTH Branch Office
19 Collingwood Street | Osborne Park | WA 6017

ADELAIDE Branch Office
Unit 2, 8 Union Street | Stepney | SA 5069

Lanier Customer Care: 1300 362 345
www.lanier.com.au