

Lanier SPC240SF

Cost-efficient 4-in-1 compact

✓ Copier ✓ Printer ✓ Fax ✓ Scanner



space and money saving

The perfect fit

Small in size, our printers neatly fit into your workspace. The front design features a USB host for effortless scanning to USB. The ID card copy facility enables both sides of a document to be copied onto a single sheet, saving paper and time. Plus the four-line operational panel is raised so you can see the LED even when seated. Everything, including paper and toner replacements, is operated from the front panel for ease of use.



Increased productivity

Waiting for your printer to warm up wastes valuable time. Operational in 30 seconds. The first print arrives in just 14 seconds. Then you can rely on 16ppm with the SPC240SF. This means you benefit from faster turnaround times and increased productivity to make the most of your business.



Save on paper and costs

Enjoy the low TCO. Save paper and reduce costs by copying and printing duplex. This function allows you to produce fast double-sided copies. Plus the high yield all-inone toner saves on cost and time. Because you can print high impact, professional-looking documents on a variety of media inhouse, you save outsourcing costs as well.





Versatile 4-in-1

With these multifunctional A4 colour printers you can copy, print, scan and fax in one. Colour scans look attractive, professional and are easier to read. Scanning to email, a folder and FTP saves time and speeds up communications. Faxing to and from your PC is productive and also saves time.

Energy efficiency

Today, more and more SMBs (Small and Medium-sized Businesses) are being encouraged to stop energy waste and reduce their CO_2 emissions. Our high uptime and reliable SPC240SF printer are designed to help. They save energy with their low power consumption and short warm-ups as well as expense.

Protecting the environment

Like all our products, the SPC240SF reflect Lanier's commitment to sustainability. The all-in-one toner and standard duplex print function reduce the printers' environmental impact. Without question, the green credentials of our printers are first class.



Specifications and Information

PRINTER

Full colour: 16 prints per minute only B/W: 16 prints per minute only Print speed:

DDST (GDI)

Printer language emulation: HP80 fonts

Interface Ethernet 10 base-T/100 base-TX, USB 2.0,

PictBridge

TCP/IP (IPv4, IPv6), IPP, Bonjour Windows® XP/Vista/7/Server 2003/Server 2003R2/Server 2008 (32bit/64bit)/Server Network protocol: Supported environments:

2008R2 (64bit), Mac OS 10.3 - 10.6/Mac OS X 10.3 - 10.6

Printer resolution: 600 x 600 dpi, 1,200 x 600 dpi, 2.400 x 600dpi

SCANNER

Resolution: 1,200 x 1,200 dpi

Original size: Platen cover: Maximum A4 ADF: Maximum 216 x 356 mm PDF, TIFF, JPEG

Output formats: WIA, TWAIN POP3, SMTP Bundled drivers Scan to e-mail: Stored destination addresses: Scan to folder: SMB, FTP, NCP

Scanning speed: Full colour: Less than 10 seconds

B/W: Less than 5 seconds

Circuit: PSTN/ PBX Compatibility

ITU-T, G3 Maximum: 33.6 Kbps Modem speed: Maximum: 200 x 200 dpi MH, MR, MMR, JBIG Resolution: Compression method: Memory backup: Yes (1 hour)

COPIER

Copying process: Laser beam scanning & electrophotographic

printing, mono component toner development, 4 drums tandem method

Full colour: 16 prints per minute only B/W: 16 prints per minute only Copy speed:

Resolution: 600 dni Up to 99 Multiple copy:

Warm-up time: Less than 30 seconds First output speed: Less than 14 seconds 25 - 400% (in 1% steps) Memory: Standard: 256 MB

Standard: 250-sheet paper tray Paper input capacity:

1-sheet bypass tray Maximum: 751 sheets

ADF capacity: 35 sheets

Standard: Up to 150 sheets (face down) Paper output capacity:

Paper size: Standard paper tray: A6 - A4 Bypass tray: A6 - A4

Optional paper tray: A4

Standard paper tray: 60 - 160 g/m² Bypass tray: 60 - 160 g/m² Paper weight:

Optional paper tray: 60 - 105 g/m²

Dimensions (W x D x H): 420 x 493 x 476 mm Less than 30 kg 220 - 240 V, 50 - 60 Hz Maximum: Less than 1.3 kW Power source: Power consumption:

Energy saver mode: Less than 10 W

SOFTWARE SOLUTIONS

PageManager PC Fax Utility

Weight:

OPTIONS

1 x 500-sheet paper tray

CONSUMABLES

C, M, Y: 2,300 pages K: 2,300 pages

Waste toner bottle: 25,000 prints per bottle

SPC240SF ship with a 1,000-sheet starter kit.

¹ IEC24712 declared chart, ISO/IEC 19798 colour measurement.

LANIER

Lanier (Australia) Pty Ltd HEAD OFFICE 854 Lorimer Street | Port Melbourne | Victoria 3207

SYDNEY Branch Office

2 Richardson Place | North Ryde NSW 2113

BRISBANE Branch Office

Unit 1/50 Borthwick Avenue | MURARRIE | QLD 4172

19 Collingwood Street | Osborne Park | WA 6017

ADELAIDE Branch Office

Lanier Customer Care: 1300 362 345

www.lanier.com.au