LANIER

LP275hdn

Fast, high-quality printing and finishing

Fully featured monochrome laser printing for mid-volume workloads in data centers, host printing environments, production printing applications, and central reprographics departments



Get professional looking documents fast

The Lanier LP275hdn has an aggressive 75 pages per minute print speed and ample 8,200 total sheet capacity to help you meet demanding deadlines. And the professional looking documents created with the LP275hdn's versatile finishing options are sure to impress even your most discerning customers.

Maximize your capabilities

Keeping pace with demanding work environments requires the right resources, like an 8,200 total sheet capacity to ensure big jobs print with minimal interruption. The Lanier LP275hdn also gives you the flexibility to choose paper sizes from 5.5" x 8.5" to 11" x 17". You can even print mass quantities on up to 100 lb. Index using the optional large capacity tray, which has a straight, reliable paper path to reduce paper jams.

Manage your time more efficiently

Lanier is all about getting more done. Which is why the Lanier LP275hdn gives you all the utilities and features you need to manage workflow and increase productivity—right from your desktop.

- Configure network settings, check printer status and select finishing options remotely via any standard Web browser with WebImageMonitor™.
- Organize files, combine documents from different applications into a single file for easy printing, and create notes with DeskTopBinder™.
- Provide document security and minimize trips to the printer with Hold Print, which stores all your jobs for on-demand output.
- Store frequently printed documents and forms on the system's hard drive, then walk up and print them at your convenience with Stored Print.
- Output duplex copies at nearly 100% of simplex speed with standard stackless duplexing.
- Get your prints faster with PDF Direct Print, which doesn't expand the files but sends them directly to the printer in PDF format without opening the application.





Saddle Stitch Finisher – Optional

Save money when you create professional style booklets in-house with the optional Saddle Stitch Finisher.



Large Capacity Tray - Optional

Increase capabilities with the optional Large Capacity Tray, which allows you to print on up to 100 lb. Index. It also creates a straight paper path for reliably printing mass quantities and cover weight papers.

Easy Access Trays

Increase productivity with multiple, easy access trays that yield an 8,200-sheet paper supply.

Put your best documents forward

From proposals to manuals, memos to informational booklets, the Lanier LP275hdn's wide array of finishing options gives your documents the professional look you need to gain an edge over the competition.

- Save money when you produce affordable, commercial-style manuals in-house with the Saddle Stitch Finisher.
- Ensure your hole-punched documents will line up perfectly using the Reactive Punch Unit, which automatically and correctly positions paper prior to punching.
- Combine up to 100 sheets easily with the SR842 Stapler Finisher.
- Eliminate manual assembly when you insert thick stock or preprinted covers automatically with the optional Cover Interposer.

Process jobs quickly and securely

The Lanier LP275hdn next generation controller processes multiple jobs in networked environments with ease. And the fast 866MHz controller not only processes jobs quickly, but also provides enhanced security features.

• Ensure that sensitive prints aren't left in output trays with Locked Print, which requires a password to be entered at the printer prior to printing confidential materials.

Make the right connections and integrate seamlessly

Networking is no problem with standard Ethernet 10/100Base TX and USB 2.0 interfaces. The Lanier LP275hdn is also configured with the latest Page Description Languages to make working with popular business and graphics applications easy.



Produce professional—yet affordable—manuals and booklets in-house with the Saddle Stitch Finisher.

Your Environmental Partner





Lanier continues its long-standing commitment to developing office solutions with environmentally friendly and superior energy- and supply-saving features, without compromising productivity.



LP275hdn

SPECIFICATIONS

MAIN UNIT

Console-type attached base unit Configuration Twin laser beam scanning & Electro-photographic printing with dry, dual Technology

Component toner

Resolution 1200 x 1200/600 x 600/300 x 300

4,200 sheets

Print Speed 75 ppm (LT)
First Print Speed 5.5 seconds or less
Dimensions (WxDxH) 27.1" x 31.1" x 39.5" (without

finisher & call-light) Weight 414.4 lbs. (without toner & finisher)

Warm Up Time 300 seconds 120V/60Hz/20A Power Source 1850W or less

Power Consumption Standard Paper Capacity

4 000 sheets **Optional Paper** Capacity

Acceptable Paper Sizes

Maximum Capacity 8,200 sheets Standard Trays:

Standard Trays: Tray 1: 8.5" x 11" (A4) Tray 2 and Tray 3 Standard sizes: 5.5" x 8.5", 8.5" x 11", 7.25" x 10.5", 8" x 10.5", 8" x 13, 8.5" x 14" and 11" x 17" Tray 2 and Tray 3 Custom sizes from 5.5" x 5.5" to 11.69" x 17" 16 lb. Bond- 34 lb. Bond

Standard Acceptable Paper Weights (60 - 128g/m²) Duplex Paper Weight 20 lb. Bond - 34 lb. Bond (64 - 128a/m²) **Standard Output** 500 sheets (face down)

Capacity

Optional Output 3,000 sheets Capacity
Automatic Duplexing Standard

CONTROLLER SPECIFICATIONS

Printer Languages

PCL 5e/6 emulation, Adobe®PostScript®3™, PDF, RPCS

Memory (RAM) 256 MB

Standard Interfaces USB 2.0, 100Base-TX/10Base-T Ethernet **Optional Interfaces**

IEEE 1284, IEEE 802.11b, Gigabit Ethernet, USB Host TCP/IP, IPX/SPX, AppleTalk

Network Protocols Standard Print SmartDeviceMonitor for Admin, Printer Utility for Mac, DesktopBinder Lite,

Font Manager 2000 Ontional Print DeskTopBinder Professional

Utilities

Utilities

DRIVERS/OPERATING SYSTEMS

Windows 95/98SE/NT4.0/2000/Me/XP/Server 2003 Netware 3.12, 3.2, 4.1, 4.11,5.0, 5.1, 6

Unix (using Lanier UNIX filter) Linux RedHat Linux 6.x, 7.x, 8.x, 9, and Enterprise

Mac OS 8.6 – 9.2x, OS X 10.1 or later

USB print is supported for Mac OS X v.10.3.3 or later For Mac OS: Plug-in function for Sample Print, Locked Print and User Code is supported 10.2 or later

CONTROLLER OPTIONS

802.11b Interface Unit Type I **Controller Options**

Gigabit Ethernet Board Type A IEEE 1284 Interface Board Type A Data Overwrite Security Unit Type G VM Card Type D*

*Used for adding Java applications integrated into the device by Developer Program members.

CONSUMABLES & YIELDS

Lanier Toner Type 6002/7502 - 43K LT pages at 5% toner coverage per bottle (Yield based on 8.5" x 11" (A4) pages

at 6% toner coverage) Staple Set Cartridge CSC860A Staple Refill Cartridge CSC860B Staple Set Cartridge CSC810A Staple Set Cartridge CSC810A Staple Refill Cartridge CSC810B Staple Set Cartridge CSC760A Staple Refill Cartridge CSC760B

Lanier Consumables: For maximum yield and performance, we recommend using genuine Lanier parts and supplies.













