

LANIER

Lanier MP301SPF

Desktop digital multifunction printer

✔ Copier ✔ Printer ✔ Fax ✔ Scanner



MP301SPF

30^{B/W}
ppm

compact & great value A4 B/W multifunctional

The MP301SPF is a fast black-and-white A4 multifunctional in a compact design. This device offers advanced print, copy, scan and fax functions, available via a large 4.3-inch colour touch panel. These innovative devices can easily replace several single-function devices and improve your workflow. Their small footprint saves valuable office space. Lanier's next generation controller GWNX also gives you outstanding device management capabilities.



a sleek, compact MP streamlined for the desktop—and your workflow

Your productivity is about to go up

With fast printing, copying and scanning, there is no need to wait around for your output. To speed up even more, you can create your own settings and set shortcuts for complex operations. You can also print from SD/USB (with optional HDD).

Easy to operate

With a tiltable 4.3-inch colour touch panel, the MP301SPF is very easy to operate. You can customise the home screen to show only the icons you need. You can even insert your company logo on the screen. In addition, full front access eases operation and maintenance.



intelligent compact design

The MP301SPF has a smaller footprint than comparable MFPs. Their simple and intelligent cube design optimises desktop workspace. The dual-colour design concept promotes intuitive usability.





critical capabilities for business communications

Next gen controller architecture GWNX

Featuring Lanier's next generation controller, the MP301SPF interacts intelligently with users, improving access to information. Intelligent workflow features include the ability to customise the control panel, browse and print directly from the web.

TCO is low

Minimise costs as well as your environmental footprint with energy saving features that reduce electricity consumption. A unique indicator gives an instant overview of your usage by device, month, week or even daily, to implement further Total Cost of Ownership reductions.

High security

Security features include locked print, hold print (with optional HDD), an embedded watermark (optional Copy Data Security Unit required), LDAP authentication, and HDD option with overwrite and encryption function to meet your company's security requirements.

Environmentally better

At Lanier we help you lower your environmental footprint. The MP301SPF has eco-friendly features such as sleep mode, duplex printing and paperless fax. The Typical Electricity Consumption is only 1.5 kW/h at 30 cpm. An eco-friendly indicator displays information to help you reduce paper usage.



Smart, speedy and green

Specifications

GENERAL

Warm-up time:	23 seconds (30 seconds from power off) (10 seconds from sleep mode)
First output speed:	6 seconds
Continuous output speed:	30 pages per minute
Dimensions (W x D x H):	476 x 450 x 451 mm
Weight:	26 kg
Power source:	220 - 240 V, 50/60 Hz

COPIER

Copying process:	Laser beam scanning and electrophotographic
Multiple copying:	Up to 99 copies
Resolution:	600 dpi
Zoom:	From 25% to 400% in 1% steps

PRINTER

RAM:	Maximum: 1,024 MB
HDD (Option):	Maximum: 128 GB
Printer language:	Standard: PCL5e, PCL6, XPS, Adobe®, PostScript® 3™
Interface:	Standard: USB 2.0, Ethernet 10 base-T/100 base-TX Option: Bi-directional IEEE 1284, Wireless LAN (IEEE 802.11a/g), Bluetooth, Gigabit Ethernet TCP/IP, IPX/SPX (Option)
Network protocol:	TCP/IP, IPX/SPX (Option)
Windows® environments:	Windows® XP, Windows® Vista, Windows® 7, Windows® Server 2003, Windows® Server 2008
Mac OS environments:	Macintosh OS X Native v10.2 or later
UNIX environments:	UNIX Sun® Solaris, HP-UX, SCO OpenServer, RedHat® Linux, IBM® AIX
Novell® Netware® environments:	v6.5
SAP® R/3® environments:	SAP® R/3 3.x® or later

SCANNER

Scanning speed:	Full colour: Maximum 30 originals per minute B/W: Maximum 30 originals per minute Standard: 100 - 600 dpi
Resolution:	Standard: 100 - 600 dpi
File format:	Single page TIFF, Single page JPEG, Single page PDF, Single page high compression PDF, Single page PDF-A, Multi page TIFF, Multi page PDF, Multi page high compression PDF, Multi page PDF-A
Scan to:	E-mail: SMTP, TCP/IP

Folder:	SMB, FTP, NCP (Option)
---------	------------------------

FAX

Circuit:	PSTN, PBX
Compatibility:	ITU-T (CCITT) G3
Modem speed:	Maximum: 33.6 Kbps
Scanning speed:	2.4 seconds
Memory capacity:	4 MB
Memory backup:	Yes
Transmission speed:	2 seconds
Modem speed:	Maximum 33.6 Kbps
Scanning speed:	0.7 seconds
Memory capacity:	Standard: 4 MB Maximum: 28 MB

PAPER HANDLING

Recommended paper size:	Standard paper tray(s): A4, A5 Bypass tray: A4, A6
Paper input capacity:	Maximum: 1,350 sheets
Paper output capacity:	Standard: 250 sheets
Paper weight:	Standard paper trays: 60 - 90 g/m ²
Bypass tray:	60 - 157 g/m ²
Duplex tray:	64 - 90 g/m ²
Option:	Up to 2 x 500-sheet paper trays can be attached

ECOLOGY

Power consumption:	Maximum: 1.1 kW
Operating power:	450 W
Ready mode:	83.5 W
Sleep mode:	3.1 W
TEC (Typical Electricity Consumption):	1,535 W/h

OPTIONS

2 x 500-sheet paper tray, Hard Disk Drive, Bi-directional IEEE 1284, Wireless LAN (IEEE 802.11a/g), Bluetooth, Gigabit Ethernet, VM Card, Netware, Pictbridge, Browser unit, Counter interface, File format converter, Copy Data Security Unit, Fax board.

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear.

LANIER

Lanier (Australia) Pty Ltd HEAD OFFICE
854 Lorimer Street | Port Melbourne | Victoria 3207

SYDNEY Branch Office
Suite G2 Riverside Corporate Park |
2 Richardson Place | North Ryde NSW 2113

BRISBANE Branch Office
Unit 1/50 Borthwick Avenue | MURARRIE | QLD 4172

PERTH Branch Office
19 Collingwood Street | Osborne Park | WA 6017

ADELAIDE Branch Office
Unit 2, 8 Union Street | Stepney | SA 5069

Lanier Customer Care: 1300 362 345
www.lanier.com.au