

Vibrant business color

Adding impact to your everyday print communication, these desktop devices put vibrant and productive color printing within easy and affordable reach.

Class-leading functionality:

- Vibrant color output
- 25 ppm (A4) / 26 ppm (Letter) productivity
- Print from any device
- Low running costs

Combining class-leading functionality with low total cost of ownership, these compact A4/Letter devices are made for business. Keeping pace with demand, they deliver immaculate double-sided color and black-and-white output at a productive 25 (A4) / 26 (Letter) pages per minute. And, with WiFi Direct making it easy to connect, these productive desktop printers can be shared by multiple users.

Productive time-saving features:

- Printer and/or 4-in-1 MFP
- Color touchscreen panel
- Fast, single-pass scanner
- Optional 2nd paper tray



To simplify your print environment, Lanier offers single and multi-function versions of the same advanced print engine. The M C250FW is a compact fax-enabled 4-in-1 MFP. Its large color touchscreen panel simplifies operation and, to save time, the integral Single Pass Document Feeder (SPDF) quickly scans double-sided originals in a single pass. The optional second paper tray expands capacity and enables different sizes and types of paper to be held on hand in the optional tray, ready for use.

Easy installation and support:

- Windows®, Mac® and Linux™
- AirPrint[™], Mopria and GCP
- Near Field Communication
- High Yield Toner Cartridges

Easy to install, they will work seamlessly in virtually any environment. Windows®, Mac® and even Linux™ are supported and, to improve access, users can connect using AirPrint™, Mopria and Google™ Cloud Print. And, with WiFi Direct and Near Field Communication (NFC) built in, it has never been easier to join a network. These energy efficient printers are ENERGY STAR® certified and EPEAT® Silver rated to help reduce environmental footprints. Plus, with their ultra high yield cartridges extending print cycles and reducing costs, these reliable desktop devices offer best-inclass total costs of ownership.



LANIER M C250FW / P C301W

MAIN SPECIFICATIONS

| | M C250FW | P C301W |
|--------------------------------|---|--|
| GENERAL | | |
| Configuration | Desktr | qq |
| Technology | Laser | |
| Warm-up time | 20 seconds | |
| First output speed: B/W | 9.4 seconds (A4 / LT SEF) | |
| First output speed: full color | 9.8 seconds (A4 / LT SEF) | |
| Continuous output speed | 25 ppm (A4) / 26 ppm (Letter) | |
| Memory: standard | 256 MB | |
| Memory: maximum | 256 MB | |
| SPDF capacity | 50 sheets | _ |
| Duty cycle | 65,00 | |
| Duplex | Yes | |
| Weight Dimensions: W x D x H | 66.1 lbs. (30 kg) | 55.1 lbs. (25 kg) |
| Power source | 16.5" x 19.4" x 18.6" (420 x 493 x 473 mm) | 15.7" x 17.7" x 13.1" (400 x 450 x 334 mm) |
| rower source | 120 – 127\ | / 60 Hz |
| COPIER (M C250FW ONLY) | | |
| First copy speed | Black: 15 seconds or less (A4 / LT SEF) | _ |
| Multiple copying | Full color: 19 seconds or less (A4 / LT SEF) | |
| Multiple copying | Up to 99 copies | _ |
| Resolution | Platen: 600 x 600 dpi SPDF: 300 x 600 dpi | _ |
| Zoom | From 25% to 400% in 1% steps | _ |
| DDINTED (CTANDADD) | 110111 25 % to 100 % iii 1 % steps | |
| PRINTER (STANDARD) | | |
| CPU | 400MHz | 350MHz |
| Printing process | Laser beam scanning, electro-photographic printing | |
| Printer language: standard | PCL5c, PCL6, PostScript [®] 3™ emulated | |
| Print resolution: maximum | 2,400 x 600 dpi | |
| Fonts: standard | PCL (80 fonts), PS3 (80 fonts) | |
| Standard interfaces | Ethernet 10 base-T/, Wireless LAN (IEEE 802.11 a/b/g/n/ac), USB 2.0 | |
| Mobile printing capability | Apple AirPrint™, Mopria, Google™ Cloud Print | |
| Windows® environments | Windows® 7, Windows® 8.1, Windows® 10, Windows® Server 2008, Windows® Server 2008R2, Windows® Server 2012, Windows® Server 2012R2, Windows® Server 2016 | |
| Mac OS environments | Macintosh [®] OS X v | 10.10 – v10.13 |
| UNIX environments | Linux™ environment | |
| SCANNER (M C250FW ONLY) | | |
| Scanning: B/W | 21 ipm | - |
| Scanning: full color | 12 ipm | _ |
| Resolution: standard | 300 dpi | - |
| Resolution: maximum | 1,200 dpi | _ |
| Compression method | B&W (TIFF (MH, MR, MMR), JPEG (Grayscale), PDF), Color (PDF, JPEG) | - |
| File formats | Single Page: TIFF, JPEG, PDF, High Compression PDF Multi Page: TIFF, PDF, High Compression PDF | _ |
| Bundled drivers | Network TWAIN | _ |
| Scan modes | E-mail, Folder, USB | _ |
| FACSIMILE (M C250FW ONLY) | | |
| Circuit/Compatibility | PSTN, PBX | _ |
| Transmission speed | 3 seconds | |
| Modem speed: maximum | 240 Kbps | _ |
| Compression method | MH, MR, MMR, JBIG | _ |
| Scanning speed | Less than 20 spm (A4/LT SEF) (8 x 3.85) | _ |
| Page memory size | 2.5M bytes | |
| . 252 | (100 pages are stored with MMR / ITU#1 STD) | _ |
| SAF memory size | Standard: 2.5MB | _ |
| Internet fax | Standard | _ |
| LAN fax | Standard | _ |
| | | |

LANIER M C250FW / P C301W

MAIN SPECIFICATIONS

P C301W M C250FW

















PAPER HANDLING

| Recommended paper size | Standard paper tray: A4, A5, A6, B4, B5, Legal, Letter, HLT Bypass tray: A4, A5, A6, B5, B6, Legal, Letter, HLT |
|------------------------|--|
| Paper input: standard | 251 sheets |
| Paper input: maximum | 751 sheets |
| Paper output: standard | 150 sheets |
| Paper weight | Standard tray: 60 – 163 g/m² Optional tray: 60 – 105 g/m² Bypass: 60 – 163 g/m² Duplex: 60 – 90 g/m² |
| Paper types | Standard tray: |

Plain 1/2, Recycled, Middle Thick, Thick 1/2, Thin, Color, Letterhead, Preprinted, Prepunched, Labels, Bond, Cardstock, Envelope Bypass tray:

Plain 1/2, Recycled, Middle Thick, Thick 1/2, Thin, Color, Letterhead, Preprinted, Prepunched, Labels, Bond, Cardstock, Envelope Optional paper tray:

Plain 1/2, Recycled, Middle Thick, Thin paper, Thick paper, Color, Letterhead, Preprinted, Prepunched

ECOLOGY

| Power consumption: maximum | Less than 1,300 W | |
|---|-------------------|----------|
| Power consumption operation: B/W | 428 W | 420W |
| Power consumption operation: full color | 469 W | 460 1 |
| Power consumption: ready | 34.5 W | 30.5 W |
| Power consumption: sleep | 0.7 W | 0.64 W |
| TEC1 | 0.32 kWh | 0.31 kWh |
| ENERGY STAR® | Certified | |
| FPFAT® | Silver Rated* | |

*EPEAT Silver rating is applicable only in the USA.

PAPER HANDLING OPTIONS

1 x 500-sheet Paper Feed Unit (TK1220)

Paper size: A4, Letter; Paper weight: 60 - 105 g/m2* *A maximum of one optional tray can be installed on the device.

OTHER OPTIONS

ESP S1 Power Filter

CONSUMABLES

| Starter toner | Black: 1,000 prints; Cyan: 1,000 prints; Magenta: 1,000 prints; Yellow: 1,000 prints |
|--------------------|--|
| Toner: black | 6,900 prints |
| Toner: cyan | 6,300 prints |
| Toner: magenta | 6,300 prints |
| Toner: yellow | 6,300 prints |
| Waste toner bottle | 25,000 prints |

¹TEC value is measured based on the ENERGY STAR Ver.3.0 test method.

Some options may not be available at the time of market release.

Specifications are subject to change without notice.

Toner yield measuring method ISO/IEC 19798

For maximum performance and yield, we recommend using genuine Lanier parts and supplies.

Some features may require additional options and/or charges.

Ricoh USA, Inc.

300 Eagleview Boulevard Exton, PA 19341



1-855-5-LANIER



www.lanier.com

