### Lexmark C792 Family color laser printers



# Flexible, robust color printing

#### Models



#### Lexmark C792 Family

The Lexmark C792 Family color laser printers combine robust design with brilliant color printing, exceptional media handling, flexible finishing options and an intuitive color touch screen.

#### Other available models:

Lexmark C792e: Enjoy the benefits of workgroup color laser printing through a robust design combined with exceptional media handling and an intuitive color touch screen.
 Lexmark C792de: Includes duplex
 Lexmark C792dte: Includes duplex and additional 550-sheet drawer
 Lexmark C792dhe: Includes duplex, hard disk, three additional 550-sheet drawer
 drawers,1GB memory and caster base



Touch screen

Solutions

Þ

Up to 50 ppm

Duplex

Network
\* Duplex not available on

C792e model.

### Lexmark C792 Family: key features



# Features that help you optimize your work



#### 1) Intuitive color touch screen

The 4.3-inch color touch screen allows you to operate your printer with ease and confidence through smart and intuitive navigation, easy access to workflow solutions and shortcuts, and the ability to preview your documents and print jobs at the device.



4) Lexmark solutions

Reduce unnecessary printing and simplify work processes through solutions applications preloaded on your device. Choose additional Lexmark solutions to fit your unique workflow needs.



7) Eco-friendly features

Easy-to-access features make it easy to print responsibly, including Eco-Mode to reduce paper and toner consumption, and the Sleep button and Hibernate Mode to help you save energy.



**2)** Flexible output options Choose from four output options, including a five-bin mailbox, an offset stacker, a staple finisher, and a staple with hole punch finisher.



3) Direct USB A front USB port allows for convenient walk-up preview and printing and is compatible with most printable image file formats.



5) Expandable input Print on multiple paper types and boost total capacity up to 3,200 sheets.



**6)** Long-lasting toner The Lexmark Extra High Yield Print Cartridge delivers up to 20,000<sup>+</sup> pages, reducing interventions, cartridge waste and cost.

### Lexmark C792 Family: overview



### **Robust Color Printing**

Designed for medium to large workgroups, the Lexmark C792 Family meets the demands of your busy color-printing environment. Vibrant, professional-quality output and the ability to print on a wide variety of media allow you to do more color printing in-house. With the advanced color laser technology of the C792 Family, you'll get excellent, consistent color from the first page to the last.

- Lexmark Extra High Yield Print Cartridge available, offering yields of up to 20,000\* pages
- •Print and duplex\*\* speeds as fast as 50 ppm in both black and color
- •PANTONE® calibration for consistent color tones
- •Named Color Replacement for easy color matching
- •Lexmark Color Care Technology to manage color usage and control costs
- Instant warm-up fuser to help reduce energy consumption and improve time to first page



### Flexibility

Choose from a variety of models to best serve your needs. Select from a number of expandability options and finishing features you would expect from more expensive products.

- •Ultra-reliable paper feeding to support diverse media, including card stock, labels, UV-resistant outdoor media, banner media and more
- •Robust output options, including a five-bin assignable mailbox, an offset stacker, a staple finisher, and a staple with hole punch finisher
- •Input capacity expandable to up to 3,200 sheets with the high-capacity feeder and an extra drawer
- •Connectivity and application solution cards allow integration into most IT environments



### **Easy and Intuitive**

The Lexmark C792 Family is designed for easy operation and maintenance.

- •4.3-inch color touch screen provides audible feedback to make completing tasks intuitive
- •Print Preview features help you select documents or specific pages within a document
- •Directional lights on the device provide visual cues to guide you through tasks and maintenance operations
- •Ability to change settings such as duplex\*\* or stapling at the device
- •Available device fleet management software
- •Sleep button and Hibernate Mode, helping to reduce energy costs

### Lexmark C792 Family: solutions

### Print Less. Save More.

Print less? This may seem like a surprising message for a company dedicated solely to printing. But when you consider that businesses spend on average up to 6% of their revenue on printing and that active print management can cut office print costs by up to 30%\*, it makes a lot of sense. Lexmark products, solutions and services provide innovative ways to save you time, drive down costs and reduce your impact on the environment. We are committed to helping you print less and save more.



#### Solutions

### Save time and money through solutions

Reduce unnecessary printing and simplify work processes with Lexmark solutions. The C792 Family features the Lexmark Embedded Solutions Framework (eSF), our platform that enables you to add a wide range of software applications directly onto the device. Solutions are designed with your productivity in mind, helping you streamline—or even eliminate—paper intensive business processes.

Below are solutions that come preloaded on the C792 Family. A diverse portfolio of additional Lexmark solutions is available to help accommodate your workflow needs.



#### Forms and Favorites

Eliminate waste and inefficiencies associated with preprinted forms. Store frequently printed forms, marketing materials or other documents online, then print them on demand.



#### Background and Idle Screen

Change the touch screen background to your corporate logo, a unique message, or select one of the four screens that are preloaded on the device.



#### **Eco-Settings**

Choose from multiple print settings that help reduce energy, paper and toner consumption.



Change Language\*\* Easily switch the language displayed on the touch screen – 18 languages supported.

#### Showroom

Display a customizable, scrolling slideshow on the color touch screen to promote your business or products, or to communicate important messages to your customers or employees.

\* Source: InfoTrends/CapVentures, Network Document Solutions Forecast 2007-2012, Network Document Solutions Consulting Service, August 2008 \*\* Opt-in to Change Language during installation

### Lexmark C792 Family: highlights

# Make a lasting impression with award-winning color

The documents you print define an important image – yours. That's why Lexmark color lasers help businesses be more productive and stand out with vibrant color. With the ability to print professional quality color in-house, you can add instant impact and save costs by virtually eliminating the need to outsource print jobs. Lexmark also offers a host of color-access and control tools to manage costs.



Functions



### The right touch

The Lexmark e-Task color touch screen is a key access point to your printer. The customizable 4.3-inch interface gives you the ability to preview thumbnails of documents prior to printing, as well as change print jobs at the device. You can even view, select and print specific pages within a document directly from the touch screen. Its easy-to-use, intuitive navigation provides fast access to the functions, shortcuts and workflows you use most. New interactive sensory features provide audible feedback, helping to guide you through each operation, confirming a touch has registered and indicating an action is transpiring.

## Protecting your information

From the data traveling through your network to the pages being printed, Lexmark's innovative security controls give you peace of mind that your valuable corporate data is protected at every stage.


- Cutting-edge user authentication and authorization controls, including LDAP, help protect your device and data
- Card reader option to add an extra layer of security
- Hard disk encryption protects sensitive data on the disk
   drive
- Automatic, scheduled or manual disk wiping
- IPSec, SNMPv3 and 802.1x network security supported
- Security-audit logging to help track and identify security risks



### True Image Always

Lexmark is dedicated to designing and manufacturing products that deliver exceptional quality and reliable performance. Maximize the return on your investment, extend the service life of your Lexmark printing equipment and make a lasting impression by always insisting on Lexmark Genuine Supplies, Service and Parts. Lexmark C792 Family color laser printers are backed by a one-year base warrany For further protection against unexpected expenses or downtime, extended warranty offerings are available.

### Lexmark C792 Family: ordering information





Optional

### Eco-responsible printing

Printing responsibly means everyone wins – your business, your budget and the environment. Lexmark's award-winning products are designed for ease of use, high quality output and reliable performance, with innovative capabilities that help you minimize the number of cartridges you use over the life of the printer and conserve paper and energy. Our goal is to design, package and deliver innovative products and solutions in an environmentally responsible manner.

## Lexmark C792 Family: ordering information

#### Lexmark C792e

Part # 47B0000	Model Lexmark C792e	47B0111 47B1101	C792, X792 2000-Sheet High Capacity Feeder C792, X792 5-Bin Mailbox	
Part # C792X1KG C792X1CG C792X1MG C792X1MG C792X1YG	art # Laser Toner/Print Cartridge 792X1KG C792 Black Extra High Yield Return Program Print Cartridge 792X1GG C792 Cyan Extra High Yield Return Program Print Cartridge 792XIMG C792 Magenta Extra High Yield Return Program Print Cartridge		C792, X792 500-Sheet Offset Stacker C792, X792 500-Sheet Staple Finisher C792, X792 500-Sheet Staple, Hole Punch Finisher C792, X792 Spacer C792, X792 Spacer C792, X792 Banner Media Tray Furniture	
C792A1KG	C792, X792 Black Return Program Print Cartridge C792, X792 Cvan Return Program Print Cartridge	Part # 47B0114	C792, X792 Caster Base	
C792A1CG C792A1MG	792A1MG     C792, X792 Magenta Return Program Print Cartiridge       792A1YG     C792, X792 Yellow Return Program Print Cartiridge       792X2KG     C792 Black Extra High Yield Print Cartridge       792X2KG     C792 Black Extra High Yield Print Cartridge       792X2KG     C792 Vag Extra High Yield Print Cartridge       792X2KG     C792 Magenta Extra High Yield Print Cartridge       792X2KG     C792 Valewa Extra High Yield Print Cartridge       792X2KG     C792 Vellow Extra High Yield Print Cartridge       792X7FG     C792, X792 Waste Toner Bottle	Part #	Extended Warranties	
C792X2KG C792X2KG C792X2CG C792X2MG C792X2YG C792X77G 25A0013		2353754 2353755 2353756 2353757 2353758 Part #	C792 2-Years Total Onsite Service, Next Business Day C792 3-Years Total Onsite Service, Next Business Day C792 4-Years Total Onsite Service, Next Business Day C792 5-Years Total Onsite Service, Next Business Day C792 1-Year Onsite Service Renewal, Next Business Day Installation Service	
Part # 47B0110	Paper Handling C792, X792 550-Sheet Drawer	2353761	C792 Install, De-Install Service	

In the box Lexmark C792e color laser printer, Up to 11,000\*-page Cyan, Magenta, Yellow Starter Print Cartridge, Software and Documentation CD, Power Cord(s), Setup Guides (network and local attachment), Statement of limited warranty, Lexmark Cartridge Collection Program information

#### Lexmark C792de

C792X1YG C792A1KG C792A1CG C792A1MG C792A1WG C792X2KG C792X2CG C792X22MG C792X22WG C792X2YG C792X27G 25A0013	C792, X792 Black Return Program Print Cartridge C792, X792 Quan Return Program Print Cartridge C792, X792 Wagenta Return Program Print Cartridge C792, X792 Hellow Heturn Program Print Cartridge C792 Black Extra High Yield Print Cartridge C792 Quan Extra High Yield Print Cartridge C792 Valow Extra High Yield Print Cartridge C792 Valow Extra High Yield Print Cartridge C792 Valow Extra High Yield Print Cartridge C792, X792 Walse Toner Bottle Staple Cartridges (3 pack)	47B0111 47B102 47B102 47B102 47B102 47B0112 47B0112 47B0112 47B0112 47B0114 Part # 2353755 2353756 2353756 2353758 Part #	C792, X792 2000-Sheet High Capacity Feeder C792, X792 5-Bin Mailbox C792, X792 500-Sheet Offset Stacker C792, X792 500-Sheet Offset Stacker C792, X792 500-Sheet Staple Finisher C792, X792 Spacer C792, X792 Banner Media Tray Furniture C792, X792 Caster Base Extended Warranties C792, Z792 2-Years Total Onsite Service, Next Business Day C792 2-Years Total Onsite Service, Next Business Day C792 4-Years Total Onsite Service, Next Business Day C792 4-Years Total Onsite Service, Next Business Day C792 5-Years Total Onsite Service, Next Business Day C792 5-Years Total Onsite Service, Next Business Day C792 5-Years Total Onsite Service, Next Business Day C792 1-Year Onsite Service Renewal, Next Business Day Installation Service	In the box Lexmark C792de color laser printer, Up to 11,000*- page Cyan, Magenta, Yellow Starter Print Cartridges, Up to 8,500*-page Black Starter Print Cartridge, Software and Documentation CD, Power Cord(s), Setup Guides (network and local attachment), Statement of limited warranty, Lexmark Cartridge Collection Program information
Part # 47B0110	Paper Handling C792, X792 550-Sheet Drawer	2353761	C792 Install, De-Install Service	

#### Lexmark C792dte

C792X2CG C7 C792X2MG C7 C792X2YG C7 C792X2YG C7 C792X77G C7	792, X792 Magenta Return Program Print Cartridge 792, X792 Vellow Return Program Print Cartridge 792 Black Extra High Yield Print Cartridge 792 Cyan Extra High Yield Print Cartridge 792 Magenta Extra High Yield Print Cartridge 792 Waley Extra High Yield Print Cartridge 792 Vellow Extra High Yield Print Cartridge 792 X792 Waste Toner Bottle aple Cartridges (3 pack)	Part # 2353754 2353755 2353756 2353757 2353758 Part #	C792 2-Years Total Onsite Service, Next Business Day C792 3-Years Total Onsite Service, Next Business Day C792 4-Years Total Onsite Service, Next Business Day C792 5-Years Total Onsite Service, Next Business Day C792 1-Year Onsite Service Renewal, Next Business Day Installation Service
Part # Pa 47B0110 C7	aper Handling	2353761	C792 Install, De-Install Service

#### Lexmark C792dhe

Part #	Model	47B1102	C792, X792 500-Sheet Offset Stacker	
47B0003	Lexmark C792dhe	47B1100 47B1103	C792, X792 500-Sheet Staple Finisher C792, X792 500-Sheet Staple, Hole Punch Finisher	In the box
Part # C792X1KG	Laser Toner/Print Cartridge C792 Black Extra High Yield Return Program Print Cartridge	47B0113	C792, X792 Banner Media Tray	Lexmark C792de color laser printer, Up to 11,000*- page Cyan, Magenta, Yellow Starter Print Cartridges,
C792X1KG	C792 Cran Extra High Yield Return Program Print Cartridge	Part #	Extended Warranties	Up to 8,500*-page Black Starter Print Cartridge,
C792X1MG C792X1YG C792A1KG C792A1CG	C792 Magenta Extra High Yield Return Program Print Cartridge C792 Yellow Extra High Yield Return Program Print Cartridge	2353754 2353755 2353756 2353757 2353757 2353758 Part #	C792 2-Years Total Onsite Service, Next Business Day C792 3-Years Total Onsite Service, Next Business Day C792 4-Years Total Onsite Service, Next Business Day C792 5-Years Total Onsite Service, Next Business Day C792 1-Year Onsite Service Renewal, Next Business Day Installation Service	Hard disk, 3x 550-Sheet drawers, Caster base, Software and Documentation CD, Power Cord(s), Setup Guides (network and local attachment), Statement of limited warranty, Lexmark Cartridge Collection Program information
C792X2KG	C792 Black Extra High Yield Print Cartridge			
C792X2CG C792X2MG C792X2YG C792X77G 25A0013	C792 Cyan Extra High Yield Print Cartridge C792 Magenta Extra High Yield Print Cartridge C792 Valenet Extra High Yield Print Cartridge C792, X792 Waste Toner Bottle Staple Cartridges (3 pack)	2353761	C792 Install, De-Install Service	
Part #	Paper Handling			

47B1101 C792, X792 5-Bin Mailbox

### Lexmark C792 Family: product specifications

	Lexmark C792e	Lexmark C792de	Lexmark C792dte	Lexmark C792dhe		
Printing						
Print Technology	Color Laser					
Print Speed (Letter, Black): Up to		50 p	pm			
Print Speed (Letter, Color): Up to		50 p	pm			
Time to First Page (Black)		As fast as 8	8 seconds			
Time to First Page (Color)		As fast as 8	.5 seconds			
Print Resolution, Black	1200 x 1200 dpi, 4800 Color Quality (2400 x 600 dpi)					
Print Resolution, Color		1200 x 1200 dpi, 4800 Co	lor Quality (2400 x 600 dpi)			
Memory, Standard	512 MB	512 MB	512 MB	1024 MB		
Memory, Maximum		1536	i MB			
Hard Disk	Option available	Option available	Option available	Included in configuration		
Print Noise Level, Operating		52 0	зВА			
Noise Level, Idle		29 0	BA			
Maximum Monthly Duty Cycle: Up to	150000 pages per month					
Recommended Monthly Page Volume	2500 - 170	2500 - 17000 pages				
Supplies						
Supplies Yield	6,000*-page (CMYK) Print Cartridges, 20,000*-page (CMYK) Extra High Yield Print Cartridges					
(*Average continuous black or continuous						
composite CMY declared cartridge yield up to						
this number of standard pages in accordance						
with ISO/IEC 19798.)						
Paper Handling						
Paper Handling Standard	500-Sheet Output Bin, 100-Sheet Multi-	500-Sheet Output Bin, Integrated Duplex,				
	purpose Feeder, 550-Sheet Input Tray	100-Sheet Multipurpose Feeder, 550-	100-Sheet Multipurpose Feeder, 550-	100-Sheet Multipurpose Feeder, 550-		
		Sheet Input Tray	Sheet Drawer, 550-Sheet Input Tray	Sheet Input Tray, 3 x 550-Sheet Drawers		
Den en Handling Ontional						
Paper Handling Optional	5-Bin Mailbox, 550-Sheet Drawer,	5-Bin Mailbox, 550-Sheet Drawer,	5-Bin Mailbox, 550-Sheet Drawer, Optio-			
	Optional furniture required., 2,000-Sheet	Optional furniture required., 2,000-Sheet	nal furniture required., Banner Media Tray,			
	High-Capacity Feeder, 500-Sheet Offset	High-Capacity Feeder, 500-Sheet Offset	2,000-Sheet High-Capacity Feeder, 500-	Finisher, 500-Sheet Staple Punch Finisher		
	Stacker, 500-Sheet Staple Finisher, 500-	Stacker, 500-Sheet Staple Finisher, 500-	Sheet Offset Stacker, 500-Sheet Staple			
	Sheet Staple Punch Finisher	Sheet Staple Punch Finisher	Finisher, 500-Sheet Staple Punch Finisher			
Paper Input Capacity, Standard: Up to	CEO pagago OO lla ar 75 gam band	CEO pagago OO lla av ZE gana haard	1000 pages 00 lb av 75 sam band	0000 pages 00 lb at 75 page hand		
Paper Input Capacity, Standard: Op to Paper Input Capacity, Maximum: Up to	650 pages 20 lb or 75 gsm bond	650 pages 20 lb or 75 gsm bond	1200 pages 20 lb or 75 gsm bond	2300 pages 20 lb or 75 gsm bond		
Media Types Supported	3200 pages 20 lb or 75 gsm bond	3200 pages 20 lb or 75 gsm bond	3200 pages 20 lb or 75 gsm bond	2300 pages 20 lb or 75 gsm bond		
Media Types Supported	Card Stock, Dual Web Labels, Envelopes, Glossy Paper, Integrated Labels, Paper Labels, Plain Paper, Polyester Labels, Transparencies, Vinyl Labels, Refer to the Card Stock & Label Guide, Outdoor Media, Banner Paper					
General	Laber Guide, Outdoor Media, Bariner Paper					
Function	Color Printing					
Product Warranty	1-Year Onsite Service, Next Business Day					
Product Certifications	www.lexmark.com					
Specified Operating Environment	Temperature: 16 to 32°C (60 to 90°F), Humidity: 8 to 80% Relative Humidity, Altitude: 0 - 3048 Meters (10,000 Feet)					
Size (in H x W x D)			40.5 x 26.1 x 25.9 in.			
Weight (lb.)	110 lb.	110 lb.	131 lb.	231 lb.		
Furniture	· · · · ·					
Caster Base	Optional, (Required for floor standing	Optional, (Required for floor standing	Optional, (Required for floor standing	(Included)		
	configuration)	configuration)	configuration)	(·····································		
Spacer	Available	Available	Available			
•				1		

Recommended Monthly Page Volume «Recommended Monthly Page Volume» is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

Maximum Monthly Duty Cycle» «Maximum Monthly Duty Cycle» is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.



Trademarks Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY STAR® is a U.S. registered mark. Information in this document is subject to change without notice. PANTONE® is a registered trademark of Pantone, Inc. This product features Adobe® Flash® technology. For further information, visit http://www.adobe. com/software/flash/about/. AirPrint and the AirPrint logo are trandemarks of Apple Inc.



