



COLOR LASER MULTIFUNCTION PRODUCT

## Lexmark X792 Family

The Lexmark X792 Family color MFPs elevate your workgroup productivity through brilliant color printing, productivity solutions, flexible features and an intuitive color touch screen.

### Other available models:

- **Lexmark X792de:** Includes duplex and hard disk
- **Lexmark X792dte:** Includes duplex, hard disk, two additional 550-sheet drawers and caster base
- **Lexmark X792dtfe:** Includes duplex, hard disk, two additional 550-sheet drawers, stapling and caster base
- **Lexmark X792dtpe:** Includes duplex, hard disk, two additional 550-sheet drawers, stapling with hole punch and caster base
- **Lexmark X792dtme:** Includes duplex, hard disk, two additional 550-sheet drawers, a five-bin mailbox and caster base
- **Lexmark X792dtse:** Includes duplex, hard disk, two additional 550-sheet drawers, an offset stacker and caster base



## Business productivity with robust color performance



Color



Solutions



Duplex  
Printing\*



Up to  
50 ppm



Network



Copy



Scan



Fax



Security



Eco-Friendly

\* Duplex not available on C792e model.





## Solutions

### Save time and money through solutions

Reduce unnecessary printing and simplify work processes through Lexmark solutions. The X792 Family features the Lexmark Embedded Solutions Framework (eSF), our platform that enables you to add a wide range of software applications directly onto the device. Solutions are designed with your productivity in mind, helping you streamline—or even eliminate—paper intensive business processes.



### Preloaded solutions\* on the X792 family:

#### Forms and Favorites



Eliminate waste and inefficiencies associated with preprinted forms. Store frequently printed forms, marketing materials or other documents online, then print them on demand.

#### Scan to Network



Scan a hardcopy document and route the image to one of 30 predefined personal or public shared network folders.

#### Change Language\*\*



Easily switch the language displayed on the touch screen—18 languages supported.

### Examples of solutions available through Lexmark authorized partners and dealers, or through a Lexmark Professional Services engagement:

#### Background and Idle Screen



Change the touch screen background to your corporate logo, a unique message, or select one of the four screens that are preloaded on the device.

#### Showroom



Display a customizable, scrolling slideshow on the color touch screen to promote your business or products, or to communicate important messages to your customers or employees.

#### Card Copy



Save time and effort in copying identification cards, licenses and insurance cards by automatically scanning, enlarging and printing both sides of a two-sided card onto one side of a sheet of paper.

## Key Features



### Intuitive color touch screen

The extra large 10-inch class color touch screen allows you to operate your printer with ease and confidence through smart and intuitive navigation, easy access to workflow solutions and shortcuts, and the ability to preview your documents and print jobs at the device.



### Flexible output options

Choose from four output options, including a five-bin mailbox, an offset stacker, a staple finisher, and a staple with hole punch finisher.



### Duplex automatic document feeder (DADF)

Save time by scanning both sides of your document in one pass with robust color-scanning capabilities and an input capacity of up to 75 pages.



### Direct USB

The front USB port allows for convenient walk-up preview, printing and scanning, and is compatible with most printable image file formats.



### Lexmark solutions

Reduce unnecessary printing and simplify work processes through solutions applications preloaded on your device. Choose additional Lexmark solutions to fit your unique workflow needs.



### Long-lasting toner

The Lexmark Extra High Yield Print Cartridge delivers up to 20,000\* pages, reducing interventions, cartridge waste and cost.




Lexmark X792dtpe color laser MFP shown




### Eco-friendly features

Easy-to-access features make it easy to print responsibly, including Eco-Mode to reduce paper and toner consumption, and the Sleep button and Hibernate Mode to help you save energy.


### X792 Series Ordering Information




1. Finishing Functions




Offset Stacker



Staple Finisher



5-Bin Mailbox



Staple Punch Finisher

- 2. 10.2" Touch Screen
- 3. 500-Sheet Output Bin
- 4. 100-Sheet Multipurpose Feeder
- 5. 550-Sheet Tray
- 6. 550-Sheet Drawer
- 7. 2000-Sheet High-Capacity Feeder
- 8. Caster Base

Standard  
 Optional

### X792 Series

Part #	Model
47B1000	Lexmark X792de
47B1001	Lexmark X792dte
47B1002	Lexmark X792dtfe
47B1121	Lexmark X792dtme
47B1120	Lexmark X792dtpe
47B1122	Lexmark X792dtse

Part #	Laser Toner/Print Cartridge
X792X1KG	X792 Black Extra High Yield Return Program Print Cartridge
X792X1CG	X792 Cyan Extra High Yield Return Program Print Cartridge
X792X1MG	X792 Magenta Extra High Yield Return Program Print Cartridge
X792X1YG	X792 Yellow Extra High Yield Return Program Print Cartridge
C792A1KG	C792, X792 Black Return Program Print Cartridge
C792A1CG	C792, X792 Cyan Return Program Print Cartridge
C792A1MG	C792, X792 Magenta Return Program Print Cartridge
C792A1YG	C792, X792 Yellow Return Program Print Cartridge
X792X2KG	X792 Black Extra High Yield Print Cartridge
X792X2CG	X792 Cyan Extra High Yield Print Cartridge
X792X2MG	X792 Magenta Extra High Yield Print Cartridge
X792X2YG	X792 Yellow Extra High Yield Print Cartridge
C792X77G	C792, X792 Waste Toner Bottle
25A0013	Staple Cartridges (3 pack)

Part #	Paper Handling
47B0110	C792, X792 550-Sheet Drawer
47B0111	C792, X792 2000-Sheet High Capacity Feeder
47B1101	C792, X792 5-Bin Mailbox
47B1102	C792, X792 500-Sheet Offset Stacker
47B1100	C792, X792 500-Sheet Staple Finisher
47B1103	C792, X792 500-Sheet Staple, Hole Punch Finisher
47B0112	C792, X792 Spacer
47B0118	X792 Banner Media Tray

Part #	Furniture
47B0114	C792, X792 Caster Base

Part #	Memory Options
1025041	256MB DDR2-DRAM

1025042	512MB DDR2-DRAM
1025043	1024MB DDR2-DRAM
14F0245	256MB Flash Card
30G0287	Arabic Font Card
30G0828	Japanese Font Card
30G0825	Korean Font Card
30G0826	Simplified Chinese Font Card
30G0827	Traditional Chinese Font Card

Part #	Application Solutions
47B1111	X792 Card for IPDS
47B1110	X792 Forms and Bar Code Card
47B1112	X792 Card for PRESCRIBE Emulation
57X9000	Lexmark PrintCryption Card

Part #	Connectivity
27X0025	MarkNet N8250 802.11b/g/n Wireless Print Server
14F0037	MarkNet N8120 Gigabit Ethernet Print Server
14F0042	MarkNet N8130 Fiber Ethernet 100BaseFX, 10BaseFL Print Server
14T0220	MarkNet™ N7020e Gigabit Ethernet Print Server
1021294	USB Cable (2-meter)
14F0000	Parallel 1284-B Interface Card
1021231	Parallel Cable (10-foot)
14F0100	RS-232C Serial Interface Card

Part #	Extended Warranties
2353776	X792 2-Years Total Onsite Service, Next Business Day
2353777	X792 3-Years Total Onsite Service, Next Business Day
2353778	X792 4-Years Total Onsite Service, Next Business Day
2353779	X792 5-Years Total Onsite Service, Next Business Day
2353780	X792 1-Year Onsite Service Renewal, Next Business Day

Part #	User Replaceable Parts
40X7100	C792, X792 Fuser Maintenance Kit 110-120V
40X7103	C792, X792 Transfer module Maintenance Kit
40X7220	X792 ADF Maintenance Kit

Part #	Service Parts
40X6104	Pick Tire for Trays
40X7178	MPF Pick Tires and Wear Strip

**X792 Series Product Specifications**



Product specifications	Lexmark X792de	Lexmark X792dte	Lexmark X792dtfe
<b>Printing</b>			
Print Technology	Color Laser		
Display	Lexmark e-Task 10-inch class (25.9 cm) color touch screen		
Print Speed: Up to <sup>4</sup>	Black: 50 ppm / Color: 50 ppm / (Black) Duplex: 50 spm		
Time to First Page: As fast as	Black: 8 seconds / Color: 8.5 seconds		
Print Resolution	4800 Color Quality (2400 x 600 dpi), 1200 x 1200 dpi		
Memory	Standard: 1024 MB / Maximum: 2048 MB		
Hard Disk	Included in configuration		
Print Noise Level, Operating	52 dBA		
Recommended Monthly Page Volume <sup>2</sup>	2,500 - 17,000 pages		
Maximum Monthly Duty Cycle: Up to <sup>3</sup>	150,000 pages per month		
<b>Supplies<sup>5</sup></b>			
Supplies Yield	20,000 <sup>1</sup> -page (CMYK) Extra High Yield Print Cartridges, 6,000-page (CMYK) Print Cartridges		
<b>Paper Handling</b>			
Paper Handling Standard	550-Sheet Input Tray, 500-Sheet Output Bin, Integrated Duplex, 100-Sheet Multipurpose Feeder	2 x 550-Sheet Drawers, Integrated Duplex, 500-Sheet Output Bin, 100-Sheet Multipurpose Feeder, 550-Sheet Input Tray	500-Sheet Staple Finisher, 100-Sheet Multipurpose Feeder, 500-Sheet Output Bin, Integrated Duplex, 550-Sheet Input Tray, 2 x 550-Sheet Drawers
Paper Handling Optional	500-Sheet Staple Punch Finisher, 500-Sheet Staple Finisher, 500-Sheet Offset Stacker, 2,000-Sheet High-Capacity Feeder, 5-Bin Mailbox, 550-Sheet Drawer	500-Sheet Staple Punch Finisher, 500-Sheet Staple Finisher, 500-Sheet Offset Stacker, 550-Sheet Drawer, 5-Bin Mailbox, Banner Media Tray	500-Sheet Staple Finisher, 100-Sheet Multipurpose Feeder, 500-Sheet Output Bin, Integrated Duplex, 550-Sheet Input Tray, 2 x 550-Sheet Drawers
Paper Input Capacity, Standard / Maximum: Up to	650 pages 20 lb or 75 gsm bond / 2650 pages 20 lb or 75 gsm bond	1750 pages 20 lb or 75 gsm bond / 2300 pages 20 lb or 75 gsm bond	1750 pages 20 lb or 75 gsm bond / 2300 pages 20 lb or 75 gsm bond
Paper Output Capacity, Standard / Maximum: Up to	500 pages 20 lb or 75 gsm bond / 1000 pages 20 lb or 75 gsm bond	500 pages 20 lb or 75 gsm bond / 1000 pages 20 lb or 75 gsm bond	1000 pages 20 lb or 75 gsm bond / 1000 pages 20 lb or 75 gsm bond
Media Types Supported	Outdoor Media, Glossy Paper, Card Stock, Dual Web Labels, Envelopes, Integrated Labels, Vinyl Labels, Polyester Labels, Plain Paper, Paper Labels, Transparencies, Refer to the Card Stock & Label Guide		
<b>General</b>			
Function	Color Printing		
Limited Warranty	1-Year Onsite Service, Next Business Day		
Product Certifications	www.lexmark.com		
Specified Operating Environment	Temperature: 16 to 32°C (60 to 90°F), Humidity: 8 to 80% Relative Humidity, Altitude: 0 - 3048 Meters (10,000 Feet)		
Size (in. - H x W x D) / Weight (lb.)	32.5 x 22.0 x 20.0 in. / 161 lb.	47.4 x 24.05 x 25.9 in. / 247 lb.	47.4 x 41.55 x 25.9 in. / 283 lb.
<b>Furniture</b>			
Caster Base	Optional, (Required for floor standing configuration)	Required	
Spacer	Available		





[www.lexmark.com](http://www.lexmark.com)

Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY STAR® is a U.S. registered mark. Information in this document is subject to change without notice. Unison is a trademark of Lexmark International, Inc. Information in this document is subject to change without notice.

AirPrint and the AirPrint logo are trademarks of Apple Inc.