

# The Right Document SOLUTIONS for Any Size Business

MFX-C2880 MFX-C2280 [3] MFX-C3680

#### **BUSINESS-CLASS DOCUMENT SOLUTIONS**

# nouratec

MK3245 🕒 📑 🖬 🛅 🕒 -com

### MFX-C2280/C2880/C3680 Benefits



- Proximity sensor on the control panel will "wake-up" the machine from sleep mode if it detects motion.
- Optional tab printing creates section dividers for binders.
  Carbon printing enables the same page to print from multiple trays using a different colored paper from each tray.

## Smart Design

The MFX-C2280/C2880/C3680 were designed to revolutionize the way users interact with their office equipment. It starts with the 9" color touch screen which mimics the "touch & swipe" interface found on today's smart mobile devices. Features such as pop-up menus, scrolling function keys and fully customizable user screens deliver the most intuitive, user-friendly experience on the market.



Smart menus provide instant access to frequently used features.



Full access to the e-mail/fax contacts and scanning locations you access frequently.



Pop-up screens provide access to advanced features without leaving the primary menu screen.





Adjustable control panel provides device access to all office workers.



Touch, scroll and swipe your way through job programming and execution, just as you would on your smart mobile device.

File Type		Page Setting	
PDF	Compact PDF	Multi Page	PDF Detail Setting >>
441T 📑	D39L 📑	Page Separation	
1 xPS	Compact XPS	E-mail Attachment	
PPTX			

Scan documents in TIFF, JPEG, PDF, PDF/A, Compact PDF, XPS and PowerPoint  $^{\mbox{\tiny TM}}.$ 

#### **Document & Device Security**

Demand for protecting both devices and documents is rising and the MFX-C2280/C2880/C3680 are up to the challenge with features to help control machine access, protect network integrity and encrypt documents prior to sending.

Document and device security features include:

- Secure print which requires device authentication before releasing a print job from memory.
- Customized user authentication for printing, scanning, faxing and user boxes.
- Encrypted PDF workflow protects information as it passes from the PC to the network.
- IP Filtering restricts access to the device based on an IP address authentication list.
- SSL/TLS encryption that protects data during an exchange with an LDAP server.
- S/MIME encryption to safeguard e-mail exchanges.
- Audit Log/Image Log to track usage and control access.
- Biometric authentication unit and HID authentication tool kit can provide additional layers of authentication without compromising user efficiency.



Optional Proximity Card Reader



Optional WorkingTable to Mount Authentication Devices



Biometric Authentication Unit

## **Media Flexibility**

The MFX-C2280/C2880/C3680 are the ideal solutions for producing professional-looking reports, presentations, case files, newsletters, bulletins, flyers, marketing and training materials. Produce documents securely in-house to better control costs, resources and confidentiality.

> Paper Tray Multipurpose Bypass Tray Paper Cassette | Paper Cassette 2 Paper Cassette 3 (Optional) Paper Cassette 4 (Optional) Large Capacity Cassette (Optional)

Min – Max Size 4" × 6" – 12" × 18" 5.5" × 8.5" – 11" × 17" 5.5" × 8.5" – 11" × 17" 5.5" × 8.5" – 11" × 17" 5.5" × 8.5" – 11" × 17" 8.5" × 11"

Min – Max Weight 16 lb. bond – 100 lb. cover 14 lb, bond – 140 lb, index 14 lb. bond - 140 lb. index 14 lb. bond – 140 lb. index 14 lb. bond – 140 lb. index





Waterproof paper is designed for harsh

- Real Estate Collateral 
   Maps / Signs
  - Menus



#### If the optional floor finisher

and saddle stitcher have been installed users can create distributionready booklets. This is the perfect application for manuals, company brochures, financial reports, in-house

Sertificate of Achievement THIS CERTIFICATE IS PROUDLY PRESENTED FOR HONORABLE ACHIEVEMENT TO IOHN O. STEVENSON AWARDED THIS DAY of IUNE 21", 20




Speciality paper can enhance the perception and uniqueness of a document.

Applications include:

- Cover Letters / Resumes
- Menus / Wine Lists
- Special Recognition / Awards







14 lb, bond - 140 lb, index

### How Can the MFX-C2280/C2880/C3680 Help Your Office Work Smarter?

Your business is transforming. Your role, expanding and evolving. Doing more with less isn't just a passing trend, it's the new normal. Despite these challenges companies must maintain exceptional customer service levels, meet project deadlines and process information into systems that conform to new regulations and guidelines. While we can't address all of your business challenges, a multifunction printer (MFP) upgrade from Muratec can assist your office in capturing, managing and distributing information more efficiently, enabling you to thrive in the new normal.



These devices can help your office lower the costs associated with capturing, managing and printing documents. We start with high-yield, cost-effective imaging supplies to reduce replacement frequency and lower your ongoing printing costs. Standard features such as duplex printing, reduced fusing requirements, EcoMode, biomass toner and multi-up printing help reduce paper, toner and energy consumption to lessen both environmental impact and operating costs.

MFP's that Grow with Technology & Your Business Convert Paper Documents into Smart Digital Files

Utilize the MFX-C2280 / C2880 / C3680 to quickly turn your paper documents into electronic files that can be e-mailed, stored in a PC folder. faxed or transferred to a cloud-based storage/ workflow system. Scan directly into traditional file formats such as PDF, TIFF and JPEG, as well as new formats such as PowerPoint<sup>™</sup>.

There's nothing more frustrating than investing in technology, only to see it become obsolete as your business needs change. These devices were designed to meet the business challenges of today, as well as tomorrow. Thinking about deploying mobile devices such as smartphones & tablets throughout your business? With wireless connectivity options you can print in mobile environments. Moving more workflow and PC management (terminal services) to the cloud? Our MFP's are ready to support a variety of terminal services and cloud-based workflow applications.

Enables Everyone to Work Smarter

Technology can help transform your document workflow processes, but only if users can easily access and utilize the solution. These devices feature an adjustable 9" color touch screen and optional voice guidance system that can quickly guide users through job execution and device programming, while providing each user with custom mode screens that offer instant access to the features and contacts they need most often. Optional finishing solutions enable you to automatically sort, staple, hole punch and even fold documents for quick and easy distribution.



## MFX-C2280/C2880/C3680 Specifications







	MFX-C3680	MFX-C2880	MFX-C2280
GENERAL SPECIFICATIONS Type / Toner System / Print Method	Full Color Drinton / Conier	/ Scanner with Stationary Platen / HD Toner	with Biomass / Tandem Process
Print / Copy Speed (Letter, Portrait)*	Full Color & B&W: 36 ppm	Full Color & B&W: 28 ppm	Full Color & B&W: 22 ppm
Duplexing Automatic Document Feeder (C3680DADF)			apacity: 100 Sheets, Paper Size: 5.5" × 8.5" to 11" × 17"
Reversing Automatic Document Feeder (C3680RADF)	Full Color / B&W Duplex Speed: 37 opm, Full Color / B&W Simplex Speed: 80 opm, Paper Capacity: 100 Sheets, Paper Size: 5.5" x 8.5" to 11" x 17"		
Power Requirements / Consumption	120V 12A (60 Hz) / 1500W or less		
TEC Value*	2.43 KWh	I.83 KWh	I.63 KWh
Dimensions (H x W x D) / Weight		31" × 24.2" × 27" / 185.18 lbs.	
COPY SPECIFICATIONS			
Warm-up Time / First Copy Time*	20 seconds / Color: 6.9 seconds, B&W: 5.3 seconds	18 seconds / Color: 7.7 seconds, B&W: 5.9 seconds	18 seconds / Color: 8.3 seconds, B&W: 6.9 seconds
Copy Resolution / Quantity	600 × 600 dpi / 1-9,999		
Magnification	Zoom range: 25% - 400%, 0.1% increments, Preset reduction: 78.5%, 73.3%, 64.7%, 50.0%, Preset enlargement: 121.4%, 129.4%, 154.5%, 200% Text (legible text), Text / Photo (clear text and halftones), Photo (optimized for gradations), Map (fine edges and legible text),		
Copy Exposure Modes		text and naittones), Photo (optimized for gra t Matrix (dot matrix or pencil originals), Copi	
PRINT SPECIFICATIONS		······································	
Processor / Memory / Hard Disk Drive*	I.0 GHz (MPC8536) / 2GB/2500	GB (Shared w/copier)	800 MHz (MPC8536)/2GB/250GB (Shared w/copi
Print Resolution / Grayscale	Gradations 600 × 600 dpi	(1800 dpi equivalent x 600 dpi) or 1200 x 1	200 dpi / 256 shades per pixel
Page Description Language / Fonts	PCL5e/c, PCL6 (XL v.3.0) Emulation, PS3 (v.3016) Emulation, XPS v. 1.0 (XML Paper Specification) / PCL: 80 Roman fonts, PostScript 3 Emulation: 137 Roman fonts		
Operating System Compatibility	Windows XP Home (SPI), Windows XP Professional (x32, x64), Windows Vista (x32, x64), Windows 7 (x32, x64), Windows Server 2003 Standard / Enterprise (x32, x64), Windows Server 2003 Standard / Enterprise R2 (x32, x64), Windows Server 2008 Standard / Enterprixe (x32, x64), Windows Server 2008 Standard / Enterprixe R2; Mac (PS-PPD): OS 9.2 or later, OS X 10.2 or later, OS X 10.5 (Intel) or later / Linux: Red Hat		
Interface	10 Base-T / 100 Base-TX / 1000 Base-T, USB 1.1, USB 2.0, USB Host		
Network Protocols	TCP / IP (IPv4/IPv6), BOOTP, ARP, ICMP, DHCP, DHCP, v6, AutolP, SLP, SNMP, FTP, LPR / LPD, RAW Socket, SMB, IPP, HTTP, POP, SMTP, LDAP, NTP, SSL, IPX AppleTalk, Bonjour, NetBEUI, WebDAV, DPWS, S / MIME, IPSec, DNS, DynamicDNS, LLMNR, LLTD, SSDP, SOAP		
COPY / PRINT FUNCTIONS Features	Т		rectional Communication, Black Over Print, Card Shot,
	Image Display, Engine Configuration Display), Inte Interleaving, Password Copy, Program / Recall Jobs, Pr 4-in-1, 6-in-1, 9-in-1, 16-in-1, Booklet, Booklet + User Authentication (Up to 20 Authentication Ser	rrupt, Job List, Job Reserve, Job Skip, LDAP, Mi> aper Type Selection (Normal, Thick 1 / 1+, Thick • Bind), Print from USB, Proof Copy, Secure Pr	nage Smoothing ON/OFF), Image Preview (Job Finishing plex, Mix-Media, NyTab, Non-Image Area Erase, OHP 2, Thick 3, Thick 4), Print Modes (Simplex / Duplex, 2-in-1 inting, Separate Scan, Tab Printing, Text Enhancement, xx Function, Utility (Meter Count, Environment Settings, termark, Zoom Selection
SCAN SPECIFICATIONS	-		
Scan Resolutions	200 dpi, 300 dpi, 400 dpi		
Scan File Formats / Color Modes Scan Functions	Scan-to-Email, Scan-to-FTP, Scan-to-HDD (S		e, Scan-to-SMB (Scan-to-Desktop), Scan-to-USB,
FAX SPECIFICATIONS (OPTIONAL - C3680		ributed Scan Management, Network TWAIN, V	vs-scan, Color Internet Fax
Compatibility / Compression	Super G3 compatib	pility, 33.6 Kbps modem speed / MH, MR, MMF	R, JBIG data compression
Fax Transmission Speed / Fax Memory	Less than 3 seconds per p	age (JBIG, standard resolution) / 2 GB (shared	print, copy, scan, fax memory)
Fax Line Mode / Fax Exposure Mode	PSTN, PBX, G3 / Text, Text / Photo, Photo, Dot Matrix		
Fax Functions	Autodialing (2,000 addresses), Auto Memory Reception, Auto Reduction Printing, Broadcasting (maximum 600 locations), Bulletin Board, Duplex Transmission / Reception, F-Code Support, Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Reception, Memory Quick Dial, Overseas Transmission, Password Transmission / Reception, PC-Fax, IP Address Fax, Polling Transmission / Reception, Print Setting or Overnigh Reception, Program Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing		
PAPER HANDLING	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
Original Size	Up to 11" × 17" (sca	anning / copying), Up to $11" \times 17"$ full bleed on	12" × 18" paper (printing)
Standard Paper Capacity	Tray 1:500-sheet (universal cassette) / 5.5" × 8.5" to 11" × 17" / 14 lb. bond to 140 lb. index.Tray 2:500-sheet (universal cassette) / 5.5" × 8.5" to 12" × 18" 14 lb. bond to 140 lb. index. Bypass Tray: 150-sheet bypass / 4" × 6" to 12" × 18", 8" × 13" / Banner Paper / 16 lb. bond to 100 lb. cover up to 300 gsm		
Optional 500-Sheet Cassette (C3680CASI) Optional (2) 500-Sheet Cassettes	500-sheets / 8.5" × 11", 8.5" × 14", 11" × 17" / 14 lb. bond to 140 lb. index / Foolscap: 8.5" × 13.5", 220mm × 330mm, 8.5" × 13", 8.25" × 13", 8.12" × 13.25", 8" × 13" 500-sheets (x2) / 8.5" × 11", 8.5" × 14", 11" × 17" / 14 lb. bond to 140 lb. index / Foolscap: 8.5" × 13.5", 220mm × 330mm, 8.5" × 13", 8.25" × 13", 8.25" × 13", 8.25" × 13", 8.25" × 13", 8.25" × 13", 8.25" × 13", 8.25" × 13", 8.25" × 13", 8.25" × 13", 8.25" × 14", 11" × 17" / 14 lb. bond to 140 lb. index / Foolscap: 8.5" × 13.5", 220mm × 330mm, 8.5" × 13", 8.25" × 13", 8.25" × 13", 8.25" × 13", 8.25" × 13", 8.25" × 13", 8.25" × 14", 11" × 17" / 14 lb. bond to 140 lb. index / Foolscap: 8.5" × 13.5", 220mm × 330mm, 8.5" × 13", 8.25" × 13", 8.25" × 13", 8.25" × 13", 8.25" × 14", 11" × 17" / 14 lb. bond to 140 lb. index / Foolscap: 8.5" × 13.5", 220mm × 330mm, 8.5" × 13", 8.2		
(C3680CAS2)		8.12" × 13.25", 8" × 13"	index (
Large Capacity Cassette (C3680CASL)	2,	500-sheets / 8.5" × 11" / 14 lb. bond to 140 lb 3,650-sheets (total with options)	), INUEX
Maximum Paper Capacity ADDITIONAL OPTIONS		-3,050-srieets (total with options)	
Additional Options Authentication / Security Options	C3680HID Provinity Cord Au	thentication Unit C3680TABLE Monking Tab	le to support Authentication Devices
Finishing	C3680HID - Proximity Card Authentication Unit, C3680TABLE - Working Table to support Authentication Devices C3680FN2 - 50-Sheet Staple Finisher, C3680PUN2 - Punch Kit (C3680FN2), C3680SL - Saddle Stitcher Kit (C3680FN2), C3680FN - 50-Sheet Internal Stable Enister C3680PUN2 - Punch Kit (C3680FN2), C3680FN2), C3680FN2, C3680FN		
0	Staple Finisher, C3680PUN - Punch Kit (C3680FN), C3680BIN - Job Separator C3680CAB - Paper Cabinet, C3680BANNER - Banner Paper Guide		
Other Options		, , , , , , , , , , , , , , , , , , ,	

Muratec and the Muratec logo are trademarks and/or registered trademarks of Murata Machinery, Ltd. or its subsidiaries in the United States and other countries.

Other names, such as those of products of other companies, are the trademarks or registered trademarks of their respective companies. All specifications subject to change without notice.

Muratec America, Inc. 3301 East Plano Parkway, Suite 100, Plano, Texas 75074 For more information on Muratec products or services, call (469) 429-3300 or visit our web site at www.muratec.com

