# **B411/B431 Series PRINTING SOLUTIONS**

The fast, versatile, energy-efficient printers perfectly sized for desktops and small workgroups

B411d B411dn B431d B431dn









# The high-productivity, highly reliable B411/B431 Series from OKI Printing Solutions packs big features into a small profile.

### **Highlights:**

- As fast as 40 ppm print speed; less than 5-second time to first page¹
- Clear, crisp output at up to 1200 x 1200 dpi2
- Duplex (2-sided) printing, standard
- Separate toner and image drum configuration for lower operating costs
- Compatible with Windows® 7, Vista®, XP, 2008, 2003 and 2000; Mac® OS X 10.3 and higher
- 330 MHz processor
- Upgradable to 320 MB RAM³
- Standard USB and parallel ports; available with internal print server connectivity
- Optional 530-sheet 2nd paper tray
- 1-Year limited warranty with Overnight Exchange<sup>4</sup>; 5-Year limited printhead warranty
- Live, toll-free technical support 24/7/3654

The B411/B431 Series of Digital Mono printers from OKI Printing Solutions have what you're looking for in desktop/small workgroup printers: smoother workflow and a better bottom line.

If you're looking to improve the productivity and lower the operating costs of your business, the B411/B431 Series offers all of that and more.

For starters, select series models deliver up to 40 ppm, with the first page printing in less than 5 seconds.¹ They produce output in black & white that's clear and crisp, at up to 1200 x 1200 dpi resolution², using a two-piece consumables system for long-lasting performance and a low cost of operation.

**Energy-efficient printing** – All B411/B431 Series printers come with duplex (2-sided) printing standard, leading to fewer user interventions and savings on energy and media costs.

All four models have a standard paper capacity of 250 sheets and can be outfitted with an optional 530-sheet 2nd paper tray. With its 100-sheet multi-purpose tray, the B431d/dn has a maximum capacity of 880 sheets, for even longer uninterrupted productivity.

In terms of durability and reliability, B411/B431 Series printers are tough—with a monthly duty cycle rated at up to 80,000 pages.

Fit for any work environment – B411/B431 Series printers, with their compact size, fit just about any work space.

All have PCL® 5e and PCL 6 emulation, and the B431 Series has PostScript® 3™ emulation standard. They all perform equally well with the most popular Windows® operating systems and Mac® OS 10.3 and higher.

B411/B431 Series printers offer USB and parallel interfaces. Equipped with an OkiLAN® internal print server, the B411dn and B431dn models make network printing more affordable—which translates into a much lower cost per user, a vital consideration as your office network grows and expands in functionality.

Backed by unmatched support – OKI Printing Solutions is so confident in the reliability and performance of the B411/B431 Series that we provide an industry-leading 5-year printhead warranty and a 1-year printer warranty with Overnight Exchange.<sup>6</sup>

If you need technical assistance—24/7/365 you can speak to a live expert located in North America by calling 800.OKI.DATA (800.654.3282).<sup>4</sup>

The B411/B431 Series: EXPECT MORE from OKI Printing Solutions.

### The B411/B431 Series at a Glance



B411d/dn operator panel: 16-character x 2-line LCD display; access to printer status and functionality via printer driver on PC  $\,$ 



B431d/dn operator panel: 16-character x 2-line LCD display; convenient access to printer status and menu-driven functionality via large, clearly marked buttons (also available via printer driver on PC<sup>5</sup>)



- results based on laboratory testing. Individual results may vary.
- <sup>2</sup> B431d/dn only; B411d/dn at up to 2400 x 600 dpi
- <sup>3</sup> Memory DIMMs sold separately.
- $^{\rm 4}$  Available in the U.S. and Canada only.
- <sup>5</sup> Available when network extension is installed.
- <sup>6</sup> Based on ISO/IEC 19752.

## **B411/B431 Series**

Specifications				
Performance	Print Speed	B411d/dn – up to 35 ppm; B431d/dn – up to 40 ppm <sup>1</sup>		
	CPU	330 MHz		
	Time to First Page	<5 seconds <sup>1</sup>		
	Print Resolution	B411d/dn - 2400 x 600 dpi; B431d/dn - 1200 x 1200 dpi		
	Duty Cycle (Reliability)	80,000 pages/month		
Compatibility	Emulations	All models – PCL® 5e and PCL 6, IBM® ProPrinter® III XL, Epson® FX; B431d/dn only – PostScript® 3™		
	Operating Systems	Windows® 7/x64, Vista®/Vista x64, XP Home Edition/Professional/x64 Edition, 2008, 2003 Server/x64 Edition, Enterprise Server/x64 Edition, Data Center Server/x64 Edition, 2000 Workstation/Professional/Server/Advanced Server (SP4 or later); Mac® OS X 10.3 and higher		
Connectivity	Interfaces	All models – USB v2.0 High Speed, Parallel; B411dn/B431dn – OkiLAN® 10/100 Base-TX internal Ethernet print server		
Operator Panel	LCD Display	16-character x 2 line		
Memory	Standard/Max RAM	64 MB/320 MB <sup>2</sup>		
Paper Handling	Duplex	Standard on all models		
	Standard Paper Capacity	B411d/dn – 251-sheets (std. 250-sheet paper tray + 1-sheet MPT) B431d/dn – 350-sheets (std. 250-sheet paper tray + 100-sheet MPT)		
	Multipurpose Tray (MPT)	B411d/dn – single sheet; B431d/dn – 100 sheets		
	Additional Paper Capacity	Optional 530-sheet Letter/ Legal Universal 2nd paper tray		
	Maximum Paper Capacity (with Opt. 2nd Tray + MPT)	B411d/dn – 781 sheets (with optional 530-sheet Paper Tray) B431d/dn – 880 sheets (with optional 530-sheet Paper Tray))		
	Paper Types	Letter, Legal 13/13.5/14, Executive, Statement, A4, A5, A6, B5; C5, C6, DL, Com 9, Com 10 and Monarch envelopes		
	Paper Size	3.4" x 5.5" min. to 8.5" x 14" and up to 8.5" x 52" banners		
	Standard Paper Output	150 sheets, face-down		
	Alternate Paper Output	100 sheets, face-up		
	Paper Weight	Main 250-sheet tray and optional 530-sheet tray 16 lb. – 32 lb. bond (60 – 120 gsm); 100/single-sheet manual feed 16 lb. – 43 lb. bond (60 – 163 gsm)		
Resident Fonts	Scalable Fonts	All models – 94 PCL fonts; B431d/dn only – 136 PostScript fonts		
	PCL Bitmap Fonts	Line Printer; OCR-A/B		
	Bar codes	UPC-A, UPC-E, EAN/JAN-8, EAN/JAN-13, Interleaved 2 of 5, Code 39, Code 128, EAN/UCC 128, CODABAR; ZIP+4 PostNet		
Supplies	Toner Cartridge	All models – 4,000 pages <sup>3</sup> ; B431d/dn only – 10,000 pages <sup>3</sup>		
	Image Drum	30,000 pages <sup>4</sup>		
Environmental	Size (WxDxH)	15.2" x 14.3" x 9.6" (38.7 cm x 36.4 cm x 24.5 cm)		
	Weight	26 lb. (11.4 kg)		
	Power Consumption	All models – Power Save 8W, Idle 70W, Peak 900W; B411d/dn – Typical 510W; B431d/dn – Typical 580W°		
Warranty	Printer	1-Year limited warranty on parts and labor with Overnight Exchange <sup>6</sup>		
	Printheads	5-Year limited LED printhead warranty		

1 Duhlichad i	narformanca raci	ilte hacad on	lahoratory tocting	. Individual results may vary.

<sup>&</sup>lt;sup>2</sup> Memory DIMMs sold separately.

Ordering Information						
Description	Part Numbers					
B411d – Black (120V)	91659801					
B411d – Tan (220V)	62435302					
B411dn – Black (120V)	91659803					
B411dn - Tan (220V)	62435304					
B431d – Black (120V)	91659901					
B431d - Tan (220V)	62435402					
B431dn – Black (120V)	91659903					
B431dn - Tan (220V)	62435404					
Options						
2nd Tray Mechanism – Black	44575704					
2nd Tray Mechanism – Tan	44575701					
64 MB DIMM Memory Expansion <sup>2</sup>	70062801					
256 MB DIMM Memory Expansion	70062901					
OKIcare® Warranty Extensions6	U.S.	Canada				
B411/B431 2-Year Exchange	38005002	38005012				
B411/B431 3-Year Exchange	38005003	38005013				
B411/B431 2-Year Depot	38004802	38004812				
B411/B431 3-Year Depot	38004803	38004813				
Supplies						
Toner Cartridge (all models):						
Avg. life – 4,000 pg. <sup>3</sup>	44574701					
High-Capacity Toner Cartridge (B431d/dn only):						
Avg. life – 10,000 pg. <sup>3</sup>		44574901				
Image Drum: Avg. life – 30,000 pg	,. <sup>4</sup>	44574301				
Print Media Sheets Per Box						
Bright White Proofing Sheets (32 lb.):						
8.5" x 11"	500	52206101				
SynFlex™ Paper (Waterproof and Tear-resistant)						
8.5" x 11"	100	52205901				
Premium Envelopes (size #10):	100	52206301				
Premium Envelopes (size #10):	500	52206302				

For more information on Digital Monochrome Printers and supplies from OKI Printing Solutions, including OKIcare® Extended Service Programs: **1.800.OKI.DATA** (800.654.3282).<sup>6</sup>

Specifications are subject to change without notice.

Featured products may not be available in all countries. Please contact your local office for regional availability.

© 2010 Oki Data Americas, Inc. OKI, OkiLAN, OKIcare Reg. T.M., M.D., M.R., Oki Electric Industry Co., Ltd. Overnight Exchange logo, 7-Day/24-Hour logo, SynFlex T.M., Oki Data Americas, Inc. Windows, Vista, Windows NT, Reg. T.M., Microsoft Corp. PCL Reg. T.M., Hewlett-Packard Co. PostScript Reg. T.M., PostScript 3 T.M., Adobe Systems, Inc. IBM, ProPrinter Reg. T.M., International Business Machine, Inc. Epson Reg. T.M., Seiko Epson Corp. Mac Reg. T.M., Apple, Inc. PostNet Reg. T.M., USPS. USB-IF logo T.M., Universal Serial Bus Implementers Forum, Inc.













### OKI DATA AMERICAS, INC.

**USA**2000 BISHOPS GATE BLVD.
MOUNT LAUREL, NJ 08054-4620
TEL: 800.0KI.DATA (800.654.3282)
FAX: 856.222.5320

CANADA 4140B SLADEVIEW CRESCENT UNITS 7 & 8 MISSISSAUGA, ONTARIO L5L 6A1 Tel: 905.608.5000 FAX: 905.608.5040 LATIN AMERICA 2000 BISHOPS GATE BLVD.

MOUNT LAUREL, NJ 08054-4620 TEL: 856.231.0002 FAX: 856.222.5071 OKI DATA DE MÉXICO, S.A. DE C.V.

MARIANO ESCOBEDO, 748 8º PISO COL. NUEVA ANZURES C.P. 11590 MÉXICO, D.F. TEL: 55.5263.8780 FAX: 55.5250.3501

### Oki Data do Brasil Informática Ltda.

AV. ALFREDO EGÍDIO DE SOUZA ARANHA, 100 BLOCO C – 4º ANDAR 04726-170 – SÃO PAULO – SP – BRASIL TEL: 11.3444.3500 FAX: 11.3444.3502





<sup>&</sup>lt;sup>3</sup> Declared yield in accordance with ISO/IEC 19752. All models ship with 2,000-page "starter" toner cartridge.

<sup>&</sup>lt;sup>4</sup> Estimated life, based on 3 pages per job.

<sup>&</sup>lt;sup>5</sup> Approximate, with full options.

<sup>&</sup>lt;sup>6</sup> Available in the U.S. and Canada only.