
## **C831 Series**



C831n C831dn







## The C831 Series from OKI: Big performance and compact design to fit your needs, space and budget.

### **Highlights:**

- Compact Color Tabloid/A3 printers—perfect for tight office space
- Fewer interventions
  - High-capacity 10,000-page toner cartridges¹
  - Long-lasting 30,000-page image drums<sup>2</sup>
  - Paper capacity of up to 1,460 sheets (with optional 2nd and 3rd paper trays)
- HD (High Definition) Color printing technology and 1200 x 600 dpi resolution deliver rich color with vibrant tones and clear detail
- Single Pass Color<sup>™</sup> technology provides greater media versatility, enables printing on sheets up to 256 gsm
- Advanced security includes data encryption, password protection, and secure printing of confidential documents

Robust and fast—with a remarkably small footprint. With C831 Digital Color Printers from OKI® you get the most advanced color technology in the marketplace, for printing on letter/A4, tabloid/A3, even banner-size sheets up to 52" (1.3 m).

C831 Series printers deliver 35 clear, sharp letter/A4 pages—or 20 tabloid/A3 pages—per minute in color or black & white, with the first page printing in as little as 9.5 seconds.<sup>3</sup> At those speeds, you'll have more time to spend on what's really important: your business.

Breathtaking document output. HD Color Printing technology delivers stunning results from this compact, easy-to-use printer. The OKI process combines high-definition LED printheads that put color on paper with exacting accuracy; microfine high-definition toner to ensure that graphics are breathtaking, and text is sharp and crisp—even on ordinary office paper; a straight-through flat paper path that handles a variety of media, from heavy card stock to polyester film to long banners; and an advanced control system that constantly checks alignment, registration and color balance.

Do it all for less. Now you no longer have to depend on outside services for printing your high-quality color documents. Print whatever your business requires to meet your communications needs: manuals, catalogs, banners, proposals, business cards, photos, brochures, floor plans, and all types of presentation materials. Print everything on demand (when you need it), in-house and at an affordable cost.

Unmatched warranty support. OKI is so confident in the reliability of our C831 Series Digital Color printers that we provide a 1-year limited on-site warranty for parts and labor<sup>4</sup>, and back our LED printheads for an industry-leading 5 years.
Optional warranty extensions are also available.<sup>4</sup>



 $<sup>^{\</sup>rm 1}$  Declared yield in accordance with ISO 19798. All models ship with 2,500-page "starter" toner cartridges.

<sup>&</sup>lt;sup>2</sup> Estimated life, based on 3 pages per job.

<sup>&</sup>lt;sup>3</sup> Published performance results based on laboratory testing. Individual results may vary.

<sup>&</sup>lt;sup>4</sup> Available in the U.S. and Canada only.

<sup>&</sup>lt;sup>5</sup> Requires optional SD memory card.

# Powerful printing technology, delivering the performance you want and the solutions you need.

Secure your document output – C831 Series printers include Secure Print features<sup>5</sup> that encrypt job data, store it on the optional SD memory card, and completely purge and overwrite it when the job is printed. With PIN-number protection, "owners" of sensitive documents can use the C831 printer's numeric keypad to quickly and easily release their confidential output.

Monitor and control color printing – OKI Print Job Accounting software with the C831 Series allows you to restrict printer access to individuals or groups, and to manage printing within defined cost limits. It also provides you the ability to report on usage across the network, capturing information on volume, paper size, media type and consumables usage.

Its color access restrictions make color printing more cost-effective, allowing administrators to control printer usage by determining who and what can print in color, in black & white or not at all on your C831 printer. It also enables printer monitoring, letting you create job logs to analyze how a device is being used—by user name, applications used, and number of color or black & white pages printed.

The data can help you determine the effectiveness of your existing policies or to develop new ones.

Improve efficiency. Reduce environmental impact – C831 printers offer a range of features to reduce energy consumption, save you money and improve your carbon footprint.

These include a design that lowers power consumption, starting with LED technology that inherently consumes less energy:

- **Deep sleep mode** Reduces power consumption to less than 1W
- Auto-off mode Automatically powers off from Deep sleep mode, reducing energy consumption to 0.15W when not in use
- Duplex printing (optional on C831n) Reduces paper usage by enabling the user to print on both sides of the sheet
- Toner save function Reduces the amount of toner used when printing draft or internal documents



### C831 Series

#### **Specifications**

#### **Performance**

- Print Speed: Letter/A4 up to 35 ppm Color and Monochrome; Tabloid/A3 – up to 20 ppm¹
- Time to First Page: As fast as 9.5 seconds<sup>1</sup>
- Processor: 800 MHz PowerPC CPU
- HD Color Printing Technology: Combines multilevel LED printheads and microfine toner for sharp detail and rich color depth
- Print Resolution: 1200 x 600 dpi
- Duty Cycle: Up to 75,000 pg./mo.
- Duplex (2-Sided) Printing: Standard on C831dn; Optional on C831n

#### Memory

- Memory Card: Optional 16 GB SD Memory Card
- Standard Memory: 256 MB; Max 768 MB

#### **Productivity Solutions**

- Web-based Printer Management: PrintSuperVision and OkiLAN® Embedded Web Server
- Mobile Printing Solution: MotionPrint™

#### Security Solutions<sup>2</sup>

- Encrypted Secure Printing: AES 256-bit encryption (encrypted job data stored on optional SD Memory Card); Secure Erase and Auto Delete Time Out (unprinted documents stored on Memory Card purged and memory overwritten); PIN/Password-enabled job release
- Network Security: IPv6 address filtering; MAC address filtering; SNMP v3; SSL/TLS HTTPS encryption; IPP over SSL/TLS; E-mail authentication; Protocol lockouts

#### **Cost Containment Solutions**

 Print Job Accounting: Tracks color/monochrome pages by individual or department; Controls color printing access by converting unauthorized color print jobs to black & white or denying printing (optional SD Memory Card required for full functionality); Active Directory support for management of individual users or user groups

#### Compatibility

- Emulations: PCL® 6, PCL 5c; PostScript® 3™; PDF Direct Print v1.8; IBM® ProPrinter® and Epson® FX
- Operating Systems: Microsoft® Windows® 8, Windows 7, Windows Vista®, Windows XP, Windows Server 2008, Server 2008 R2 x64, Server 2003; Mac® OS X 10.5 and higher

#### Utilities

 Supported OKI Software: PDF Print Direct, Print Job Accounting<sup>2</sup>, Color Access Controls<sup>2</sup>, Color Swatch, PS Gamma Adjuster, Configuration Tool, OKI LPR<sup>2</sup>, ICC Profiles<sup>2</sup>, PrintSuperVision

Specifications are subject to change without notice.

#### Connectivity

- Network Interface: OkiLAN® 10/100 Base-TX Internal Ethernet Print Server
- Local Port: High-speed USB v2.0

#### **Resident Typefaces**

- Scalable: 87 PCL fonts and 80 PostScript fonts
- PCL Bitmap: OCR-A/B

#### **Paper Handling**

- Paper Input: Standard 400 sheets (300-sheet Tray and 100-sheet Multi-purpose Tray [MPT]); Max – 1,460 sheets (with optional 2nd and 3rd 530-sheet Trays)
- Multi-purpose Tray: Standard 100-sheet; handles overhead transparencies, envelopes, mailing label stock, recycled paper, and banners
- Paper Sizes: Main Tray A3, Tabloid, A4 (LEF), A4 (SEF), Letter (LEF), Letter (SEF), A5, Legal 13/13.5/14, Executive; 2nd and 3rd Trays – A3, Tabloid, A4 (LEF), A4 (SEF), Letter (LEF), Letter (SEF), A5, Legal 13/13.5/14, Executive; Multipurpose Tray – 3" x 5" to 11.6" x 52" banner, Envelopes
- Paper Weight: Main Tray 17 lb. bond 54 lb. bond/80 lb. cover (64 220 gsm); 2nd and 3rd Trays 17 lb. 47 lb. bond (64 176 gsm); Multi-purpose Tray 17 lb. bond 140 lb. index (64 256 gsm); Duplex 17 lb. 54 lb. bond/80 lb. cover (64 220 gsm)

#### **Environmental**

- Size (WxDxH): 17.6" x 21.7" x 14.2" (449 mm x 552 mm x 360 mm)
- Weight: C831n 81.6 lb. (37 kg);
   C831dn 88.2 lb. (40kg)<sup>3</sup>
- Power Consumption: Idle 100W; Operation 700W; Max 1,400W; Power save <12W; Deep sleep mode <1.0W</li>
- ENERGY STAR® Compliance: Yes
- Acoustic Noise: Operating 52dBA or less; Standby 32dBA or less; Power save – Background level

#### **Supplies**

- Toner Cartridges and Image Drums: Separate Cyan, Magenta, Yellow and Black
- Toner Cartridge Life: 10,000 pages each<sup>4</sup>
- Image Drum Life: Approximately 30,000 pages each<sup>5</sup>

#### Warranty

- Printer: 1-Year On-Site limited warranty
- Digital LED Printheads: 5-Year limited warranty
- <sup>1</sup> Published performance results based on laboratory testing. Individual results may vary.
- <sup>2</sup> Requires optional SD Memory Card.
- $^{
  m 3}$  Includes weight of consumables.
- <sup>4</sup> Declared yield in accordance with ISO 19798. All models ship with 2,500-page "starter" toner cartridges.
- <sup>5</sup> Estimated life, based on 3 pages per job.
- <sup>6</sup> Available in the U.S. and Canada only.

For more information on Digital Color Printers and supplies from OKI, including OKIcare® Extended Service Programs: 1.800.OKI.DATA (800.654.3282).6

SynFlex™ Paper (Waterproof and Tear-resistant):

(11.6" x 47.24")

**Ordering Information** 

C831n 120V (Multilingual)

C831dn 120V (Multilingual)

Duplex (2-Sided Printing) Unit

Memory Expansion:

256 MB DIMM

512 MB DIMM

16 GB SD Card

**Toner Cartridges:** 

Cyan Toner Cartridge

Yellow Toner Cartridge

**Black Toner Cartridge** 

Cyan Image Drum Kit

Magenta Image Drum Kit

OKIcare® On-Site Warranties®

Bright White Proofing Sheets (32 lb.):

Premium Card Stock (8.5" x 11"):

Premium Envelopes (size #10):

Banner Paper: (8.5" x 35.4")

Yellow Image Drum Kit

Black Image Drum Kit

C831 Srs 2-Year On-Site

C831 Srs 3-Year On-Site

**Print Media** 

8.5" x 11'

60 lb. Cover

90 lb. Index

110 lb. Index

8.5" x 11

**Image Drum Kit:** 

Magenta Toner Cartridge

Supplies

530-sheet 2nd and 3rd Paper Travs

**Part Numbers** 

62441001

62441004

44717604

44713902

70061801

70061901

44848903

44844414

Canada

52206101

52205601

52205602

52205603

52205901

52206301

52206302

52206002

52209101

10,000 pg.4 44844511

10,000 pg.4 44844510

10,000 pg.4 44844509

10,000 pg.4 44844512

30,000 pg.5 44844415

30,000 pg.<sup>5</sup> 44844413

30,000 pg.5 44844416

38036302 38036312

38036303 38036313

30,000 pg.<sup>5</sup>

U.S.

Sheets Per Box

500

250

250

250

100

100

25

Description

**Options** 















#### OKI DATA AMERICAS, INC.

#### USA

2000 BISHOPS GATE BLVD.
MOUNT LAUREL, NJ 08054-4620
TEL: 800.OKI.DATA (800.654.3282)
FAX: 856.222.5320

#### CANADA

Universal Serial Bus Implementers Forum, Inc. ENERGY STAR Reg. T.M., U.S. EPA.

4140B SLADEVIEW CRESCENT UNITS 7 & 8 MISSISSAUGA, ONTARIO L5L 6A1 TEL: 905.608.5000 FAX: 905.608.5040

Featured product might not be available in all countries. Please contact your local office for regional availability.

© 2013 Oki Data Americas, Inc. OKI Reg. T.M., M.D. M.R., OKIcare, OkiLAN Reg. T.M., Oki Electric Industry Co., Ltd. HD Color logo Reg. T.M., Single Pass Color T.M. and design Reg. T.M., Oki Data Corp. SynFlex, Overnight Exchange logo T.M., Oki Data Americas, Inc. IBM, ProPrinter Reg. T.M., IBM Corp. Epson Reg. T.M., Seiko Epson, Inc. PCL Reg. T.M., Hewlett Packard Co. Microsoft, Windows, Vista Reg. T.M., Microsoft Corp. PostScript Reg. T.M., PostScript 3 T.M., Adobe Systems, Inc. Mac Reg. T.M., Apple Inc. USB-IF logo T.M.,

#### LATIN AMERICA

2000 BISHOPS GATE BLVD.
MOUNT LAUREL, NJ 08054-4620
TEL: 856.231.0002
FAX: 856.222.5071

#### OKI DATA DE MÉXICO, S.A. DE C.V.

MARIANO ESCOBEDO, 748 8º PISO COL. NUEVA ANZURES C.P. 11590 MÉXICO, D.F. TEL: 55.5263.8780 FAX: 55.5250.3501 Oki Data do Brasil Informática Ltda.

AV. ALFREDO EGÍDIO DE SOUZA ARANHA, 100 BLOCO C – 4º ANDAR 04726-170 – SÃO PAULO – SP – BRASIL TEL: 11.3444.3500 FAX: 11.3444.3502

WWW.OKIDATA.COM

