

Color imageCLASS® MF9200Cdn Series

Technical Information

Printer Specifications

Printer Type Color Laser Print Speed

Up to 22 ppm color/black (letter)

Duplex Print

Duplex Print Speed

Up to 11 ipm color/black (letter)

First Print Time Approx. 13 seconds Printer Language

UFR II LT (Host-based) - MF9220Cdn UFR II LT (Host-based), PCL 5c/6 (93 fonts), PS 3 Emulation (136 fonts) - MF9280Cdn

Print Resolution

Up to 600 x 600 dpi; 2400 x 600 dpi quality

Print Modes

Poster, N on 1 (up to 16 on 1), Scaling

Print Memory 384MB (shared) - MF9220Cdn 768MB (shared) - MF9280Cdn

Memory Direct Print (MF9280Cdn only)

Source(s)

Memory Card Slot (x2)

Supported Media
USB Flash, CF, Micro Drive, SD, Memory Stick Output File Formats

IPEG. TIFF

Copier Specifications

Copy Type Color Laser Copy Speed

Up to 22 cpm color/black (letter)

Duplex Copy/Bind Type Yes, 1 to 2, 2 to 1, 2 to 2/Book, Calendar

Copy Resolution Up to 600 x 600 dpi

Halftones 256 levels Warm-up Time

Approx. 60 seconds from Power On

First Copy Time Approx. 13 seconds Reduction/Enlargement

50%, 64%, 78% / 129%, 200%

Zoom

50-200% in 1% increments

Copy Size

Platen: Up to 8.5" x 14"; ADF: Up to 8.5" x 14"

Copy Features

Auto Color Select, Frame Erase, Memory Sort, Toner Saver,

2 on 1, 4 on 1, ID Card Copy

Copy Memory 384MB (shared) - MF9220Cdn 768MB (shared) - MF9280Cdn Fax/PC Fax Specifications

Duplex Fax Yes (TX/RX)

Modem Speed Up to 33.6 Kbps (Super G3)¹

Fax Resolution

Up to 406 x 391 dpi (ultra-fine)

Transmission Time JBIG (approx. 3 seconds)

Memory Capacity

Up to 1,000 pages²

Speed Dials

200 one-touch - MF9220Cdn

200 one-touch, 100 address book - MF9280Cdn

Receive Modes

Fax Only, Manual, Answering, Fax/Tel Auto Switch

Fax Features

Remote RX, Delayed TX, Dual Access, Activity Reports

Memory Backup

Yes, 1 hour PC Fax

Yes (TX only) **Fax Forwarding**

Yes (Fax/I-Fax→Fax, I-Fax, Email, SMB, FTP)

Scanner Specifications

Available only via network

Duplex Scan

Yes

Scan Type

Color Charge-Coupled Device (CCD)

Color Depth

Scan Resolution

Up to 600 x 600 dpi (optical)

Document Size

Platen: Up to 8.5" x 14"; ADF: Up to 8.5" x 14"

Compatibility TWAIN, WIA **Output File Formats**

JPEG, TIFF

Scan Features

Rotate, Negative/Positive Reversal, Mirror Image

Scan to USB Yes (2 ports)

Send Specifications

Destinations

Email, SMB, FTP, I-Fax

Output File Formats

Hi-Compression PDF, PDF, JPEG, TIFF

Paper Handling Specifications

Standard Paper Source(s)

250-sheet cassette plus 100-sheet multipurpose tray

Optional Paper Source(s) 500-sheet cassette

Document Feeder

50-sheet duplex

Paper Output

Approx. 250 sheets (face down)

Paper Weight 16 to 32 lb. bond (cassette); 16 to 47 lb. bond (multipurpose tray)

Paper Sizes

Letter, Legal, A4, A5, B5, Executive, Statement

Paper Types

Plain Paper, Heavy Paper, Bond Paper, Label,

Transparency, Recycled Paper, Color Paper, Envelopes

Envelope Capacity

Envelope Types Com 10, Monarch, DL, C5, B5

Connectivity & Software Specifications

Standard Interface(s)
USB 2.0 Hi-Speed, 10/100 Base-T Ethernet (Network)

Media Slots

USB Memory (x2) - MF9220Cdn;

Compact Flash, Micro Drive, Memory Stick, Memory Stick Duo (adaptor required), Memory Stick Pro, SD Memory Card, MiniSD Memory Card (adaptor required), USB Memory (x2) - MF9280Cdn

USB Functions Print, PC Fax

Network Functions

Print, PC Fax, Scan, Send

Embedded Web Server (Remote UI)

Operating System
Windows® 7, Windows Server® 2008 R2,
Windows Server® 2008, Windows Vista®,
Windows Server 2003, Windows XP/2000

Mac® OS X 10.4.9. - 10.65 Drivers available for download from www.usa.canon.com

General Specifications

Dimensions

21.5" (W) x 20.8" (D) x 24.9" (H)

Unit Weight

Approx. 85.0 lbs. (w/o cartridge); 96.0 lbs. (w/cartridge)

Warranty

1 year limited on-site warranty6

Cartridge 111 C/M/Y/K

Yields approximately 6,000 pages based on 5% coverage

Cartridge Type Single Cartridge System

LCD Display 3.5-inch Color TFT

Power Consumption 1300W (Max); 1W (Energy Saver Mode)⁷

Maximum Monthly Print Volume

Up to 65,000 pages per month Security

Department ID Management, IP Filtering, MAC Address

Filtering, IEEE 802.1x

LDAP Address Book (up to 1,000 addresses)

Safety

UL/cUL, CDRH (IEC 60825-1), FCC (Part 15 Class B), FCC (Part 68)

Features and specifications are subject to change without notice.

1 The Public Switched Telephone Network currently supports fax modem speeds of 28.8 Kbps or lower, depending on telephone line conditions. Sending and receiving fax machines need to conform to ITU-T v.34 guidelines. 2 Based on ITU-T #1 Chart (standard mode). 3 Based on 20 lb. bond paper. 4 Network scanning is via Windows OS only. 5 Mac OS X supports Print, PC Fax & Send functions only. 6 Warranty program is subject to certain conditions and restrictions. See the warranty card for details. 7 Standalone mode only. Networked model consumes 17W in Energy Saver Mode.

Ordering Information

MFP and Accessories
Color imageCLASS® MF9220Cdn
Color imageCLASS® MF9280Cdn
Cartridge 111 Black (yields approx. 6,000 pages/5% coverage)
Cartridge 111 Cyan (yields approx. 6,000 pages/5% coverage)
Cartridge 111 Magenta (yields approx. 6,000 pages/5% coverage)
Cartridge 111 Yellow (yields approx. 6,000 pages/5% coverage)
Cassette Feeding Unit-AC1
Cabinet Tyoe-A

4495B001AA 4497B001AA 1660B001BA 1659B001BA 1658B001BA 1657B001BA 2339B002AA 3325B001AA 6521A081AA 6521A080AA

For More Information Visit

www.usa.canon.com/consumer For the name of the nearest dealer, call: 1-800-OK-CANON

Canon U.S.A., Inc. One Canon Plaza, Lake Success, NY 11042 1-800-OK-CANON























©2010 Canon U.S.A., Inc. Canon and imageCLASS are registered trademarks of Canon Inc. in the United States and may be registered trademarks or trademarks in other countries. imageANYWARE is a trademark of Canon U.S.A., Inc. The Super G3 logo is a trademark of Canon Inc. Microsoft, Windows, the Windows logo and Windows 7 are either trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Mac and the Mac logo are trademarks of Apple Computer, Inc., registered in the United States and other countries. All other product and brand names are trademarks of their respective owners. Specifications are subject to change without notice. As an ENERGY STAR partner, Canon U.S.A., Inc. has determined that this product meets the ENERGY STAR guidelines for energy efficiency. The limited warranty given by Canon U.S.A., Inc. is for Canon Color imageCLASS MF9220Cdn and MF9280Cdn models purchased and used in the United States. 0147W856


Canon

Color imageCLASS MF9200Cdn Series

Color Laser Multifunction Printers

- Print and Copy in full-color and black & white at the same speed of up to 22 ppm
- Duplex Versatility two-sided printing, copying, faxing and scanning
- Superior Color Imaging capture finer details when you print or copy with remarkable tone-on-tone clarity where your image will be true to the original
- Password-protected Department ID Management helps control device usage
- 3.5-inch color panel with Easy-Scroll Wheel
- Efficient energy saving mode; approximately 1W of energy used*
- LDAP Address Book facilitates quick and easy scanning and sending
- Achieve higher document control and quality with PostScript 3 Emulation and PCL 5c/6 capabilities (MF9280Cdn)
- Up to **50-sheet DADF** (Duplex Automatic Document Feeder)
- Print from compatible Memory Cards (MF9280Cdn)
- Single Cartridge System for cost-efficient supplies replenishment

*Standalone mode only. Network model consumes 17W in Energy Saver Mode.





Print, Copy, Fax, and Scan with the Color imageCLASS® MF9200Cdn Series Color Laser Multifunction Printers from Canon.

Duplex Versatility:

Print on two sides – use half the paper! Two-sided output for printing, copying and receiving faxes saves space and reduces paper consumption.

Quick First Print:

Why waste time waiting for your print to arrive. With Canon's QFP technology, your first print will arrive in approximately 13 seconds.

Control Panel/Easy-Scroll Wheel:

An innovative 3.5-inch color panel with Easy-Scroll Wheel provides effortless control over all your projects.

Network Capabilities:

Increase productivity and cost-efficiency with the built-in Ethernet port for networking. Share printing, PC faxing and scanning** directly from a PC.

* Network Scanning is via Windows OS only.



























The Canon Color imageCLASS® MF9200Cdn Series Color Laser Multifunction Printers set new standards for business photo quality results and speed. Their enhanced performance capabilities allow your small business or work group to compete in today's fast-paced business environment.

Powerful Features

Smart

LDAP Address Book support allows for browsing the corporate address book for easier scan-and-send operations while also reducing address book maintenance.

Fast

No more frustration. Color or black & white at the same fast speed of up to 22 pages per minute.

Convenient

Easily scan paper documents and send them to a recipient through E-mail, I-Fax, Fax, or File Server, bringing your work environment increased efficiency in the arena of document exchange.

Efficient

Reduce your power consumption with the Efficient Energy Saving Mode, approximately 1 watt of energy used, saving you money while maintaining our environment.*

* Standalone mode only. Network model consumes 17W in Energy Saver Mode.

Amazing Imaging Performance



Superior Color Imaging

Printing or copying a photo image can be discouraging when the color contrast ends up unlike the original. The MF9200Cdn Series captures fine details when you print or copy, with remarkable tone-on-tone clarity, helping your image stay true to the original.



Background Removal

Revitalize an old newspaper or document with the background removal tool. Copy or Scan originals, and the MF9200Cdn Series will automatically erase the aged or antiqued background, leaving you with the content you want without the look of a discolored document.



Pure Black Technology

Canon Pure Black Technology helps to ensure the richest blacks by utilizing only the black toner in comparison to traditional methods of combining toner colors.



Auto Gradation Adjustment

The four color Single Cartridge System works congruently to automatically adjust gradient, density, and color to help guarantee quality page after page.





Single Cartridge S

The Single Cartridge S toner, drum, and deve easy to install cartridg helps rejuvenate the e to ensure consistent p











3.5" Color Panel with Easy-Scroll Wheel

Control Panel/ Easy-Scroll Wheel

An innovative 3.5-inch color panel with Easy-Scroll Wheel provides effortless control over all your projects. The control panel consists of a color TFT display for setting various functions through a user-friendly menu.

Scan to USB

With 2 USB ports, you can scan documents directly to your USB drive for easy transport.



SD/MF Card Slot and CF Card Slot

2 USB ports

Environmentally Conscious



Generation Green is designed to provide business partners, customers and consumers a way to learn about the environmentally-friendly approach Canon takes in designing many of its current and future products.

For more information, visit our web site at cusa.canon.com/green

Upgrade to imageCLASS MF9280Cdn

Memory Card Direct Print

Print JPEG or TIFF data files right from your media cards.

Printing Versatility

These machines both feature Canon's proprietary host-based printer language, UFR II LT (Ultra Fast Rendering), which takes full advantage of your PC's processing power so your printer does not require additional memory to perform high speed processing. If you use applications which require PCL (Printer Command Language) or PostScript 3 Emulation support, you'll also find this on the MF9280Cdn.



ystem

ystem combines the lopment unit in an e that when replaced, ntire imaging system rint quality.