
#### **Multifunction Color**

# RICOH MP C4504ex/ MP C6004ex





## Extend productivity in your own way

Use what you know about everyday tasks to expand what you can do. The RICOH MP C4504ex/MP C6004ex Color Multifunction Printer (MFP) offers a wide range of updated connectivity options, convenient apps, security tools and service support to simplify how you print, copy, scan and fax information. Use our Workstyle Innovation Technology to create digital workflows with intuitive fingertip control and be more productive. Download more apps and widgets and place them on the 10.1"-wide Smart Operation Panel as step-saving, one-touch shortcuts. Transform your MFP into an information portal by connecting to the cloud from your smartphone, tablet or other mobile device and use these powerful systems to print, share and discover the value of customized convenience. Share information electronically via advanced scanning and paperless faxing capabilities. Protect your work with more encryption and authentication tools. Best of all, faster, more responsive technical assistance can be only a swipe, scroll or tap away.\*

- Print up to 45 or 60 color prints per minute
- Use tablet-like motions to navigate an interactive Smart Operation Panel
- Use encryption and authentication tools to help protect documents, data and devices
- Customize your own automated workflows to reduce manual tasks
- Download the Smart Device Connector app and use your personal mobile device to print and share information from the MFP and use the same app to display information to Ricoh projectors and interactive whiteboards
- Showcase your work in brilliant colors with professional finishing
- Take advantage of eco-friendly features to lower operating costs and reduce overall environmental impact without sacrificing business productivity

A-BA

100 855×110 200 855×400

3000 85×11 P

\*When enabled, internet connection required.



### A new way to work is within your reach

Perform more tasks with fewer hassles

#### Use intuition to work smarter

Decisions are easier when you have the right information. With Workstyle Innovation Technology, you can use the same motions you use on your smartphone or tablet to access information instantly on the oversized 10.1"-wide Super VGA Smart Operation Panel (SOP). Download a wide range of apps and information-rich widgets from our Application Site. Check settings or initiate automated print, copy, scan and fax workflows with a single touch to reduce time-consuming manual tasks. For example, you can check the number of prints, change scan-to destinations, toggle between finishing options and more with a tap of your finger. With SOP Designer, you can have your Home Screen customized by our technicians with wallpaper designs, shortcut placements, corporate branding, rotating messages and more.

# Customize workflows to simplify information flow

You have a lot of work to do. Who says you have to spend a lot of time doing it? Deploy workflow applications that streamline business via Ricoh Workstyle Innovation Technology. Do you routinely print the same types of spreadsheets? Do you scan and share notes after the weekly meeting? Integrate multiple processes and create unique digital workflows to simplify complex tasks. Place a workflow shortcut on the Home Page so you can simply press an icon and initiate tasks automatically with less replication, fewer steps and more accuracy. Tap the ID Card Copy icon to scan two-sided identity documents, such as licenses and insurance cards, onto a single-sided document. For more complex workflows, add your choice of Ricoh or third party software solutions to simplify your workday.

### Make your mark from anywhere

With your smartphone or tablet in hand, productivity remains within your grasp. Download the RICOH Smart Device Connector app to connect to the MP C4504ex/MP C6004ex without software, utilities, drivers or delays. Simply touch your mobile device to the MFP's Near Field Communication (NFC) tag or scan a QR code from the control panel to print, scan and share documents, photos and more directly from your smartphone or tablet. Scan originals at the MFP and send them to your personal smart device or directly to cloud storage, so you can access and distribute them digitally at your convenience. You can also use the Smart Device Connector app to project information to Ricoh projectors and interactive whiteboards. Collaboration has never been easier.











## Do it all with speed and convenience

### Expedite every task, every day

Decisions have to be made. Ensure they're the right ones by getting information where it needs to be — on time. Print up to 45 or 60 pages per minute when producing full-color brochures, presentations and spreadsheets. Use standard PostScript and PDF Direct Print emulation to process your biggest jobs with ease. Add optional paper trays to extend paper capacity up to 4,700 sheets, and remove paper jams quickly via an animated guide. Scan full-color originals and deliver them at breakneck speeds with a host of scan-to capabilities, including access to your LDAP directory for email delivery. Send and receive paperless faxes to ensure contracts, forms and other important documents reach recipients easily.



### Leave your mark with brilliant colors

Make an unforgettable impression by producing compelling images and documents with densely rich colors for more lifelike reproductions at up to 1200 dpi resolution. The MP C4504ex/MP C6004ex recalibrates itself as it processes files, which means colors never deteriorate and text and lines stay incredibly sharp page after page. Expand your reach by printing on a wider, thicker range of paper stocks — up to 12" x 18" sizes and 300 gsm/80 lb. Bond. You can even create posters and banners that would normally be reserved for wide-format devices by combining multiple pages into one image. Want to save on outsourcing costs? Choose the optional Fiery® E-23C Color Controller and produce spot color professional output using the gamut of RGB and CMYK colors.

### Grab and share information automatically

Move information to the right people in the right format quickly. Access up to 3,000 frequently used documents stored in the embedded Document Server. With optional Optical Character Recognition (OCR), create keyword-searchable PDF files for easier retrieval from the Document Server at a later time. Use the built-in browser to capture files and images from the web. Ready to share with others? Scan originals at up to 180 ipm via the 220-Sheet Single Pass Document Feeder and use scan-to capabilities to send digital files to any recipient, anywhere. Or, use RICOH Device Software Manager to simplify print driver installation and begin using the device in moments.





## Empower users to work quickly, collectively

#### Support extended uptime

You may not have all the answers, but now you'll know where to find them. The MP C4504ex/MP C6004ex includes a wide range of "smart support" capabilities that when enabled will help you resolve pressing issues and maintain productivity. Are you looking to avoid waiting for in-person technician visits? With RemoteConnect Support, our experienced technicians can identify and correct issues in real time by accessing your MFP remotely. Are you managing many devices? By using the Remote Panel Operation tool IT managers and network administrators can easily program, monitor and change settings for each device on their network. Use the Automatic Remote Firmware function to upgrade multiple devices independently. Use the convenient Web Help feature to find quick answers about the most common functions and operation of your MFP. Plus, the Ricoh Application Site offers self-help videos for basic MFP operations.

#### Hold yourself and others accountable

You're responsible for getting company information to the right people. So make certain the right people are sending it. Protect the device with user authentication — and track activity for every user, set print quotas, restrict access to specific functions and more. Each user logs in to the MP C4504ex/MP C6004ex by entering a passcode — or by passing an ID card over an optional card reader at the device. Protect documents with Locked Print. Users can release jobs for printing only when standing at the MFP, which helps protect confidential information. You can also use a watermark to track specific printed documents if unauthorized users try to recreate them. Find more data protection with encryption for transmitted information and automatic overwrites for latent data on the hard drive.

#### Plan to save

The MP C4504ex/MP C6004ex is designed specifically to simplify workloads while reducing environmental impact. Because the MFP meets EPEAT<sup>®</sup> Gold criteria\* and ENERGY STAR<sup>®</sup> certifications, you can realize low Typical Electricity Consumption (TEC) rates — 1.8 kWh/ week with the MP C4504ex. Use default duplex printing to reduce paper costs. Program the MFP to power down automatically when you know the office will be empty. And use the Eco-Friendly widget to encourage reduced paper consumption. The system is also equipped with an innovative motion sensor, which senses an approaching user by detecting the differences in body temperature versus the surrounding environment. The sensor lets you promptly begin inputting job settings by tapping the touchscreen to wake the MFP from Sleep Mode.







To view detailed features of our multifunction products online go to www.ricoh-usa.com/products

\*EPEAT Gold rating is applicable only in the USA.

## Perform more jobs with fewer hassles



- **Smart Operation Panel:** Choose from multiple intuitive user interfaces to customize and automate workflows on the 10.1"-wide Super VGA Smart Operation Panel. Create shortcut icons. Add convenient widgets. And access information with one-touch control using the same motions you use on your smartphone or tablet.
- 2 **220-Sheet Single Pass Document Feeder (SPDF):** Feed color and black-and-white documents for high-speed copying and scanning in a single pass.
- **3** User authentication: Monitor the activity for every MFP user with personal passcodes. Or, with embedded Quick Card authentication technology and an optional NFC card or HID card reader, you can require users to gain access via proximity card.
- Paper Trays (Standard): With two 550-Sheet Paper Trays, one of which can accommodate paper sizes up to 12" x 18", you can produce more jobs with fewer reloads.
- 5 **100-Sheet Bypass Tray:** Accommodate a wider range of paper stocks — from envelopes to 12" x 49.6" banner sizes — to impress audiences with versatile output. Add an optional Banner Paper Guide Tray for convenient, affordable banner printing.

- Document Server: Create up to 200 shared or passcode-protected personal folders to store up to 3,000 frequently used digital documents on the MFP's hard drive.
- 7 Tandem Large Capacity Tray (Optional): Extend runs for 8.5" x 11" paper sizes with two 1,000-Sheet Paper Trays.
- 8 **1,500-Sheet Side Large Capacity Tray (Optional):** Minimize interruptions by adding up to an additional 1,500 sheets of letter-sized paper.
- 9 125-Sheet One-Bin Tray (Optional): Separate output quickly for easier retrieval when printing multiple jobs.
- **2,000-Sheet External Booklet Finisher:** Produce up to 20-sheet saddle stitched booklets cost effectively. Available with an optional Hole Punch Unit.
- **Web Browser:** Use the built-in web browser on the MFP touch panel to search for web pages.
- **12 Motion Sensor:** Enables the panel to be ready for key input within one second of tapping the touchscreen to awaken the MFP from Sleep Mode.

### Put it all together at the end

Bring your best ideas together by finishing them in style. With the External Hybrid Stapleless + Stapler Finisher, you can conserve resources by getting rid of staples entirely for document sets of 2 to 5 pages. For document sets from 6 to 50 pages, the finisher can automatically convert to staples. It is ideal for educational, manufacturing and healthcare environments.

You can choose other finishing options, too. Each is specifically designed to simplify paper handling, stacking and stapling, so you can concentrate on other core tasks. Choose the one that meets your unique requirements and give your projects an affordable, impressive professional-grade look.



Finisher	Paper Capacity (LT)	Hole-Punch	Saddle Stitch	Stapleless
SR3130 Internal	500 Sheets	Option	N/A	N/A
SR3210 External	1,000 Sheets	Option	N/A	Stapleless – Up to 5 Sheets Stapled – Up to 50 Sheets LTR
SR3220 External	1,000 Sheets	Option	Up to 15 Sheets	N/A
SR3240 External	2,000 Sheets	Option	Up to 20 Sheets	N/A
SR3230 External	3,000 Sheets	Option	N/A	N/A

228 lbs. (103 kg)

Weight

\*Not available for MP C6004ex

#### General Specifications

General Specifica	tions	weight	220 IDS. (TUS Kg)	Document Server	Specifications (Standa
Printing Process	4-Drum Method	Power Requirements	120V – 127V, 60Hz, 15A	Max. Stored Documents	3,000
Output Speed	MP C4504ex: 45-ppm B&W & FC (LTR)	Power Consumption	1,584W or less; Sleep Mode: 0.8W	Max. Pages/Document	2,000
(Copy/Print)	MP C6004ex: 60-ppm B&W & FC (LTR)	TEC Value**	MP C4504ex: 1.8 kWh/week	Max. Page Capacity	9,000
Warm-Up Time	24 seconds		MP C6004ex: 2.8 kWh/Week	Max. Number of Folders	200
Recovery from	MP C4504ex: 7.6 seconds	*Bypass Tray Only			
Sleep Mode	MP C6004ex: 7.9 seconds		tion by ENERGY STAR Qualified Imaging	Scanner Specificat	tions (Standard)
First Copy Time	MP C4504ex: 5.7/4.0 seconds	Equipment Test Procedure		Scanner Resolution	B&W and Full-Color scanning at
(FC/B&W)	MP C6004ex: 4.5/3.1 seconds	Duinton Coosificat	ione (Ctondoud)		100 – 600 dpi, Up to 1200 dpi
Copy Resolution	600 dpi	Printer Specificat	· · · · · · · · · · · · · · · · · · ·		TWAIN scanning
Quantity Indicator	Up to 999 copies	CPU	Intel Atom Processor Bay Trail 1.75 GHz	Scanning Speed	200/300 dpi: 110 ipm Simplex/
Single Pass Document	Original Capacity: 220 sheets	Memory/HDD	2 GB RAM/320 GB HDD Standard &	(B&W & Full-Color LTR)	
Feeder (SPDF)	Original Size: 5.5" x 8.5" – 11" x 17"		4 GB RAM/320 GB HDD Option	Scan Area	11.7" x 17" (297 mm – 432 mr
	(A5 – A3)	Page Description	Standard: PCL5c, PCL6, PostScript®3™	Compression Method	B&W TIFF: MH, MR, MMR, JBIG
	Paper Weights: Simplex: 11 – 34 lb.	Languages	Emulation, PDF Direct Print Emulation		Full-Color: JPEG
	Bond (40 – 128 g/m²), Duplex: 14 – 34 lb.		Optional: Genuine Adobe® PostScript®3™,	Supported File Formats	Single/Multi-Page TIFF, PDF, High
	Bond (52 – 128 g/m <sup>2</sup> )		Adobe <sup>®</sup> PDF Direct Print, IPDS, PictBridge <sup>®</sup>		Compression PDF & PDF/A, Sing
Paper Capacity	Standard: 2 x 550 sheets + 100-Sheet	Font Support	Standard: PCL: 45 Roman fonts +		JPEG
,	Bypass Tray, Maximum: 4,700 sheets		13 International fonts; PostScript®3™	Scan Modes	Scan-to-Email (with LDAP suppo
	(w/Tandem LCT + Side LCT)		Emulation: 80 Roman fonts +		Scan-to-Folder (SMB/FTP)
Supported Paper Sizes	1st Paper Tray: 8.5" x 11" (A4)		13 International fonts		Scan-to-URL
	2nd Paper Tray: 5.5" x 8.5" – 12" x 18"		Optional: Genuine Adobe® PostScript®3 <sup>®</sup> :		Scan-to-Media (USB/SD Card)
	(A6 – A3), Envelopes		136 Roman fonts; IPDS: 108 Roman fonts		Network TWAIN Scanning
	Bypass: Up to 12" x 18", Envelopes	Max. Print Resolution	1200 x 1200 dpi		9
	Custom Sizes: Width: 3.5" - 12.6"	Network Interfaces	Standard: 1000Base-T/100Base-TX/	Facsimile Specifica	ations (Optional)
	(90 – 320 mm), Length: 5.8" – 49.6"		10Base-T Ethernet, USB2.0 Type A	Туре	ITU-T (CCITT) G3
	(148 – 1260 mm)		(3 Ports), SD Slot on Operation Panel	Circuit	PSTN, PBX
Supported Paper	Standard Trays: 16 – 80 lb. Bond/		Optional: IEEE1284/ECP; IEEE802.11a/b/g/n;	Resolution	200 x 100 dpi, 200 x 200 dpi, 4
Weights	166 lb. Index (60 – 300 g/m <sup>2</sup> )		USB2.0 Type B		400 dpi (with optional SAF men
	Bypass Tray: 14 – 80 lb. Bond/	Network Protocol	TCP/IP (IPv4, IPv6)	Modem Speed	33.6K - 2,400 bps w/Auto Fallb
	166 lb. Index (52 – 300 g/m <sup>2</sup> )	Support		Compression Method	MH, MR, MMR, JBIG
	Duplex Unit: 14 – 68 lb. Bond/	Network/OS	Windows® Vista/7/8.1/10/Server 2008/	Transmission Speed	G3: Approximately 2 seconds/pa
	142 lb. Index (52 – 256 g/m <sup>2</sup> )		Server 2008R2/ Server2012/		(JBIG)
Paper Types	Plain, Recycled, Special Paper 1 – 3,		Server2012R2/Server 2016	Scanning Speed	Up to 81 spm
	Letterhead, Cardstock, Preprinted		Unix: Sun Solaris, HP-UX, SCO	Auto Dialing	2,000 Quick/Speed Dial number
	Paper, Bond Paper, High-Gloss Coated		OpenServer, RedHat Linux, IBM AIX,	5	Group Dial numbers
	Paper, Color Paper, Envelopes, Coated,		Citrix XenDesktop 7.0/7.1, XenApp	Memory Capacity (SAF)	Standard: 4 MB (approx. 320 pa
	Labels* & OHP*		6.5/7.5, Mac OS X v.10.9 or later SAP		Optional: 64 MB (approx. 4,800
Auto Duplex	Standard		R/3, SAP S/4, IBM iSeries AS/400-using		with optional SAF memory
Output Capacity	Standard: 500 sheets		OS/400 Host Print Transform		
	Maximum: 3,625 sheets	Utilities	Device Manager NX, Web Image	Security Features	(Standard)
Zoom	25% – 400% in 1% increments		Monitor, @Remote	DataOverwriteSecurity Syst	em (DOSS), HDD Encryption, User
Dimensions (WxDxH)	26.3" x 29.1" x 47.5" (668 x 738 x				ion, Locked Print, User Authentic
	1205 mm) (Includes SPDF and Two-Tray				ion, Quota Setting/Account Limit,
	Paper Bank)			Digitally Signed PDF, and r	

#### **Document Server Specifications (Standard)**

canner Resolution	B&W and Full-Color scanning at
	100 – 600 dpi, Up to 1200 dpi for
	TWAIN scanning
canning Speed	200/300 dpi: 110 ipm Simplex/
B&W & Full-Color LTR)	180 ipm Duplex
can Area	11.7" x 17" (297 mm – 432 mm)
ompression Method	B&W TIFF: MH, MR, MMR, JBIG2
	Full-Color: JPEG
upported File Formats	Single/Multi-Page TIFF, PDF, High
	Compression PDF & PDF/A, Single Page
	JPEG
can Modes	Scan-to-Email (with LDAP support)
	Scan-to-Folder (SMB/FTP)
	Scan-to-URL
	Scan-to-Media (USB/SD Card)
	Network TWAIN Scanning

/pe	ITU-T (CCITT) G3
rcuit	PSTN, PBX
esolution	200 x 100 dpi, 200 x 200 dpi, 400 x
	400 dpi (with optional SAF memory)
odem Speed	33.6K – 2,400 bps w/Auto Fallback
ompression Method	MH, MR, MMR, JBIG
ansmission Speed	G3: Approximately 2 seconds/page
	(JBIG)
anning Speed	Up to 81 spm
uto Dialing	2,000 Quick/Speed Dial numbers; 100
	Group Dial numbers
emory Capacity (SAF)	Standard: 4 MB (approx. 320 pages),
	Optional: 64 MB (approx. 4,800 pages)
	with optional SAE memory

er Codes, tication, it. Digitally Signed PDF, and more

#### RICOH MP C4504ex/MP C6004ex

SYSTEM SPECIFICATIONS

Hardware Access		Staple Paper Size Staple Paper Weight	8.5" x 11" to 12" x 18" (A4 – A3) 14 – 28 lb. Bond (52 – 105 g/m <sup>2</sup> )
Paper Handling Optio	ns	Staple Positions	Top, Bottom, 2 Staples
Two-Tray Paper Bank (P	B3240)'	Dimensions (WxDxH)	22.2 " x 24.4 " x 37.8 " (563 x 620 x 960
Tray Capacity	1,100 sheets (550 sheets x 2 trays)	1,000-Sheet Booklet Fin	isher (SR3220)234
Paper Size	5.5" x 8.5" to 12" x 18" (A5 – A3)	Paper Size	Proof Tray: 5.5" x 8.5" to 12" x 18"
Paper Weight	16 – 80 lb. Bond/166 lb. Index (60 – 300 g/m²)		(A6 – A3) Shift Tray 5 5 4 4 5 5 to 12 4 4 18
Dimensions (WxDxH)	23.1" x 27" x 9.7" (587 x 685 x 247 mm)		Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3)
One-Tray Paper Bank (F	'B3250)'		Booklet Tray: 8.5" x 11" to 12" x 18'
Tray Capacity	550 sheets x 1 tray		(A4 – A3)
Paper Size Paper Weight	5.5" x 8.5" to 12" x 18" (A5 – A3) 16 – 80 lb. Bond/166 lb. Index	Paper Weight	Proof Tray: 14 – 45 lb. Bond (52 – 169 Shift Tray: 14 – 80 lb. Bond/166 lb. In
	(60 – 300 g/m²)		(52 – 300 g/m²) Booklet Tray: 14 – 28 lb. Bond
Dimensions (WxDxH)	23.1" x 27" x 4.7" (587 x 685 x 120 mm)		(52 – 105 g/m <sup>2</sup> )
Requires installation of Caste		Stack Capacity	Proof Tray: 250 sheets (8.5" x 11" or
Tandem Large Capacity			smaller) (A4); 50 sheets (8.5" x 14" o
Tray Capacity Paper Size	2,000 sheets (1,000 sheets x 2) 8.5" x 11" (A4)		larger) (B4 – A3)
Paper Weight	16 – 80 lb. Bond/166 lb. Index		Shift Tray: 1,000 sheets (8.5" x 11" o
aper mergine	(60 – 300 g/m²)		smaller) (A4); 500 sheets (8.5" x 14" larger) (B4 – A3)
Dimensions (WxDxH)	23.1" x 27" x 9.7" (587 x 685 x 247 mm)		Booklet Tray: 20 Sets (2 – 5 sheets),
Side Large Capacity Tra	y (RT3030)		10 Sets (6 – 10 sheets) & 7 Sets (11 –
Tray Capacity	1,500 sheets		15 sheets)
Paper Size	8.5" x 11" (A4)	Staple Capacity	Normal Staple: 50 sheets (8.5" x 11")
Paper Weight	16 – 80 lb. Bond/166 lb. Index		30 sheets (8.5" x 14" or larger) (B4 -
Dimensions (WxDxH)	(60 – 300 g/m²) 13.4" x 21.4" x 11.4" (340 x 545 x 290 mm)	Saddle Stitch Staple Paper Size	15 sheets Normal Staple: 8.5" x 11" to 12" x 1
	Tray Paper Bank (PB3240) or Tandem LCT (PB3260)	Staple Faper Size	(A4 – A3)
nequires installation of two i	ray raper bank (r b5240) of randern eer (r b5200)		Saddle Stitch: 8.5" x 11" to 12" x 18
Output Trays & F	inisher Options		(A4 – A3)
Internal Shift-Sort Tray	(SH3070) <sup>3</sup>	Staple Paper Weight	14 – 28 lb. Bond (52 – 105 g/m <sup>2</sup> )
Tray Capacity	250 sheets (8.5" x 11" or smaller) (A4 – A5)	Staple Positions	Top, Bottom, 2 Staples, Booklet
	125 sheets (8.5" x 14" or larger) (B4 – A3)	Dimensions (WxDxH)	22.2" x 24.4" x 37.8" (563 x 620 x 960
Paper Size	5.5" x 8.5" to 12" x 18" (A5 – A3)	2-/3-Hole Punch Unit (Pl	-
Paper Weight	14 – 80 lb. Bond/166 lb. Index	(Optional; Installs inside S Punch Paper Sizes	R3210 or SR3220 Finisher) 5.5" x 8.5" to 11" x 17" (A5 – A3)
Cannot be installed with any	(52 – 300 g/m²) Finisher	Punch Paper Weight	14 – 68 lb. Bond/142 lb. Index
	rinsilei	runen aper mergine	(52 – 256 g/m <sup>2</sup> )
One-Bin Tray (BN3110)	5.5" x 8.5" to 12.6" x 17.7" (A5 – A3)	2,000-Sheet Booklet Fin	isher (SR3240) <sup>234</sup>
Paper Size Paper Weight	14 – 80 lb. Bond/166 lb. Index	Paper Size	Proof Tray: 5.5" x 8.5" to 12" x 18"
ruper weight	(52 – 300 g/m <sup>2</sup> )		(A6 – A3)
Tray Capacity	125 sheets		Shift Tray: 5.5" x 8.5" to 12" x 18"
500-Sheet Internal Finis	her (SR3130)"		(A6 – A3)
Paper Size	5.5" x 8.5" to 12" x 18" (A6 – A3)		Booklet Tray: 8.5" x 11" to 12" x 18' (A4 – A3)
Paper Weight	14 – 80 lb. Bond/166 lb. Index	Paper Weight	Proof Tray: 14 – 58 lb. Bond/122 lb. li
Charle Courseiter	$(52 - 300 \text{ g/m}^2)$		(52 – 220 g/m²)
Stack Capacity	500 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 14" or larger) (B4 – A3)		Shift Tray: 14 – 80 lb. Bond/166 lb. In
Staple Paper Size	7.25" x 10.5" to 11" x 17" (A4 – A3)		(52 – 300 g/m²)
Staple Paper Weight	14 – 28 lb. Bond (52 – 105 g/m <sup>2</sup> )		Booklet Tray: 17 – 28 lb. Bond
Staple Capacity	50 sheets (8.5" x 11") (A4)	Stack Capacity	(64 – 105 g/m <sup>2</sup> ) Proof Tray: 250 sheets (8.5" x 11" or
	30 sheets (8.5" x 14" or larger, and/or	Stack Capacity	smaller) (A4)
Charle David	Mixed Sizes) (B4 – A3)		50 sheets (8.5" x 14" or larger) (B4)
Staple Positions	Top, Bottom, 2 Staples		Shift Tray: 2,000 sheets (8.5" x 11" o
Dimensions (WxDxH) *Not available for MP C6004	21.5" x 20.6" x 6.7" (546 x 523 x 170 mm)		smaller) (A4)
			1,000 sheets (8.5" x 14" or larger) (B
2-/3-Hole Punch Unit (P			Booklet Tray: 30 sets (2 – 5 sheets) or
(Optional; Installs inside : Punch Paper Sizes	7.25" x 10.5" to 11" x 17" (A4 – A3)		sets (6 – 10 sheets) or 10 sets (11 – 1 sheets) or 6 sets (16 – 20 sheets)
Punch Paper Weight	14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m <sup>2</sup> )	Staple Capacity	Normal Staple: 50 sheets (8.5" x 11"
	ple + Stapleless Finisher (SR3210) 234		11" x 17" and Mixed Sizes) (A4 - A3
Paper Size	Proof Tray: 5.5" x 8.5" to 12" x 18"		Saddle Stitch: 20 sheets
	(A6 – A3)	Staple Paper Size	Normal Staple: 8.5" x 11" to 11" x 1
	Shift Tray: 5.5" x 8.5" to 12" x 18"		(A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18
	(A6 – A3) Des ef Teaur 14 – 45 lls Des d/02 lls Jarden		(A4 – A3)
Demon Maint :	Proof Tray: 14 – 45 lb. Bond/93 lb. Index	Staple Paper Weight	14 – 28 lb. Bond (52 – 105 g/m²)
Paper Weight	$(52 \ 160 \ g/m^2)$	Staple Positions	Top, Bottom, 2 Staples, Top Slant, Boo
Paper Weight	(52 – 169 g/m²) Shift Tray: 14 – 80 lb, Bond/166 lb, Index		05 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Paper Weight	Shift Tray: 14 – 80 lb. Bond/166 lb. Index	Dimensions (WxDxH)	25.9" x 24.1" x 37.8" (657 x 613 x 960
Paper Weight Stack Capacity		Dimensions (WxDxH) 3,000-Sheet Finisher (SR	
	Shift Tray: 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m <sup>3</sup> ) Proof Tray: 250 sheets (8.5" x 11") (A4); 50 sheets (8.5" x 14" or larger) (B4)		<b>3230)</b> <sup>234</sup> Proof Tray: 5.5" x 8.5" to 12" x 18"
	Shift Tray: 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m <sup>3</sup> ) Proof Tray: 250 sheets (8.5" x 11") (A4); 50 sheets (8.5" x 14" or larger) (B4) Shift Tray: 1,000 sheets (8.5" x 11") (A4);	3,000-Sheet Finisher (SR	<b>3230)</b> <sup>234</sup> Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3)
Stack Capacity	Shift Tray: 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m <sup>3</sup> ) Proof Tray: 250 sheets (8.5" x 11") (A4); 50 sheets (8.5" x 14" or larger) (B4) Shift Tray: 1,000 sheets (8.5" x 11") (A4); 500 sheets (8.5" x 14" or larger) (B4)	3,000-Sheet Finisher (SR	<b>3230)</b> <sup>**4</sup> Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5" x 8.5" to 12" x 18"
	Shift Tray: 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m <sup>3</sup> ) Proof Tray: 250 sheets (8.5" x 11") (A4); 50 sheets (8.5" x 14" or larger) (B4) Shift Tray: 1,000 sheets (8.5" x 11") (A4);	3,000-Sheet Finisher (SR	<b>3230)</b> <sup>234</sup> Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3)



Stack Capacity	Shift Tray: 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4) 50 sheets (8.5" x 14" or larger) (B4) Shift Tray: 3,000 sheets (8.5" x 11") (A4) 1,500 sheets (8.5" x 14" or larger) (B4)	
Staple Capacity	50 sheets (8.5" x 11" to 11" x 17") or Mixed Sizes (A4 – A3)	
Staple Paper Size Staple Paper Weight Staple Positions Dimensions (WxDxH)	8.5" x 11" to 11" x 17" (A4 – A3) 14 – 28 lb. Bond (52 – 105 g/m <sup>2</sup> ) Top, Bottom, 2 Staples, Top Slant 25.9" x 24.1" x 37.8" (657 x 613 x 960 mm)	
2-/3-Hole Punch Unit (PU	3060NA)	
	R3230 or SR3240 Finishers)	
Punch Paper Sizes Punch Paper Weight	5.5" x 8.5" to 11" x 17" (A5 – A3) 14 – 68 lb. Bond/142 lb. Index (52 – 256 g/m²)	
Color Controller E-23C		
Controller Type Fiery Platform CPU Host Interface Memory Internal HDD Operating System Network Protocol Page Description Language Max. Print Resolution	Embedded Type FS150 Intel Processor G850 2.9GHz 1000Base-T/100Base-TX/10Base-T 2 GB 500 GB Linux TCP/IP (IPv4/IPv6), SMB, Bonjour Standard: PostScript"3" & PCL6/5c Up to 1200 dpi (2 bit)	
Max. Scan Resolution	Up to 600 dpi	
Fonts Utilities	PS3: 138 fonts/PCL: 81 AGFA fonts Standard: Command WorkStation* 5, Fiery* Scan, Printer Delete Utility, Fiery Web Tools, Fiery Bridge, Secure Erase and Fiery VUE Optional: Fiery Impose, Fiery Compose, Fiery Auto Trap, EFI Spot-On", Fiery Hot Folders, Fiery Color Profiler Suite v4.0, Fiery ES-2000 Spectrophotometer and EFI Productivity Pack	
Color Management Tools	ICC Profile, Color Chart, CMYK Color Reference Pages, RGB Color Tests, Trapping Support and ColorWise* Pro Tools	

#### **Additional Accessories**

Banner Paper Guide Tray Type M19, Caster Table Type M3, Bridge Unit BU3070, Cabinet Type F, Camera Direct Print Card Type M19, Card Reader Bracket Type 3352, Extended USB Board Type M19, External Keyboard Bracket Type M19, Fax Connection Unit Type M20, Fax Memory Unit Type M19 64MB, File Format Converter Type M19, G3 Interface Unit Type M20, HotSpot MFP Option Type S, IEEE 802.11a/g/n Interface Unit Type M19, IEEE 1284 Interface Board Type M19, Imageable Area Extension Unit Type M19, IPDS Unit Type M20, Key Counter Bracket Type M3, Memory Unit Type M19 4GB, NFC Card Reader Type M19, OCR Unit Type M13, Optional Counter Interface Unit Type M12, Postscript3 Unit Type M33, Power Filter ESP XG-PCS-15D, Smart Card Reader Built-in Unit Type M19, XPS Direct Print Option Type M19

Either the Cabinet Type F or one of the paper options must be installed. <sup>2</sup>Requires configuration with Bridge Unit BU3070.

<sup>3</sup>Cannot be installed together.

4Requires installation of Two-Tray Paper Bank (PB3240) or Tandem Large Capacity Tray (PB3260).

Some options may not be available at the time of market release.

Genuine Adobe® PostScript®3™ and PDF Direct from Adobe® are available as options.

The Bluetooth<sup>®</sup> word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by Ricoh Co., Ltd. is under license. Other trademarks and trade names are those of their respective owners.

Specifications are subject to change without notice.

For maximum performance and yield, we recommend using genuine Ricoh parts and supplies.



#### www.ricoh-usa.com

Ricch USA, Inc., 70 Valley Stream Parkway, Malvern, PA 19355, 1-800-63-RICOH @2017, Ricch USA, Inc. All rights reserved, Ricch\* and the Ricch logo are registered trademarks of Ricch Company, Ltd. All other trademarks are the property of their respective owners. The content of this document, and the appearance, features and specifications of Ricch marks of Ricch Company, Ltd. All other trademarks are the property of their respective owners, the content of this document, and the appearance, features and specifications of Ricch marks for expression and the accuracy, completeness or adequacy of the information contained herein, and shall not be liable for any errors or omissions in these materials. Actual results will vary depending upon use of the products and services, and the conditions affectors affecting performance. The only warranties for Ricch products and services are as set forth in the express warranty statements accompanying them. **B350.0** R3850-C