



Be more productive by working smarter

How much do you value intelligent technology? Find out with the customizable SAVIN® MP C6503/MP C8003 color digital MFP. Simplify everyday document management tasks and move information quickly and accurately — so you can make smarter decisions that improve productivity and grow your business. Produce a wider range of high-quality media in general office environments at up to 80 pages per minute (ppm). Distribute documents and images instantly via convenient Scan-to capabilities. Use paperless faxing to deliver important forms with fewer hassles and less cost. Take advantage of advanced security features to protect your best ideas. With our Workstyle Innovation Technology, you can create your own one-touch automated shortcuts on the dynamic Smart Operation Panel. Or, use your smartphone, tablet or laptop to manage the same tasks on the go.

- Produce color or black-and-white documents at up to 80 ppm
- Minimize errors and delays by creating automated workflows
- Use intuitive Smart Operation Panel features to transition quickly between jobs
- Print and share information from your personal mobile device
- Create more color documents in-house to reduce outsourcing costs
- Conserve energy and paper with environmentally friendly features



Meet every demand every time

Add personalization and productivity to high-volume workloads

Go all in with all-in-one performance

Every day brings something different, but at least you'll know how to get it done quickly with the reliable MP C6503/MP C8003. It includes a motion sensor that wakes up the control panel automatically from sleep mode as you approach, so can you can start multitasking immediately. Take advantage of output speeds that reach up to 80 pages per minute to print and copy notes, invoices, handouts and other forms with incredible speed and precision. Scan originals via a 220-Sheet Single Pass Document Feeder (SPDF) and choose from a wide range of Scan-to capabilities to share them electronically in only moments. Send and receive contracts and other fax documents through email and save on paper and transmission costs.



Perform more tasks in more places

Don't stop working when you start moving. Download the Smart Device Connector app to control all print, copy, scan and fax functions from your Android® or iOS® device. Access digital files directly from your device or Cloud applications and send them to the MFP. Scan originals at the MFP and send them to your device electronically as PDFs that you can carry with you. Or, send them directly to contacts in your personal address book just as easily.



Impress with more media options

Give every audience what it wants. Expand paper capacity up to 8,100 sheets to work continuously with fewer delays. Choose from multiple paper trays, including tandem trays, and load the device with the right stocks for the right audience. Print black-and-white output or compelling full-color brochures, proposals and more with image quality up to 1200 x 4800 dpi. You can even produce colorful banners up to 49.6" long.



Use technology intelligently

Tap into a new way to work

Complete more jobs quickly via innovative Savin Workstyle Innovation Technology. We've removed all hardwired keys on the large 10.1" touchscreen Smart Operation Panel, so you can use the same scrolling and pinch-and-flick movements you use on your personal mobile device to access settings, change details and transition between jobs and tasks with ease. Users can choose from multiple interfaces. Simply tap an icon to perform primary tasks such as copying, scanning or faxing with a single touch. Choose an intuitive, straightforward grid layout to access critical information quickly and dive deeper into details without extensive searches or delays. You can even opt for the look of our legacy control panels and pack more information onto a single screen.



Customize how your work flows

You know what needs to be done. With the MP C6503/MP C8003, you'll know exactly how to do it faster. Create iconic one-touch shortcuts for frequently used workflows. If you know you'll be sending a weekly newsletter to clients, create a workflow for it and avoid repetitive manual rekeying. Simply press the customized icon, grab your file or scan the document and your list of recipients populates automatically. For other specialized functions, choose from a wide range of downloadable workflow apps and customize the control panel to fit your unique needs. Do you handle a lot of two-sided forms, such as insurance cards? Use the ID Card Copy app and scan them onto a single-sided document. Opt for other apps, including Scan-to-Folder Helper, Printer Native, Conference Concierge, Shared Folder Print and Easy Book Copy, just as easily.



Put critical information within your reach

Searching for answers is easier when you know where to look. Find critical information in moments with the MP C6503/MP C8003. Store up to 3,000 frequently used files on the Document Server. Select the one you need with a single tap on the Smart Operation Panel. You can also take advantage of optical character recognition (OCR) to place metadata on documents, images and PDF files — and search for them via keywords. Utilize the embedded web browser or Cloud-based applications to work with important information, images, documents, and more.



Control information and costs throughout the enterprise

Make smarter administrative decisions

Get closer to optimal performance even when you're far away. Capture critical information remotely to make more informed administrative decisions for your entire fleet. Use @Remote™ to monitor the status of every device and collect critical information and meter reads in real time, so you can identify and resolve issues before they compromise productivity. Use Device Manager NX to manage configurations and updates in moments via any web browser. Detect, install or update print drivers automatically with Device Software Manager.



Bring accountability to the enterprise

The most effective messages are targeted for specific audiences. Why risk losing them before they get there? With user authentication, users must login using a passcode on the control panel or present their ID or proximity card to the optional NFC Card Reader to access critical information and perform MFP functions. Use it to track specific projects to identify bottlenecks and unnecessary printing. Plus, you can pair the MFP with Streamline NX® and issue chargebacks to specific users and workgroups. Take advantage of Locked Print to keep each job in the print queue — and out of the hands of passersby — until the authorized user releases them. Add a watermark to documents to prevent unauthorized users from trying to copy confidential information. In addition, the device offers powerful data encryption and automatic latent data overwrite to help protect information on the hard drive.



Make a big impact with less energy

You may be consumed by work, but that's no reason to let it drain your energy. The MP C6503/MP C8003 is ENERGY STAR® certified, meets EPEAT® Gold rating* and offers a Typical Electricity Consumption (TEC) as low as 4.6 kWh/week. It's also designed specifically for quieter operation. Do your part by programming the device to power off at a time of your choosing. To save paper costs, keep duplex printing as the default setting. To reduce output costs, set quotas to limit unnecessary printing or restrict specific users or workgroups to black-and-white printing. You can also share reminders about responsible paper usage via the Eco-Friendly Indicator at the control panel.



*EPEAT Gold rating is applicable only in the USA.

Add high-end performance in high-volume environments

- 1 Smart Operation Panel: Find faster transitions between tasks at your fingertips. Choose from multiple user interfaces and create customized shortcuts on the 10.1"-wide Smart Operation Panel. Perform everyday MFP functions and access important details via familiar swipe scrolling and pinch-and-flick movements. Download convenient apps to capture even more information or to automate workflows and minimize manual tasks. Add helpful widgets and tap into more information about supplies, energy usage, incoming faxes and more.
- 220-Sheet Single Pass Document Feeder (SPDF):
 Place multi-page, multi-sized originals and one- and twosided documents up to 11" x 17" in the convenient feeder
 for faster, more reliable scanning.
- **User Authentication:** Take advantage of an optional NFC Card Reader to authenticate users and track activity.
- Paper Trays and 100-Sheet Bypass Tray: Minimize paper reloads with four standard paper sources a 2,500-Sheet (1,250 sheets x 2) Tandem Paper Tray, two 550-Sheet Paper Trays and a 100-Sheet Bypass Tray. Use the optional Banner Paper Guide Tray to accommodate banner printing on sheets up to 12.6" x 49.6".
- Paper Banks (Optional): Expand paper capacity via an optional 2,200-Sheet Large Capacity Tray for paper sizes up to 13" x 19.2" or a 4,400-Sheet Large

- **Finishers (Optional):** Choose from 65- or 100-Sheet stapling for documents up to 13" x 19.2". Or, produce full-color booklets with an in-line Booklet Finisher. Other finishing options include Cover Interposers, a Multi-Folding Unit, a GBC StreamPunch and a Plockmatic Booklet Maker.
- USB/SD Card Slot: Use the standard USB/SD Card Slot located conveniently on the control panel to print/scan from portable media.
- 8 Oversize and Heavy Media Support: Accepts 13" x 19.2" paper sizes and heavy media (up to 110 lb. Cover stock through the Bypass Tray and the RT4050 LCT) to give you many more options for in-house production.
- **Document Server:** Store up to 3,000 frequently used files on the MFP's hard drive and access them with the touch of a button. Create up to 200 shared or passcode-protected personal folders to store the digital files.
- VCSEL and PxP-EQ Toner Technology: Vertical Cavity Surface Emitting Laser and high-quality toner provide more vivid colors and smooth gradations for improved text, fine lines, graphics and photographic reproductions.
- **640 GB (320 GB x 2) Hard Disk Drive:** Secure documents with DataOverwriteSecurity System (DOSS), Data Encryption, Locked Print and more.



- Web Browser: Search for web pages directly or download files from Cloud applications using the embedded Web Browser on the Smart Operation Panel and print them as PDF files.
- **9-Bin Mailbox (Optional):** Keep print, copy and fax output from multiple users separate, so they can be retrieved quickly.
- Dual Network Support: Take advantage of the optional network interface port to connect to two networks simultaneously.
- **Broad Compatibility:** Quickly integrate these systems with built-in compatibility for PC and Mac* environments in LAN or wireless networks.

Finish with impressive professionalism

Choose how you want to finish. Take your pick from three powerful finishers to accommodate the unique needs of you and your audience. Each is designed specifically to minimize manual tasks, so you can create professional-quality booklets, brochures, proposals and other output quickly and economically.



Finisher	Paper Capacity	Staple Capacity	Saddle Stitch	Hole-Punch
SR4110	3,000 Sheets	Up to 100 Sheets (LT)	N/A	Option
SR4120	3,000 Sheets	Up to 65 Sheets (LT)	N/A	Option
SR4130	2,000 Sheets	Up to 65 Sheets (LT)	Up to 20 Sheets	Option



Savin MP C6503/MP C8003











General Specifications

Configuration Scanning Element Printing Process Output Speed (LTR)

Document Feeder

Console Flatbed image scanning with 3-line CMOS array 4-drum dry electrostatic transfer system with internal transfer belt

Internal transfer bett
MP C6503: 65 ppm (B&W/Full-color)
MP C8003: 80 ppm (B&W/Full-color)
Standard 220-Sheet SPDF with single pass color

duplex scanning
Full-color 10.1" Smart Operation Panel

Control Panel Copy Resolution Color/Grayscale Quantity Indicator Original Size 600 dpi

256 Levels 1 – 9,999 Up to 11" x 17" (279.4 x 431.8 mm) (from platen) Warm-Up Time MP C6503: 43 sec. (from main switch) MP C8003: 39 sec. (from main switch) Recovery Time MP C6503: 43 sec. (from sleep mode)

MP C8003: 43 sec. (from sleep mode) MP C8003: 5.5/7.5 sec. (B&W/Full-color)* MP C8003: 5.7/5 sec. (B&W/Full-color)* MP C8003: 4.7/6.3 sec. (B&W/Full-color)* First Copy Speed

Paper Capacity Tray 1: 1,250 sheets x 2 Trays 2 - 3: 550 sheets x 2

Bypass Tray: 100 sheets 3,700 sheets (std.)/8,100 sheets (max.) **Total Paper Capacity** Paper Size

Tray 1: 8.5" x 11"
Trays 2 – 3: 5.5" x 8.5" to 13" x 19.2"
Bypass Tray: 5.5" x 8.5" to 13" x 19.2"

Tray 1/2/3: 14 lb. Bond – 142 lb. Index (52 – 256 g/m²)
Bypass Tray: 14 lb. Bond – 110 lb. Cover Paper Weight

(52 – 300 g/m²) Duplex: 14 lb. Bond – 142 lb. Index

(52 – 256 g/m²) 7 reduction and 5 enlargement 25% to 400% in 1% increments Magnification

MP C6503: 120 – 127V/16A/60Hz (dedicated) MP C8003: 208 – 240V/12A/60Hz (dedicated) MP C6503: 4.6 kWh/week Power Requirements Typical Electricity

Consumption (TEC) Max. Power MP C8003: 6.2 kWh/week MP C6503: 1,920 W or less MP C8003: 2,400 W or less Consumption Dimensions (WxDxH) 29.5" x 34.7" x 48.3" (750 x 880 x 1,225 mm) (incl. SPDF) Less than 551 lbs. (250 kg)

Weight

Copier Features

Web Browser, Eco-Friendly Indicator, ID Card Copy, Auto Off Timer, Energy Saver Timer, System Reset Timer, Simplified Display, Auto Color Selection, Auto Paper Selection, Auto Start, Auto Tray Switching, Auto Color Calibration, Book/Series/Combine/Sample Copy, Color Erase/Convert/Overlay, Cover/Chapter/Slip Sheet, Image Rotation, Interrupt Copy, Job Programs (25), User Codes (8 digits/1,000 users), Job Preset (8 jobs), Color/Image Creation, Color Balance Adjustment/Program, Shift/Erase/Margin Adjustment, Sharp/Soft/Contrast/Background Density/Under Color Removal/Text & Photo Separation Sensitivity/Color Erase Sensitivity Adjustment, Bates Stamp/ Numbering, Centralized Address Book Management, DOSS HDD Overwr Data Encryption (AES256bit/SHA2), Authentication, IP Address Filtering, Unauthorized Copy Control, Secure Print, Encrypted/Digitally Signed PDF, Quota Setting, SMTP over SSL, Import/Export of Preference Settings, Genuine Adobe® PostScript®3™ and PDF Direct from Adobe® are available as options

Printer Specifications (Standard)

Intel® Atom Processor Bay Trail-I - 1.91 GHz RAM 4.0 GB HDD 640 GB (320 GB x 2) (Shared) 1200 x 4800 dpi Max. Print Resolution Ethernet (10Base-T/100Base-TX/1000Base-T), Standard Interfaces

USB 2.0 Type A IEEE 1284/ECP, Wireless LAN (IEEE802.11a/b/g/n) Optional Interfaces Network Protocol

TCP/IP (IPv4, IPv6) Windows® Vista/7/8/8.1/10/Server 2008/Server Network Operating Systems 2008R2/Server 2012/Server 2012R2: Unix Sun Solaris, HP-UX, SCO OpenServer, RedHat Linux, IBM AIX; Citrix Presentation Server4.5/Citrix XenApp5.0; MAC OS X 10.7 or later; SAP R/3; IBM iSeries AS/400 using OS/400 Host Print Transform PCL5e, PCL6, PDF Direct; Optional Adobe PS3, IPDS

PDF: 136 Roman
Optional – PS3: 136 Roman; IPDS: 108 Roman

Print Drivers

Fonts

Sample/Locked/Hold/Scheduled/Stored Print/Store and Print/Black Over Print, CLP Simulation, PDF Printer Features Direct Print, Mail to Print, Classification Code Bonjour (Rendezvous) Support, Windows Active Directory Support, DDNS Support, PCL Resident

Font Adoption, Tray Parameter Change from Web Image Monitor, 1200 dpi Support, Universal Driver, XPS Support, WS Printer, Wireless LAN Interface Option, Media Direct Print (Print from USB/SD), Banner Page Print, Auto Job Promotion, AirPrint*, Poster Print, WPS (Wi-Fi Protected Setup)

Standard - PCL: 45 scalable + 13 international:

Scanner Specifications (Standard)

Scanning Resolution Up to 600 dpi Up to 11.7" x 17" (297 x 432 mm) Scan Area Scan Speed (B&W/Full-color) Simplex: 120 ipm; Duplex: 220 ipm

Output Format Single Page: TIFF/JPEG/PDF/High Compression

Multi-Page: TIFF/PDF/High Compression PDF/

– 1bit (MH/MR/MMR/JBIG2), Grayscale Compression

B&W – IDIT (MH/MM/MM/MM/JBIG2), Grayscale (IPEG); Full-color – IPEG 10Base-T/100Base-TX/1000Base-T, Wireless LAN (IEEE802.11 a/b/g/n), USB 2.0, SD card slot Network: TCP/IP; Sending Email: SMTP, POP3; Scan to Folder: SMB, FTP B&W/Full-color Photo, B&W/Full-color Text, Auto-Cales Calculation. Interface Support

Protocol

Scanner Features:

Color Select, Auto Density, Image Rotation, Mixed Size/SADF/Batch Mode, Reduce and Enlarge, Split Scan, Scan-to Email/SMB/FTP/URL/PDF/A/Digitally Signed PDF/Searchable PDF, TWAIN Scanning, USB/SD 2.0 Scanning, LDAP Support, Drop Out Color Send, Distributed Scan Management, Preview Before Transmission, WS-Scanner

Document Server Specifications (Standard)

Max. Stored Documents 3,000 Max. Pages per Document 3,000 Max. Stored Pages 15.000

Folder Management Yes (password protected)

Fax Specifications (Optional)

Circuit PSTN, PBX

Compatibility ITU-T (CCITT) G3. Additional G3 opt. Resolution

Standard mode: 200 x 100 dpi Detail mode: 200 x 200 dpi Super Fine mode: 400 x 400 dpi (with optional 64 MB memory) MH, MR, MMR, JBIG

Compression Method Modem Speed Transmission Speed 33.6 K – 2,400 bps with auto shift down G3: Approx. 2 sec.

Memory Backup Quick/Speed Dials Group Dials SAF Memory Capacity 1 hour 2.000 numbers

2,000 numbers 100 groups (500 per group) Standard: 4 MB (approx. 320 pages), Maximum: 60 MB (approx. 4,800 pages with memory option) Detection of Misplaced Document, Double-check of Destination Address, Direct SMTP, Internet Fax (T.37), LAN Fax, IP Fax (T.38), Forward to Email/ Folder, Paperless Fax, LDAP Support, Universal Send (Simultaneous Fax and Scan), Fax Output Timer, Remote Fax (option)

Accessories

Fax Features

RT4050 Large Capacity Tray (LCT)
Paper Capacity 2,200 sheets
Paper Size Up to 13" x 19.2"
Paper Weight 14 lb. – 110 lb. Cover (52 – 300 g/m²)
Dimensions (WxDxH) 34.2" x 28.7" x 25.9" (869 x 730 x 658 mm) Weight 180 lbs. (82 kg)

RT4020 Large Capacity Tray (LCT) Paper Capacity Paper Size

4,400 sheets 8.5" x 11" 14 lb. – 80 lb. Cover (52 – 216 g/m²) Paper Weight Dimensions (WxDxH) 19.7" x 21.3" x 24.6" (500 x 540 x 625 mm)

(with LG unit) 44 lbs. (20 kg)

CS4010 9-Bin Mailbox

Weight

Stack Capacity of Bins 100 sheets Paper Size Paper Weight

160 site(s) 5.5" x 8.5" – 11" x 17" 16 lb. – 34 lb. Bond (60 – 128 g/m²) 21.2" x 23.6" x 26" (540 x 600 x 660 mm) Dimensions (WxDxH)

Weight 33 lbs. (15 kg)

 CI4040 Single Source Cover Interposer Tray

 Paper Size
 5.5" x 8.5" - 11" x 17"

 Paper Weight
 17 lb. Bond - 80 lb. Cover (64 - 216 g/m²)
 Stack Capacity
Dimensions (WxDxH) 200 sheets x 1 tray 19.6" x 23.6" x 23.6" (500 x 600 x 600 mm)

26.4 lbs. (12 kg) Weight

CI4020 Dual Source Cover Interposer

Paper Size Paper Weight

ver interposer 5.5" x 8.5" – 13" x 19" 17 lb. Bond – 80 lb. Cover (64 – 216 g/m²) 200 sheets x 2 trays 19.7" x 29" x 50" (540 x 730 x 1,270 mm) Stack Capacity Dimensions (WxDxH)

99 lbs. (45 kg)

SR4110 3,000-Sheet Finisher with 100-Sheet Stapler
Capacity (Proof Tray) 500 sheets (8.5" x 11" or smaller)
250 sheets (8.5" x 14" or larger)

Capacity (Shift Tray)

8.5" x 11" – 3,000 sheets (LEF) 8.5" x 11" – 11" x 17" – 1,500 sheets (LEF) 12" x 18" – 13" x 19.2" – 1,000 sheets (LEF) 5.5" x 8.5" – 13" x 19.2" Proof Tray: 14 lb. Bond – 80 lb. Cover (52 – 216 g/m') Shift Tray: 14 lb. Bond – 110 lb. Cover (52 – 200 g/m')

Paper Size Paper Weight

300 g/m) 8.5" x 11" – 100 pages 8.5" x 14" – 11" x 17" – 50 pages 70p, Bottom, 2-Staple, Top Slant 31.7" x 28.7" x 38.5" (806 x 730 x 980 mm) 165 lbs. (75 kg) Staple Staple Position Dimensions (WxDxH)

Weight

SR4120 3,000-Sheet Finisher with 65-Sheet Stapler

250 sheets (8.5" x 11" or smaller) 50 sheets (8.5" x 14" or larger) 8.5" x 14" - 13" x 19.2" - 1,500 sheets 8.5" x 14" - 13" x 19.2" - 1,500 sheets 5.5" x 8.5" - 13" x 19.2" Proof Tray: 14 lb. Bond – 80 lb. Cover (52 – 220 c/m²) Capacity (Proof Tray) Capacity (Shift Tray)

Paper Size Paper Weight

220 a/m²)

Shift Tray: 14 lb. Bond – 133 lb. Cover (52 –

360 g/m²) 8.5" x 11" – 11" x 17" – 65 pages Staple Top, Bottom, 2-Staple, Top Slant 25.9" x 28.7" x 38.6" (657 x 730 x 980 mm) Staple Position

Dimensions (WxDxH) Weight 83.6 lbs. (38 kg)

SR4130 2.000-Sheet Booklet Finisher

Capacity (Proof Tray)

DOKIET FINISHET 250 sheets (8.5" x 11" or smaller) 50 sheets (8.5" x 14" or larger) 8.5" x 11" - 2,000 sheets (LEF) 8.5" x 11" - 13" x 19.2" - 1,000 sheets (LEF) 5.5" x 8.5" - 13" x 19.2" Capacity (Shift Tray)

Paper Size Paper Weight

Proof Tray: 14 lb. Bond – 80 lb. Cover (52 – 220 g/m²) Shift Tray: 14 lb. Bond – 133 lb. Cover (52 –

360 g/m) 8.5" x 11" - 11" x 17" - 65 pages 8.5" x 11" - 11" x 18" - 20 pages 70p, Bottom, 2-Staple, Top Slant, Booklet 25.9" x 28.7" x 38.6" (657 x 730 x 960) 127.6 lbs. (58 kg) Staple Saddle Stitch Staple

Staple Position Dimensions (WxDxH) Weight

FD4000 Multi-Folding Unit Single Sheet Mode: Z-Fold, Half-Fold, Letter Fold-Folding Type:

in, Letter Fold-out, Double Parallel, Gate-Fold Multiple Sheet Mode: Half-Fold, Letter Fold-in,

Letter Fold-out: up to 3 sheets. Paper Size:

Letter Fold-out; up to 3 sheets. Single Sheet Mode: Z folding: 8.5" x 11" - 12" x 18"; Half folding: 8.5" x 11" - 13" x 19.2"; Letter folding: 8.5" x 11" - 12" x 18"; Double Parallel/ Gate folding: 8.5" x 11" - 12" x 18" Multiple Sheet Mode: Half folding: 8.5" x 11" - 13" x 19.2"; Letter Fold-out: 8.5" x 11" - 8.5" x 14"; Letter Fold-in: 8.5" x 11" - 8.5" x 14"; Letter Fold-in: 8.5" x 11" - 8.5" x 18"; X 14"; Letter Fold-in: 8.5" x 11" - 12" x 18" 18.5" x 38.5" x 28.7" (470 x 980 x 730 mm)

Dimensions (WxDxH) 203 lbs. (92 kg)

Weight

Additional Accessories

PU5000 Punch Unit; PU3060 Punch Unit; Output Jogger Unit Type M25; 11" x 17" Tray Unit Type M26; 8.5" x 14" Tray Unit for RT4020 LCT; Banner Paper Guide Tray Type M26; 1-Bin Copy Tray Type M26; Cooling Fan Unit Type M26; Cooling Fan Unit Type M31; Adobe PostScript3 Unit Type M26; IPDS Unit Type M26 (Late Availability); IEEE802.11a/g/n Interface Unit Type M19; IEEE1284 I/F Board Type M19; File Format Converter Type M19; OCR Unit Type M13; Fax Connection Unit Type M26; G3 Interface Unit Type M26; Fax Memory Unit Type M26 – 64 MB; Unicode Font Package for SAP*; Copy Connector Type M25; Smart Card Reader Built-in Unit Type M19; DataOverwriteSecurity Unit Type M19; GBC StreamPunch Ultra MT; Plockmatic 350-m Booklet Maker; NFC Card Reader Type M19; External Keyboard Bracket Type M25; External Keyboard; Extended USB Board Type M19; XPS Direct Print Option Type M26; USB Device Server Option Type M19; Tab Sheet Holder Type M2; Optional Counter Interface Unit Type M12

For maximum performance and yield, we recommend using genuine Savin parts and supplies

Specifications subject to change without notice.

www.savin.com

Ricoh USA, Inc., 70 Valley Stream Parkway, Malvern, PA 19355, 1-877-472-8460 Ricoh USA, Inc., 70 Valley Stream Parkway, Malvern, PA 19355, 1-877-472-34860
Sanin' and the Sanin logo are registered trademarks of Ricoh USA, Inc., Ricoh and the Ricoh Logo are registered trademarks. of Ricoh Company Ltd. All other trademarks are the property of their respective owners. @2016 Ricoh USA, Inc. All rights reserved. Savin products and services are offered by Ricoh USA, Inc. and its affiliates. The content of this document, and the appearance, features and specifications of Savin products and services are subject to change from time to time without notice. Products shown with optional features. While care has been taken to ensure the accuracy of this information, Ricoh makes no representation or warranties about the accuracy, completeness or adequacy of the information contained herein, and shall not be liable for any errors or omissions in these materials. Actual results will vary depending upon use of the products and services, and the conditions and factors affecting performance. The only warranties for Savin products and services are as set forth in the express warranty statements accompanying them.