



SP 3600DN
SP 3600SF
SP 3610SF

**Desktop B&W Printer/
Multifunctio**

- ✓ Copier
- ✓ Printer
- ✓ Facsimile
- ✓ Scanner



SP 3600DN

31
ppm monochrome

Perform everyday office tasks quickly and affordably

There's always a cost of doing business. It's just a lot less when you're using the SAVIN® SP 3600DN/ SP 3600SF/SP 3610SF. Whether you're printing high-quality black-and-white documents for yourself — or sending them to somebody else — use the Savin SP 3600DN as your go-to printer or the SP 3600SF/ 3610SF for all your printing, copying, scanning, and faxing needs to collaborate with others. They're small enough to fit right on the desktop, so you can access critical information at any time and share it in moments with others in the formats they prefer. Transition between jobs at a pace you set, and a price you'll like.

Print high-quality images with ease

You need to print a document for an important meeting that's just about to begin. Well, what are you waiting for? With the Savin SP 3600DN/SP 3600SF/ SP 3610SF, you can have high-quality prints in your hands 25 seconds after powering up the device. Because of our innovative LED print technology, you can print up to 31 black-and-white pages per minute with 1,200 dpi resolution to handle almost any size general office job easily. From the first page to the last, you'll marvel at the precise shadings and sharp text that produce a more professional look with an incredibly low price per page.



Fit it into any office, any workflow

There may be a lot of things you wish you had. More time? Space? Maybe even a larger budget? No problem. Add the compact Savin SP 3600DN for printing or the SP 3600SF/SP 3610SF multifunction products to any office and begin performing a wide range of everyday office tasks normally reserved for larger, more expensive devices. Now you can control the flow of information from your desktop to your audience. Share their versatility in a small workgroup where speed, convenience and value are always welcomed.



Use less energy while getting more done

You're responsible for making sure projects are completed on time — and on budget. The Savin SP 3600DN/SP 3600SF/SP 3610SF includes standard double-sided printing, so you can print on both sides of the paper to cut paper use. Because it consumes less than one watt of energy while in Sleep Mode, you can take advantage of a low typical electricity consumption (TEC) value to reduce your energy bill every month. Plus, the device meets EPEAT® Silver criteria* — a global environmental rating system for electronic products — and is certified with the latest ENERGY STAR® specifications. In addition, with Savin's toner cartridge/container recycling program, you can return all empty Savin branded toner containers and cartridges to our recycling vendor.



*EPEAT Silver rating is applicable only in the U.S.A.



Meet the big demands of a small office

Produce and share information quickly

Some things are too important to keep to yourself. Choose the Savin SP 3600SF or SP 3610SF for fully featured, multifunction performance and collaborate with colleagues and customers with easy, one-touch controls. Scan color documents to folders, email, FTP sites and more and distribute them electronically, so your audience can get the information they need in the format they prefer — whether they're at their desks or on the road using personal mobile devices. Sometimes you need to share information such as prescriptions, contracts and other legal documents in hard copy. In those cases, take advantage of Super G3 and LAN faxing to send critical documents in seconds and save on courier costs.



Handle more types of media

You haven't let a smaller office limit what you can do, so why let a smaller printer or MFP limit your production? Print up to 6,000 prints per month on the Savin SP 3600DN/SP 3600SF/SP 3610SF. The standard paper tray accommodates a wide range of media, even thick paper up to 43 lb. Bond/90 lb. Index and envelopes. Add an optional paper feed unit to increase paper capacity to 850 sheets and complete more jobs with fewer interruptions. You can also print banners on media up to 8.5" x 35.4", so you can keep special projects in-house, too.




Simplify how you work

Keep projects moving by keeping things simple. Use the 4-line LCD panel to check system status at-a-glance and navigate key functions. For example, you can copy both sides of an ID card or small document onto a single sheet of paper just by clicking on the preset ID Card Copy button. Worried about maintaining the device? You can take advantage of the all-front-access design and separate drum and toner to perform maintenance tasks quickly and efficiently. Use Web Image Monitor, Device Manager NX or @Remote to check settings, manage queues and expedite maintenance from your desktop.



Work conveniently using your personal mobile device

You prefer working your own way. With the Savin SP 3600DN/SP 3600SF/SP 3610SF, you can do it using your own mobile devices. As long as you're on the same network, you can print and share images, documents, photographs and more using the Savin Smart Device Print&Scan app from your Apple® iPhone®, Apple iPad or Android™ smartphone or tablet without print drivers.



Savin SP 3600DN/SP 3600SF/SP 3610SF

SYSTEM SPECIFICATIONS

Engine Specifications

Configuration	Desktop
Technology	LED
Color/B&W	Black & White
Printing Process	Electro-photographic printing
Toner Type	Dry, single component
B&W Print Speed (Letter)	31 ppm
Maximum Monthly Volume	Up to 6,000 prints
Maximum Monthly	50,000 prints
Duty Cycle	
First Page Out Time	6.5 seconds
Warm-up Time	14 seconds
Recovery from Sleep Mode	10 seconds or less
Standard Paper Capacity	1 x 250-sheet Tray + 100-sheet Bypass Tray
Maximum Paper Capacity	850 sheets
Standard Output Capacity	125 sheets
Supported Paper Sizes	Paper Tray: 3.93" x 5.82" – 8.46" x 14.0" (100 x 148 – 216 x 356mm) Bypass Tray: 2.36" x 8.5" – 5.0" x 35.43" (60 x 127 – 216 x 900mm)
Supported Paper Weights	All Trays: 14 – 43 lb. Bond/90 lb. Index (52 – 162 g/m ²) Duplex: 14-43 lb. Bond/90 lb. Index (52 – 162 g/m ²)
Supported Paper Types	Plain, Recycled, Thick, OHP (Transparency), Letterhead, Preprinted and Envelopes Automatic (standard)
Duplexing	
Dimensions (W x D x H)	SP 3600DN: 14.6" x 15.4" x 10.55" (370 x 392 x 268mm) SP 3600SF/SP 3610SF: 15.8" x 15.4" x 16" (400 x 392 x 406mm)
Weight	SP 3600DN: 31.9 lbs. (14.5 kg) SP 3600SF/SP 3610SF: 41.89 lbs. (19 kg)
Power Consumption (Operating)	SP 3600DN: 457.9W SP 3600SF: 480.9W SP 3610SF: 471.8W
Power Consumption (Sleep Mode)	Less than 1W
Typical Electricity Consumption (TEC)	SP 3600DN: 1.5 kWh/week SP 3600SF: 1.4 kWh/week SP 3610SF: 1.5 kWh/week
Power Requirements	120V, 60Hz, 10A
ENERGY STAR	Certified
EPEAT	Silver

Copy Specifications (SP 3600SF & SP 3610SF Only)

Copy Resolution	Up to 600 x 600 dpi
Document Feeder Type	SP 3600SF: Automatic Document Feeder (ADF) SP 3610SF: Single Pass Duplex Feeder (SPDF)
Document Feeder Capacity	35 sheets
Document Feeder Original Size	8.5" x 14" – 5.5" x 8.5" (A4 – A5), Custom: up to 8.5" x 35.4"
Document Feeder Paper Weight	Simplex: 14 – 34 lb. Bond (52 – 128 g/m ²)
Maximum Original Size	Exposure glass: up to 8.5" x 11.7" (216 x 297mm) ADF/SPDF: One-sided originals: 8.5" x 35.4" (216 x 600mm), Two-sided originals: 8.5" x 14" (216 x 356mm)
Maximum Copy Quantity	99 copies
Preset Reduction & Enlargement Ratios	65%, 78%, 93%, 129%, 155%
Zoom Range	25% to 400% in 1% increments

Copier Features

ID Card Copy, Manual Density Adjustment (5 levels); Image Quality Mode – Text, Text/Photo and Photo, Memory Copy, Duplex Copy, Combine Copy, Auto Paper Selection, Directional Magnification, Auto Start, User Program, Electronic Sorting, Image Rotation, Series Copy

Print Specifications

Processor Speed	500 MHz
Memory (Standard/Maximum)	SP 3600DN: 256 MB/256 MB SP 3600SF/SP 3610SF: 512 MB/512 MB
Print Resolution	Up to 1200 x 1200 dpi
Printer Languages	PCL6/Se, Adobe "PostScript"3
Connection Type	Standard: Ethernet (100/10BASE-T), USB 2.0; USB 2.0 Host (SP 3600SF/SP 3610SF only); Optional: IEEE802.11b/g/n (SP 3600SF/SP 3610SF only)

Font Support

PCL6: 45 fonts, PCL5: 45 fonts + International fonts 13 fonts, PostScript3: 136 fonts

Network Protocols

TCP/IP (IPv4, IPv6)
Windows XP/Vista/7/8/8.1, Windows Server 2003/2003 R2/2008/2008 R2/2012/2012 R2, MacOS (X10.6 – 10.9) or later

@Remote, SmartDeviceMonitor, Device Manager NX, Web SmartDeviceMonitor, Web Image Monitor, Presto!® PageManager® 9se*

*SP 3600SF and SP 3610SF only

Smart Device Print & Scan App

Other Print Features

Reduce/Enlarge, Collate, Layout (N-up), Duplex, Toner Saving, Watermark, Rotate Print, Support for Universal Driver

Controller Options

IEEE802.11 Interface Unit Type P6

Scan Specification (SP 3600SF & SP 3610SF only)

Scanning Method	CIS
Scanner Resolution	Color and B&W: up to 600 dpi
Scanning Speed (Letter)	B&W: up to 20 ipm, Color: up to 6 ipm
Platen Size	Up to 8.5" x 11"
Maximum Scanning Size	Up to 8.5" x 14"
Scan Modes	Text, Text/Photo, Grayscale
File Formats	JPEG, Single/Multi Page TIFF, Single/Multi Page PDF
Scan-To Modes	Scan-to-Email (with LDAP support); Scan-to-Folder (SMB/FTP); Network TWAIN, Scan-to-Media (USB)
Scan Protocols	Network: TCP/IP; Email: SMTP, POP 3; Scan-to-Folder: SMB, FTP

Facsimile Specifications (SP 3600SF & SP 3610SF only)

Fax Resolution	Up to 200 dpi
Fax Scanning Speed (ADF/SPDF)	20 spm (Letter)
Modem Speed	33.6 kbps with auto fallback
Fax Compression Method	MH, MR, MMR
SAF Memory Size	16 MB (approximately 100 sheets)
Transmission Speed	G3: 3 seconds per page
Quick Dials	32 locations
Standard Fax Features	Redial (Automatic/Manual), Page Counter, Auto Reduction, Memory Lock ID Code, Energy Saver, Immediate/Parallel/Memory Transmission, Serial Broadcasting, Auto/Manual/Substitute/Duplex Reception, LAN Fax

Security Features

Security via TCP/IP Access Control, Network Encrypted communications using SSL/TLS, SMNPv1, SMNPv2, IPsec, Wireless LAN Security (WEP, WPA2/ WPA2-PSK)

Hardware Options

Paper Feed Unit PB1060

Paper Capacity	250 sheets
Supported Paper Sizes	3.93" x 5.82" – 8.46" x 14.0"
Supported Paper Weight	14 – 43 lb. Bond/90 lb. Index (52 – 162 g/m ²)
Dimensions (W x D x H)	14.6" x 15.4" x 3.7" (370 x 392 x 95mm)
Weight	9.04 lbs. (4.1 kg)

Paper Feed Unit PB1070

Paper Capacity	500 sheets
Supported Paper Sizes	3.93" x 5.82" – 8.46" x 14.0"
Supported Paper Weight	14 – 43 lb. Bond/90 lb. Index (52 – 162 g/m ²)
Dimensions (W x D x H)	14.6" x 15.4" x 4.9" (370 x 392 x 125mm)
Weight	9.92 lbs. (4.5 kg)

Adjustable Height Cabinet Type G

Supports all paper tray configurations

Dimensions (W x D x H) 17.8" x 19.4" x 21.7" (453 x 491.5 x 552mm)

Weight 42 lbs.

Consumables & Yields

Print Cartridge SP 4500	6,000 pages*
Print Cartridge SP 4500LA	3,000 pages*
Photo Conductor Unit SP 4500	20,000 pages

Maintenance Kit SP 3600 120,000 pages

*Declared yield values in accordance with ISO/IEC 19752. Actual yields may vary based on images printed and other factors.

The Savin SP 3600DN/SP 3600SF/SP 3610SF ships with starter toner that yields 1,500 pages (ISO/IEC 19752).

For maximum performance and yield we recommend using genuine Savin parts and supplies.

Warranty

The Savin SP 3600DN, SP 3600SF/SP 3610SF are under warranty against defects for a period of one year from the date of purchase. Consumables are under warranty for a period of 90 days from the date of purchase or until depleted, whichever comes first. Please refer to warranty documents shipped with the product for more details.

www.savin.com

Ricoh Americas Corporation, 70 Valley Stream Parkway, Malvern, PA 19355, 1-877-472-8460
Savin® and the Savin logo are registered trademarks of Ricoh Americas Corporation. Ricoh® and the Ricoh Logo are registered trademarks of Ricoh Company Ltd. All other trademarks are the property of their respective owners. ©2016 Ricoh Americas Corporation. All rights reserved. Savin products and services are offered by Ricoh Americas Corporation and its affiliates. The content of this document, and the appearance, features and specifications of Savin products and services are subject to change from time to time without notice. Products are shown with optional features. While care has been taken to ensure the accuracy of this information, Ricoh makes no representation or warranties about the accuracy, completeness or adequacy of the information contained herein, and shall not be liable for any errors or omissions in these materials. Actual results will vary depending upon use of the products and services, and the conditions and factors affecting performance. The only warranties for Savin products and services are as set forth in the express warranty statements accompanying them.

S3553-1

