

BP-30C25

Digital Full Colour Multifunctional System

Be Original.



A versatile MFD to upgrade the way you work

Here is a smart and user-friendly MFD designed to fit in anywhere. Inside its clean and compact frame, it packs a huge range of essential functions to streamline your workflow. This versatile full-colour A3 MFD is built to match a diverse range of work styles. As a key player in your office team, it will drive your business forward into new realms of value

Compact Size

All-in-one Functionality

Stylish Design





Distriction of the second of t

Fits various business scenarios

Harnessing the versatility of digital data can help you streamline your operations and grab new business opportunities.

See more on pages 5-6

Fits your everyday office needs

The LCD touchscreen with Easy UI mode gives everyone on your team easy access to everyday functions on the MFD.

See more on pages 3-4





Fits your security demands

A secure environment supports admin staff in their duties and protects your business from risk.

See more on pages 9–10

Fits a range of work styles

Because the MFD can connect to a variety of mobile devices and cloud services, you and your team can work anytime, anywhere.

See more on pages 7–8





7.0-Inch LCD Touchscreen

The 7.0-inch colour LCD touchscreen makes it easy for anyone to use the MFD's advanced functions. The function icons incorporate a simple, straightforward design. Each user can customise the home screen by drag-and-dropping icons for commonly used functions.



LED Status Lamps

On the control panel are two LED lamps: one red, one green. These light up to notify you—even from a distance—that, for example, the machine is "now printing" or "out of paper."

Pop-up Command Screen

Insert a USB drive into the MFD and a command screen will automatically pop up on the LCD. Right away you can print files from the USB drive—which are displayed as thumbnails*—or you can scan documents directly to the USB drive.

*Previews of Microsoft® Office files require optional MX-PU10.



Easy UI Mode

In Easy UI mode, the touchscreen displays simple icons for frequently used functions like duplexing and paper size selection.



Enlarged icons allow easy access to the functions you need

Quick Login

Just tap your dedicated user icon to access a personally customised operation screen. Customisable items include initial settings and onscreen language.



Add a user—it's simple and easy





Choose an icon

Adding a user is easy via the touchscreen control panel. Simply choose an icon from the template.

Free-Tilting Control Panel

The control panel can be tilted freely at various angles. This gives you easy viewing and easy operation, no matter where the MFD is placed or who is using it.



Easy Scanning

Tap on the LCD touchscreen's Auto Set button to have the MFD perform a host of actions automatically. It can determine scan resolution, skip blank pages in a multi-page document, or reorient pages mixed in upside down*. Automatic functions like these save you time and effort, while ensuring optimal scan results.

*Requires optional MX-EB20.



Automated settings that match the document
The MFD can tell whether a document being scanned is colour or
B/W. If it is B/W it can automatically select the optimal setting for
text—monochrome or greyscale.

Corrects skewed documents
The MFD detects skewed documents*
and automatically adjusts them, so
you don't have to re-scan them.
*PDF format only.



Fast Wake Up from Sleep Mode

This MFD recovers quickly from energy-saving Sleep mode. Placing a document in the RSPF or touching the LCD control panel wakes the MFD up in just one second*. This helps to minimise waiting time and get your jobs done faster.

*When in Fast Wake Up mode.



Energy Efficient

To reduce power consumption, Sharp has applied its advanced technologies across all areas of this MFD. Energy-saving functions include a short warm-up time and low power consumption of only $0.5~\rm W^*$ in fax or network standby mode.



*May vary depending on usage environments.


Auto Power Shut-Off

To save electricity, an auto power shut-off function automatically puts the MFD into energy-saving mode after a period of inactivity. Shortly before this mode begins, a message appears on the LCD indicating that the MFD will soon shut down and giving you the option to continue operation.

Easy, High-Quality Scanning and Copying

Through an advanced three-step process, Auto Colour Mode provides faithful and fully automated copying and scanning in both colour and B/W—all with a simple press of the Start button. Here's how it works: Auto Colour Selection automatically determines whether a page is colour or B/W. Auto Original Type Selection then analyses page contents to distinguish between different components (such as photos, text, and text on halftone backgrounds) and selects the appropriate mode. It uses machine learning to optimally reproduce text and images. Finally, Background Suppression* automatically removes unnecessary background colour.

*Depends on the colour of the background or type of document.



Automatic Document Feeding

An RSPF (reversing single pass feeder) efficiently feeds in up to 100 sheets of either one- or two-sided originals. Because you can feed in a batch of multiple pages at once, it boosts copying and scanning efficiency.



Automatic Toner Cartridge Eject Function


This function expels completely empty cartridges in preparation for replacement. The cartridge is replaced only after all the toner has been consumed, thereby ensuring efficient use of toner. Because you can tell at a



glance when cartridges are empty, they are fast and easy to replace.

Power ON/OFF Schedule

This function automatically turns the MFD on or off per administrator-set schedules.



Eco Recommendation


This function suggests environmentally friendly settings before a print*/copy command is executed from the control panel.

*For printing Document Filing data and direct printing (FTP/SMB/USB).



Card Shot Function


The MFD lets you easily copy both sides of a card onto a single page. Whether it's an ID card or a driver's license, you save time, effort, and paper.



Versatile Paper Handling

The main unit paper tray can take paper sizes from A3 to A5, while the multi bypass tray can also handle A6 paper. The optional paper feed units handle paper weights up to 220 g/m², while the multi bypass tray can accomodate paper up to 256 g/m² *¹. In addition to plain paper, the MFD can handle a number of other paper types*², such as envelopes, removable adhesive paper, and glossy paper.

- *1: 256 g/m² paper cannot be fed via main unit paper tray.
- *2: Must be fed via multi bypass tray.



Printing Two Pages on One Sheet


Duplex printing allows printing on both sides of a sheet of paper. The MFD can also print two pages of content on the same side of a sheet of paper. Using both of these functions at the same time lets you print four pages on one sheet. It's a great way to reduce paper use and cut paper costs.



Rotation Sort*

Every other copy of a document is rotated 90 degrees when it's delivered to the output tray. This takes the hassle out of sorting copies and comes in handy when you need to print many copies of multi-page documents.

 $^{\star}\text{Two}$ paper trays must be loaded with the same-sized paper in a different orientation (landscape and portrait).




Custom Images

By storing image files of your choice—like your company's logo—on the MFD, you can easily add them to copies and printouts.

Multicrop and Image Crop Functions

Multiple receipts, photos, and other items can be scanned all at once, with each one saved as a separate file. This helps you streamline the filing of receipts and bills. The MFD can also crop photos from documents such as magazine pages and save them as individual files.



Convert Documents via OCR*

OCR capability on this MFD lets you convert a scanned document into a searchable PDF file or into an editable Office Open XML (docx, xlsx, pptx) file.

*Requires optional MX-EB20.

Business Card Scanning*

The MFD can scan multiple business cards at once. It reads the contact details on each card via OCR* and then exports the details to your chosen contact management system.


*Requires optional MX-EB20.

Multiple Scan Destinations

There are many ways to distribute scanned documents. They can be sent to an FTP server, to a network folder, or to a USB drive. Or they can be sent directly to a designated PC desktop*1 or as email attachments. A compact PDF function*2 ensures that PDF files are sent and received smoothly.

- *1: Requires Network Scanner Tool Lite.
- *2: Requires optional MX-EB19.

Effective data sharing and management



Network Scanner Tool Lite*

The Network Scanner Tool Lite lets you send documents scanned on the MFD to your PC or mobile device and save them in a specified folder. It can even work if you're out at a client's office as the Network Scanner Tool Lite can detect the nearest MFD, and let you upload scans without making any special settings.

*Download from the following website: https://global.sharp/products/copier/downloads/

Versatile Fax Functions*


The MFD gives you all the benefits of standard fax functionality. It also supports paperless faxing, so you can check faxes anytime, anywhere and respond accordingly. You'll be able to handle all sorts of fax-related work with ease.

*Fax requires optional MX-FX15, and Internet fax requires optional MX-FWX1.

Inbound routing

Inbound routing lets you forward incoming faxes to a pre-designated location, such as a PC desktop*, FTP server, network folder, or email address without printing to paper. This allows you to check faxes even when you're out of the office, and it makes it easier to separate incoming faxes intended for different recipients.

*Requires Network Scanner Tool Lite.



Incoming fax auto save and preview

The MFD automatically saves incoming fax data. It allows you to preview faxes on the LCD control panel before printing them out. This gives you the option of printing them out if needed, deleting them, or forwarding them to a PC or mobile device. You can also keep them on the MFD's storage device to use at a later time. Because the MFD can save incoming faxes without immediately printing them, it can reduce your paper and toner usage.

Internet fax

This MFD lets you exchange faxes via email with other compliant fax machines. Compared to conventional phone line faxing, Internet faxing saves on telecommunication costs.

PC-fax transmission

You can directly send a document created on your PC to a recipient's fax machine via the MFD. This saves time, effort, and paper, because you don't need to print the document before faxing it.



Link with Mobile Devices*

Connecting the MFD to one or more mobile devices is easy, and it expands your options for sharing data. Not only can you send scanned documents to mobile devices such as smartphones and tablets, you can also print documents or photos sent from those devices.

*Requires wireless LAN connection or optional MX-EB18.



■ Sharpdesk Mobile*1

This print/scan app lets you easily link your mobile device to the MFD by simply holding it over the MFD's NFC card reader*2 or by scanning the MFD's QR Code®.

- *1: For details, see the Sharpdesk Mobile support website: https://global.sharp/products/copier/docu_solutions/mobile/sharpdesk_mobile/
- *2: The NFC interface is for Android™ devices running Android 9 or earlier. Requires third-party NFC card reader. Contact a Sharp customer representative for details.
- Sharp Print Service Plugin*

This mobile printing technology allows printing from Android devices.

*Available at a later date. For details, see the Sharp Print Service Plugin support website: https://global.sharp/products/copier/docu_solutions/mobile/Sharp_Print_Service_Plugin/index.html Requires optional MX-PK13.

AirPrint*

The MFD supports the AirPrint printing feature in Apple devices. It lets you print directly from a mobile device without the need for a print driver.

*Requires optional MX-PK13.

Wireless Connections*

The MFD offers ultra-handy wireless access, enabling convenient access to the MFD even from places where it's difficult to connect a LAN cable.

*Requires optional MX-EB18.

Link with Mail Servers

Scanned data can be conveniently sent via your regular Gmail™ or Microsoft Exchange/Online* account.

*Exchange Server 2010/2013/2016, Exchange Online

Office Direct Printing*

Print common Microsoft Office files without using a PC. With this MFD, you can print a Word, Excel®, or PowerPoint® file directly from a mobile device, cloud service, USB drive, or file server.

*Requires optional MX-PU10. The actual printout may look different from what is displayed on the computer screen. This function is enabled via Qualcomm® DirectOffice™ technology




Link to Cloud Services*1

The MFD connects with cloud services directly from its control panel, letting you upload scanned data to or print directly from any of them*2. Once you log in to the MFD, its single sign-on feature allows you to quickly access multiple software services without having to sign in to each one separately. You can also download and install apps on your MFD via Sharp's Application Portal. App updates are easily recognisable, so you'll always be up-to-date on the latest services.

*1: Requires optional MX-AMX2. Contact a Sharp customer representative for details. Exchange *2: Direct printing of PDF files requires optional MX-PK13; Webmail services Online direct printing of Microsoft Office (pptx, xlsx, docx) files requires optional MX-PU10. SharePoint® Gmail™ Online Application **Portal** Cloud-based Google Вох Online storage groupware services OneDrive[®] Dropbox for Business Download apps via Icons of downloaded apps Application can be added to Portal icons notification icon the home screen

Print Release*

The Print Release function lets you send documents to the main MFD. This MFD acts as a server and stores them for printing out from any other compatible MFD on the network. The document won't be output until you log in to the MFD, select the document, and execute a print command. This prevents you from printing the wrong document, forgetting documents in the output tray, or having others see your confidential documents. Print Release is easy to set up for admin staff and doesn't need a separate server.



Document Filing

Document Filing allows files that have been copied, printed, scanned, or faxed* to be stored by job on the MFD's solid-state drive. From there, they can be instantly recalled for printing and sending at a later time. You can also combine multiple stored files into one, enabling easy and effective use of data.

*Fax requires optional MX-FX15, and Internet fax requires optional MX-FWX1. For fax and Internet fax jobs, only transmitted data (not received faxes) can be saved via the Document Filing function.

Quick File folder

Storing data in a Quick File folder lets you instantly reuse the file you need.


Main and Custom folders

Main folders can be assigned user names and shared across your workgroup. Custom folders require users to enter a password for access, so your sensitive data can be protected.

Secondary Ethernet Port*

A secondary Ethernet port allows the MFD to support two separate networks. You can set up different IP addresses and security settings for each line—one in-house, say, and one for visitors. Alternatively, the MFD could be set up to access a web-connected office network as well as a high-security offline network.

*Requires an Ethernet adaptor that supports two lines. Contact a Sharp customer representative for details.



Sharp OSA* (Open Systems Architecture)

Sharp OSA technology allows you to interact with intra-company systems and network applications right from the LCD control panel. And since Sharp OSA utilises industry-standard network protocols, the MFD can easily integrate with third-party document management systems, enterprise resource planning software, workflow applications, and more.


*Requires optional MX-AMX2 and/or MX-AMX3.

Remote Operation*

The Remote Operation function lets you display the MFD's main control panel on the screen of your PC or mobile device. From a remote location, you can then check MFD settings or reprint data stored on the MFD.

*Requires VNC application. Simultaneous remote operation from two or more PCs or mobile devices is not possible. Remote operation also depends on the network environment and applications being used. Contact a Sharp customer representative for details.





Document Control

This function prevents unauthorised use of confidential documents* by embedding copy prevention data in them.

*Requires optional BP-FR10U. May not work with certain types of paper, documents (such as those with a lot of photos), or MFD settings.

Hidden Pattern Copy/Print Function

Documents can be embedded with a watermark when they are output. The next time the documents are copied, a pattern or message appears in the background on the copy, thus effectively deterring unauthorised copying of confidential or personal information.

Tracking Information Print

This function prints the MFD user's name, the date, job ID, and other specifics on printouts, making it possible to track documents.

Data Encryption and Automatic Erasure*

Job data is encrypted before being saved to the MFD's internal storage. Once the data is output or sent, it is automatically erased.

 ${}^\star Contact\ a\ Sharp\ customer\ representative\ for\ details\ on\ activating\ this\ function.$

Firmware Self-Recovery


Prevents firmware damage by quickly and automatically restoring files when abnormal firmware activity is detected.

Personal Information Erasure

Initialising the MFD allows you to delete personal information and other data stored on it. This security function helps prevent leakage of personal information and important documents after the machine is disposed of.

Active Directory®

By linking the MFD with Active Directory, users can access cloud services and network folders via the MFD by logging in with their authentication information. Beside the convenience of this single sign-on for users, system administrators can maintain a high level of security.



Server Authentication

The MFD supports external server authentication functions such as LDAP and Active Directory. With centralised management of multiple user credentials, system administrators can keep track of multiple MFD usage.

S/MIME*

Supports email encryption and digital signature. Sending emails in encrypted format keeps data from leaking. It also prevents someone from masquerading as the sender or altering the content of an email.

*Only when emailing scanned data.

Image Job Log*

This function creates and externally stores an image file (PDF) and a log file (XML) for each job. This helps identify unauthorised use of the MFD.

*Contact a Sharp customer representative for details on activating this function.


Whitelisting

Whitelisting protects the MFD from fraudulent programs trying to access the file system and obtain information.

SSL and IPsec

SSL (secure sockets layer) and IPsec data encryption technologies ensure secure network communications.

System Configuration



Specifications for Optional Equipment

BP-CS10 500-Sheet Paper Feed Tray

Paper size	A3 to A5*1
Paper capacity	500 sheets
Dimensions (W x D x H)	560 x 560 x 145 mm
Weight (approx.)	6.7 kg

BP-DE10 Stand with 2 x 500-Sheet Paper Drawer

	Paper size	Upper and lower tray	A3 to A5*1
	Paper capacity	Upper and lower tray	500 sheets each
Dimensions (W x D x H)		(D x H)	560 x 585 x 329 mm
Weight (approx.))	21 kg
Dimensions (W x D x H)		Upper and lower tray	560 x 585 x 329 mm

BP-DS11 Low Stand

Dimensions (W x D x H)*2 Weight (approx.)	560 x 585 x 102 mm 4.6 kg			
BP-DS10 High Stand				

Note: All specifications relating to paper capacity refer to $80\ g/m^2$ paper.

- *1: Only short-edge feeding can be used with A5 paper.
- *2: Including adjusters and protuberances.

SPECIFICATIONS

General

Desktop **Engine speed** A4*1: Max. 25 ppm A3: Max. 14 ppm

Control panel display 7.0-inch colour LCD touchscreen

Paper size Max. A3W, min. A6*2 Standard: 350 sheets Paper capacity

(80 g/m²) (250-sheet tray and 100-sheet multi bypass tray)

Maximum: 1,850 sheets

(350 sheets & optional 3 x 500-sheet tray)

Paper weight Tray 1: 60 g/m2 to 105 g/m2

Trays 2-4 (BP-CS10/DE10): 60 g/m² to 220 g/m²

Multi bypass tray: 55 g/m² to 256 g/m²

Warm-up time*3 17 sec.

5 GB (copy/print shared) 128 GB SSD*5 Memory Rated local AC voltage ±10%, 50/60 Hz Power requirements Power consumption Max. 1.84 kW (220 V to 240 V)

Dimensions (W x D x H) 568 x 630 x 653 mm

Weight (approx.) 54 kg

Copier

Max. A3 Original paper size First copy time* Continuous copy

Colour: 11.0 sec.

B/W: 8.0 sec. Max. 9,999 copies

Scan (colour): 600 x 600 dpi Resolution

Scan (B/W): 600 x 600 dpi, 600 x 400 dpi

Print: 600 x 600 dpi.

9,600 (equivalent) x 600 dpi (depending on copy mode)

Equivalent to 256 levels Gradation

25% to 400% (25% to 200% using RSPF) in 1% increments Zoom range

Preset copy ratios Metric: 10 ratios (5R/5E), inch: 8 ratios (4R/4E)

Scanner

File formats

Scan method Push scan (via control panel)

Pull scan (TWAIN-compliant application) Scan speed*7 Colour & B/W: Max. 52 originals/min. Resolution Push scan: 100, 150, 200, 300, 400, 600 dpi

Pull scan: 75, 100, 150, 200, 300, 400, 600 dpi

50 dpi to 9,600 dpi via user setting*8

TIFF, PDF, PDF/A-1a*9, PDF/A-1b, encrypted PDF, XPS, compact PDF*10*11, JPEG*11, searchable PDF*9, OOXML (pptx, xlsx, docx)*9, text (TXT [UTF-8])*9, rich text (RTF)*9

Scan destinations Scan to email/desktop*12/FTP server/network folder (SMB)/

USB drive/local drive

Document Filing

Document filing capacity*13 Main and custom folders: 5,000 pages or 500 files

Quick file folder: 5,000 pages or 500 files

Stored jobs*14 Copy, print, scan, fax

Storage folders Quick file folder, main folder, custom folder

(max. 1,000 folders)

Printer

Network protocols

Resolution 600 x 600 dpi, 9,600 (equivalent) x 600 dpi

Interface USB 2.0 (host, high-speed), 10Base-T/100Base-TX/1000Base-T,

wireless LAN (IEEE 802.11 b/g/n)*15

Supported OS*16 Windows Server® 2012, Windows Server® 2012 R2,

Windows Server® 2016, Windows Server® 2019,

Windows® 8.1, Windows® 10

Mac OS 10.9, 10.10, 10.11, 10.12, 10.13, 10.14, 10.15

Printing protocols LPR, Raw TCP (port 9100), POP3 (email printing), HTTP,

FTP for downloading print files, IPP, SMB, WSD

Standard: PCL 6 emulation Option: Adobe® PostScript® 3™

80 fonts for PCL, 139 fonts for Adobe PostScript 3

Available fonts

B/W Facsimile (requires optional MX-FX15)

MH/MR/MMR/JBIG Compression method Communication protocol Super G3/G3 Less than 3 seconds*17 Transmission time

33,600 bps to 2,400 bps with automatic fallback Modem speed

Transmission resolution From Standard (203.2 x 97.8 dpi) to


Ultra Fine (406.4 x 391 dpi) Recording size A3 to A5 1 GB (built-in) Memory

Greyscale levels Equivalent to 256 levels

Design and specifications are subject to change without prior notice.

 Microsoft, Excel, PowerPoint, OneDrive, SharePoint, Active Directory, Windows Server, and Windows
are either registered trademarks or trademarks of Microsoft Corporation in the US and/or other countries. QR Code is a registered trademark of DENSO WAVE INCORPORATED in Japan and other countries. Android, Gmail, and Google Drive are trademarks of Google LLC. The Google Drive trademark is used with permission from Google LLC. AirPrint and Mac are trademarks of Apple Inc., registered in the US and other countries. Box is a trademark, service mark, or registered trademark of Box, Inc. Dropbox is a trademark or registered trademark of Dropbox, Inc. PCL is a registered trademark of Hewlett-Packard Company. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe in the US and/or other countries. Qualcomm DirectOffice is a product of Qualcomm Technologies, Inc. and/or its subsidiaries. Qualcomm is a trademark of Qualcomm Incorporated, registered in the US and other countries. DirectOffice is a trademark of CSR Imaging US, LP, registered in the US and other countries. All other brand names and product names may be trademarks or registered trademarks of their respective owners.

Qualcomm® DirectOffice®



883 mm when multi bypass tray is extended

Shown with optional equipment.

Only short-edge feeding can be used with A6 paper.

- In a standard measurement environment. May vary depending on operating conditions and environment.
- When starting the MFD via the power button. 28 seconds when starting via the main power switch.
- SSD capacity depends on procurement and sourcing status.
- Long-edge feeding of A4 sheets from 1st paper tray, using document glass, MFD in fully ready condition. May vary depending on operating conditions and environment.
- Based on Sharp's A4 standard chart, using document feeder, long-edge feeding, one-sided scanning, and factory default settings. Scan speed will vary depending on the type of document and the scan settings
- Resolution will vary depending on the size of the scanned area.
- *9: Requires optional MX-EB20. *10: Requires optional MX-EB19.
- *11: Colour/greyscale only.
 *12: Requires Network Scanner Tool Lite.
- *13: Storage capacity will vary depending on the type of document and the scan settings. *14: Some features require optional equipment.
- *15: Requires optional MX-EB18.
- 16: Mac OS requires optional MX-PK13
- *17: Based on Sharp's standard chart with approx. 700 characters (A4 long-edge feeding) at standard resolution in Super G3 mode, 33,600 bps, JBIG compression.

SHARP CORPORATION OF AUSTRALIA PTY LTD

Distributed by:

ABN 40 003 039 405

P.O. Box 84, Macquarie Park, NSW 2113 Tel: (02) 9830 4600

www.sharp.net.au

