





Digital Full Colour Multifunctional System



Small teams face tough challenges. Give them what they really need.

Compact Design and Enhanced Usability, the DX-C200 Four Functions in One colour printer offers small to medium businesses the advantages of a multifunctional printer at a very affordable cost.







٩,

DX-C200 Digital Full Colour Multifunctional System

All in one performance

- Four functions in one as standard copy, print, scan and fax.
- Full colour network scanning with scan to email/FTP server/network folder/USB memory and support for JPEG, TIFF, and PDF formats.
- USB port allows easy scan to USB memory.
- Convenient access for shared use in growing offices with standard networking including IPV6 support.
- Super G3 fax and Internet fax that supports direct SMTP (in B/W).
- Standard 250 sheet paper capacity, expandable to max. 750 sheets (plus 1-sheet bypass tray).

Highly Productive Operation

- Speedy output of max. 20 ppm in both colour and B/W.
- Fast first print out time of 14 sec. in colour and B/W with short warm up time of less than 30 seconds.
- Standard 35-sheet Single Pass Feeder.
- Standard automatic duplex printing.
- Easy management of multiple jobs with a powerful 400 MHz controller and 256 MB RAM.
- ID card copy facility enables both sides of a document to be copied onto a single sheet, saving paper and time.

Compact Design and Enhanced Usability

- Small in size to fit into any workspace
- Easy to use 4-line operation panel raised for easy access to device settings and alerts, such as toner or paper needs replacing.
- Web Image Monitor for remote monitoring of system in real-time offers immediate access to supply status and print network settings.

Superb Image Quality

- High quality colour business documents with true 600 x 600 dpi and interpolated resolutions of up to 2,400 x 600 dpi.
- Full colour and black & white scanning at up to 1200 x 1200 dpi.
- Vibrant colour and sharp text delivered on a wide range of media.

Environmentally Advanced and Cost Saving

- Certified for Energy Star®.
- Low power consumption and short warm-up time saves energy.
- Energy saving sleep mode.
- High-yield all-in-one toner saves cost and time.
- Optimise toner usage with Economy Colour/Toner Save Mode, limiting the amount of toner used on images and graphics to reduce output costs.
- Duplex printing saves paper and reduces costs.


Specifications

GENERAL	
Туре	Desktop
Paper size	Max. A4, min. A6
Paper weight (g/m²)	
Drawer	60 - 160
Bypass	60 - 160
Optional Drawer	60 – 105
Paper capacity (Std – Max)	
Sheets	250 - 270 (plus 1 sheet bypass tray)
Drawers	1 - 2 (plus 1 sheet bypass tray)
Warm-up time*1 (seconds)	30
First print out time* ² (seconds)	
Full colour	14
B/W	14
Memory (MB)	256
Power requirements	230~240V AC, 50/60 Hz
Power consumption (Max)	1.3 kW
Dimensions (mm) (W x D x H)	420 x 493 x 476
Weight (kg)	30
COPIER	
Original paper size (Max)	A4
First copy time*3 (seconds)	
Full colour	30
B/W	30
Continuous copies (Max)	99
Resolution (dpi)	
Scan	600 x 600
Print	600 x 600, (600 x 300 via SPF)
Gradation levels	256
Zoom range (%)	25 – 400 in 1% increments
Preset copy ratios	8 (4R/4E)
NETWORK PRINTER	
Resolution (dpi)	600 x 600, 1200 x 600, 2400 x 600*4
Interface	USB 2.0, 10Base-T/100Base-TX
Supported OS	Windows® XP, Windows® Server 2003/2003R2/2008/2008R2,
	Windows® Vista, Windows® 7
Material and a set	Mac OS X 10.3 - 10.6
Network protocols	TCP/IP (IPv4, IPv6), IPP, Bonjour
Printing protocols	LPR, Raw TCP (port 9100), FTP, IPP
PDL emulation Std	PCL5c/6, PS3
Available fonts PCL/PS	80
NETWORK SCANNER	
Scan method	Push scan (via operation panel)
Possilution (dri)	Pull scan (TWAIN-complaint application)
Resolution (dpi) Platen Cover	1200 x 1200
Single Pass Feeder	600 x 600
File formats Scanner utilities	TIFF, PDF, JPEG (colour only) Protol Data Manager
	Presto! Page Manager
Scan destinations	Scan to e-mail, FTP server, network folder (SMB),
FACSIMILE	USB memory
Compression method	MH/MR/MMR/JBIG
Communication protocol	Super G3
Transmission time*5 (seconds)	Less than 3
Modem speed (bps)	33,600 – 2,400 with automatic fallback
Transmission resolution (dpi) Std	
	200 x 100
Ultra Fine Recording width	200 x 200
Recording width	A4 – A6 2
Memory (MB)	۷

*1: At rated voltage, May vary depending on machine conditions and operating environment 12. At late voltage: May Vary depending on machine conductors and operating environment.
2: Best achieved time based on A4, 600 x 600 dpi. May vary depending on machine conditions and operating environment.
3: Best achieved time based on A4, at 25^oC. May vary depending on machine conditions and operating environment.
4: Resolutions higher than 600 dpi are interpolated.
*5: Based on 8 x 3.85 line/mm, 33.6 kbps, MMR, ITUT#1 chart.

 Design and specifications are subject to change without prior notice.
 Colour variations to products may
occur due to printing.
 Some features require optional items. Please consult with an authorised Sharp
reseller for details.
 All information and technical details are correct as at machine release date. Windows and Windows Vista are registered trademarks of Microsoft Corporation in the United States and/or other countries. • All other brand names and product names may be trademarks or registered trademarks of their respective owners.

 The ENERGY STAR logo is a certification mark and may only be used to certify products that have been
determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark.
The ENERGY STAR guidelines apply to products only in the US, the EU, Japan, Canada, Australia, New Zealand and Taiwan



SHARP CORPORATION OF AUSTRALIA PTY LTD

ABN 40 003 039 405 1 Huntingwood Drive, Huntingwood NSW 2148 P.O. Box 6827, Blacktown, NSW 2148 Tel: (02) 9830 4600 Fax: (02) 9672 1208 www.sharp.net.au

SHARP