

ADVANCED MONOCHROME WORKGROUP DOCUMENT SYSTEMS 🥟













MX-M503 MX-M453

MX-M363

MX-M283

MX-M503/M453/M363/M283

Precision engineered to help increase workflow efficiency and provide exceptional image quality, Sharp's MX Monochrome Series workgroup document systems take you to the next level in MFP performance and productivity. A large, high resolution touch-screen color display with graphical menu navigation and a full-size retractable keyboard to simplify data entry are just two of the many advanced features offered by these models. The powerful true multi-tasking controller



enables MX Monochrome Series users to save time and money while producing professional documents in-house—robust performance that is also economical.

Sharp's advanced device management makes it easy to control usage and costs.

With the latest Sharp OSA® development platform, integration with network applications has never been easier. And, to safeguard the confidentiality of your intellectual property, Sharp's industry-leading security suite is second to none.



Sharp's MX Monochrome Series workgroup document systems offer advanced features to enhance productivity and improve workflow

ENGINEERED FOR PERFORMANCE

FLEXIBILITY
PRODUCTIVITY
INTEGRATION
USER-FRIENDLY

- Large, high resolution touch-screen color display with graphical navigation (N models)
- Advanced second generation micro-fine toner technology offers crisp, high quality images page after page
- Standard 100-sheet duplex single pass document feeder with color Scan^{2™} technology (N models)
- 1200 x 1200 dpi printing provides clear, crisp images, even on jobs with fine detail (N models)
- Network interface supports gigabit ethernet
- Industry-leading ImageSEND[™] function scans documents to USB devices, network folders, e-mail and more (N models)
- Robust 38GB document filing system with thumbnail view and image preview features (N models)
- Standard PCL[®]6/PCL5e printing system with direct print function and available Postscript[®] 3[™] and Windows[®] XPS options (N models)
- Sharp OSA development platform with standard application communication module (N models) enables businesses to streamline document workflow and enhance productivity*
- ImageSEND function scans documents at up to **70 images per minute** in both black and color (N models)
- Flexible paper handling system feeds up to 110 lb index through the paper trays
- On-board paper storage capacity for up to 5,600 sheets with options
- Super G3 fax option with intelligent inbound routing
- Supports Sharp's latest award-winning multi-level document and network security suite, which conforms to the new IEEE-2600[™] - 2008 security standard for MFP devices*
- Advanced web-based device management offers both administrator level and user level login control
- Remote front panel feature allows users and administrators to view and control machine operations from a PC workstation*
- Environmentally-friendly design offers low power consumption, long-life parts and is supported by Sharp's toner recycling program



INNOVATION THAT BOOSTS PRODUCTIVITY



Standard retractable keyboard makes data entry quick and easy (N models).



Large 8.5" (diagonally measured), high-resolution touch-screen display (N models).



On-line paper capacity stores up to 5,600 sheets with options.

Get on the fast track in today's competitive business environment with Sharp's powerful and dynamic MX Monochrome Series

Award-winning Retractable Keyboard Offers Added Convenience

For workgroups that perform a significant amount of data entry, the MX Monochrome Series document systems include a standard retractable keyboard (N models). Designed to simplify e-mail address and subject line entries, as well as repetitive scanning tasks and user authentication, the built-in keyboard offers users a familiar ergonomic interface.



"Outstanding Achievement for Innovation" Award 2008

The Flexibility and Performance You Need

With a large 8.5" (diagonally measured) high-resolution touch-screen color display (N models) and a powerful true multi-tasking controller, the MX-M503/M453/M363/M283 workgroup document systems can help elevate your office productivity to the next level. The intuitive menu navigation system with razor-sharp graphics makes operating the MX simple and easy. With Sharp's true multi-tasking controller, complex print jobs can be processed quickly, even while documents are being scanned. But that's just the beginning—with a standard 100-sheet dual-head scanning document feeder (N models), automatic duplexing, electronic sorting and integrated offset stacking, you'll complete even large jobs in a snap.

High Quality Output You Can Rely On

The MX Monochrome Series document systems combine Sharp's second generation micro-fine toner technology with **1200** x **1200** dpi print resolution (N models) to produce documents with crisp, clear images and high quality detail.

Reliability Your Business Can Depend On

Sharp's MX Monochrome workgroup document systems deliver professional performance and optimal productivity to satisfy your daily production needs. Copy/print **speeds up to 50 ppm** help you meet project deadlines with time to spare. The flexible paper handling system can feed up to 110 lb index stock through the paper trays. With available on-line paper capacity of up to 5,600 sheets, the MX Monochrome Series is ready when you are.

ADVANCED WORKFLOW MANAGEMENT



For optimal productivity, Sharp offers award-winning Color Scan² technology (N models).



USB 2.0 port is located on the front panel of the machine for easy access.



Sharp's easy-to-use document filing system with Thumbnail Preview (N models).



Sharp's Image Check feature allows users to preview stored documents at the device (N models).

User-friendly features help increase document workflow efficiency and productivity to optimize day-to-day operations

Speed up your Workflow with Sharp's Innovative Color Scan² technology

Sharp's advanced 100-sheet document feeder with dual reading heads can scan 2-sided documents in a single pass, dramatically improving productivity and reliability (standard on N models). Now you can process even large-scale jobs with incredible efficiency.

A True Multi-Tasking Document System

The MX-M503/M453/M363/M283 feature a **high-performance**, **true multi-tasking controller** that delivers copy, fax and print jobs continuously for optimum efficiency.* Some controllers only perform one operation at a time. But the MX Monochrome Series continually processes incoming jobs even while existing jobs are output. The result? A workflow that virtually never slows down—even at crunch time.

Direct USB Printing Adds Convenience and Portability

With Direct USB printing, users can print files in a variety of popular formats directly from USB memory devices such as a ThumbDrive™ or ClipDrive™.* Need to print PDF brochures in a hurry for a big meeting? It's easy with the MX Monochrome Series. Just plug in your portable USB memory device, select the file, and print.*

Innovative Document Filing

Sharp's easy-to-use **Document Filing System** provides up to 38GB of hard drive space to store frequently used files such as forms, reports and other commonly used documents for printing and distribution.* Plus, with private storage features and **PIN-code access**, you can store sensitive documents securely. And, with Sharp's **Quick File Folder**, you can temporarily store documents with fast, one-touch simplicity. An easy-to-use backup system helps ensure your files are safe.

To make managing all of your stored jobs simple, the MX touch-screen display offers an intuitive **thumbnail view** to allow walk-up users to easily locate stored jobs even if they don't know the filename (N models). For added convenience, an advanced **Image Check** feature allows selected files to be previewed on-screen—walk-up users can even zoom in, change print attributes or move a file to another folder (N models). With storage capacity for up to 5,500 pages, your document workflow can improve significantly.

Get Professional Results with Advanced Finishing

The MX-M503/M453/M363/M283 offer a choice of three high-performance finishers that can give your documents a professional look and feel. Choose from a compact inner finisher, a floor-standing saddle-stitch finisher or a large capacity 4K stacking finisher. All three models offer three-position stapling and an available 3-hole punch.



MX-M503N with 4K stacking finisher and punch unit



MX-M503N with saddle stitch finisher




MX-M503N with compact inner finisher


^{*}Some features may require optional equipment.



PRECISION ENGINEERED, INNOVATIVE FEATURES



Sharp's intuitive print drivers make accessing all of the MX print features quick and easy.



With Sharp's advanced job handling features, users can easily retain print jobs on the MX hard drive for reprinting at a later date.*

Stay out front with robust, easy-to-use print drivers to help maximize document workflow efficiency in any business environment

Exceptional Print Quality with Professional Output

With the MX Monochrome Series, your business can produce razor-sharp B&W documents. Plus, with **1200 x 1200 dpi resolution**, (N models) even documents with fine detail will look great! Sharp's easy-to-use print drivers allow users to set up even complex jobs with just a few mouse clicks. Simple plug-n-play operation makes it easy to take advantage of advanced feature sets in a snap. Special functions like Tab Paper Print, Chapter Inserts and Carbon Copy Print allow you to quickly produce a variety of document types.

The **optional Postscript driver** delivers extensive finishing features that include three-position stapling for up to 50 sheets, saddle stitch finishing for up to 15 ledger size pages and three-hole punching.* Now you can produce professional quality documents from your desktop that look so good, everyone will think you had them sent out to a printer.

Advanced Job Retention Features Enhance Productivity

Sharp's innovative printing system makes it easy for any business to store and archive print jobs.* With the ability to retain jobs on the MX hard drive, documents can be stored and reprinted again and again by walk-up users or through the **embedded web page**.* Print jobs can even be sent to the MX for archiving without printing them! Need to store sensitive documents? No problem! Users can assign a password right from the print driver or from the MX operation panel!





FLEXIBLE DOCUMENT DISTRIBUTION



In today's fast-moving business environments, you need every advantage you can get-Sharp's new MX Monochrome document systems give you the edge

Integrated Network Scanning

With Sharp's powerful **ImageSend** technology, you get one-touch distribution features that centralize document workflow, reduce mail costs and save time. With up to **seven destinations**— E-mail, Desktop, FTP, Network Folders (SMB), USB, Fax and Internet Fax—getting your document where it needs to go is as easy as pushing a button. High-volume workgroups will appreciate the **Send to Group** mode that allows you to mix group broadcast to E-mail, Fax, and Internet Fax for increased efficiency.*

Convenient E-mail Distribution


With Lightweight Directory Access Protocol (LDAP), there's no need to manually enter a recipient's complete e-mail address. Simply enter the first few characters and the MX automatically searches and displays a list of matching names. **Unique File Naming** allows users to enter specific file names with custom subject fields, so it's easier than ever to recall files when you need them. And, with **Sharpdesk**® personal document management software, users can easily organize their scanned documents and integrate them into everyday workflow.*

Sharpdesk for Total Document Management

Powerful, flexible and intuitive, Sharpdesk personal document management software enables you to easily manage all of your scanned documents. Easy-to-use tools help you organize, edit, even combine scanned files, for maximum productivity. The innovative **Search and Index feature** provides sophisticated tools that enable you to retrieve archived documents with incredible simplicity.

Integrated Super G3 Fax and Internet Fax


Add powerful facsimile capability to your MX monochrome Series with the optional Super G3 fax module, which offers advanced features such as automatic stapled/copied receptions and Inbound Fax Routing to e-mail. Sharp's innovative **PC fax driver** enables users to send fax documents right from their desktop. For Internet Fax operation, add the optional B&W Internet Fax expansion kit.



Intuitive desktop display features thumbnail viewing and file search allows searching by file name, keyword, or thumbnail.



ADVANCED DEVICE MANAGEMENT



Printer Administration Utility



Remote Front Panel



Embedded Web Page

Engineered with you in mind, the MX Monochrome Series combines easy-to-use integrated software with robust capabilities

The Sharp Administration Utility Suite

Sharp's Administration Utility Suite takes management of your MX-M503/M453/M363/M283 to the next level. This easy-to-use software allows you to take control of the versatile system features and simplifies installation and management.

- With Printer Status Monitor, network users can view printer conditions, check paper levels, toner, and more—all through an easy-to-use interface.
- With Sharp's advanced Printer Administration Utility, administrators can easily manage the setup, configuration, device settings, cloning and more! New advanced features such as Remote Front Panel allow administrators and support personnel to view and control the LCD panel of the machine remotely from any PC on the network!* Plus, with event-driven, real-time service alerts, administrators and supervisors can achieve higher productivity. Now, it is easier than ever to view service logs, click counts, history reports and more.
- Experience the convenience of an Embedded Web Page right from your desktop! This advanced
 web-based management tool allows users to create and manage their own network scanning
 destinations, profiles and web-links. Administrators can access device settings, color control,
 account information and security settings.

Take Charge of Usage and Costs

With Sharp's **device management system**, administrators and supervisors can define user groups on the MX to manage and restrict features, such as copying, scanning or printing. Easily set up a custom user group to manage page counts (copy, print, scan or fax operations). The MX-M503/M453/M363/M283 can store **profiles for up to 1,000 users**.

24/7 Training with My Sharp

Managing all of the advanced features of your Sharp product is simple and easy. Ask your Authorized Sharp Dealer about **My Sharp**. This dedicated customer training website is customized to your MX-M503/M453/M363/M283 and allows you to locate resources and find information specific to your configuration, truly helping you maximize your investment.

^{*}Some features may require optional equipment.



GET MORE OUT OF NETWORK APPLICATIONS



Sharp OSA® technology at a glance

- Automate tasks and save time with seamless integration between the MX-M503/M453/M363/M283 and network applications
- Centralized applications minimize set-up and installation on multiple Sharp products
- Virtually eliminates repetitive tasks and streamlines workflow, increasing efficiency
- Maximize your return on investment with tighter integration among IT assets
- Industry standard programming leads to faster deployment of new solutions



"Best Device Management and Integration Technology for MFP Series" Award 2009

To help streamline document workflow and enhance productivity, the new MX Monochrome Series supports the Sharp OSA platform

Versatile Application Integration

The MX-M503/M453/M363/M283 document systems provide powerful functionality for your business so you can immediately leverage your previous investments in data management infrastructure.* While others are limited to a small circle of productivity, Sharp's newest innovation, the Sharp OSA development platform, allows users to leverage the power of their back-end systems right from the control panel. It's really a new way of thinking with "power at the panel" for automation of tasks and a streamlined workflow.

Save Time, Increase Efficiency

You'll save time and increase the efficiency of everyday tasks with Sharp OSA technology because it can be virtually seamless to the user. Any MX-M503/M453/M363/M283 anywhere in the organization can display choices that were once only available on a desktop PC. With one-touch access to business applications via Sharp OSA integration, you can start and finish a document distribution task without worry.

Complement Your Infrastructure

The Sharp OSA development platform is the logical choice as a complement to your existing infrastructure. With the **standard application communication module** (N models), the new MX Monochrome Series becomes the gateway to providing fast, flexible access to documents and applications... no matter where you are in the office. Optionally you can get the controlled access and tracking ability you require with tighter integration capabilities for network security and accounting applications. With such comprehensive control, you'll be able to manage your document workflow easily, efficiently, and more securely.

Customized Technology

Sharp OSA technology also provides customization. With the ability to personalize applications and processes specific to your business, Sharp OSA technology can help eliminate redundancy and streamline workflow, helping to save time and optimize productivity. And since Sharp OSA technology utilizes industry-standard network protocols such as SOAP, XML, and XHTML, third party software developers can deliver customized solutions to your business faster than ever.

HEIGHTENED SECURITY



PRIVACY AUTHORIZATION CONFIDENTIALITY PROTECTION

Innovative document and device protection helps ensure confidentiality

To help protect your data, the MX Monochrome Series offers several layers of security, making Sharp the optimum choice to protect employee privacy and intellectual property. As the leader in office equipment security, Sharp makes it easy for any business or government entity to safely deploy digital copying, printing, scanning and faxing.

Authority Groups and Access Control

Advanced account management enables administrators to set authority groups for access to features of the MX Monochrome Series. Administrators can control which department, for instance, has full access to copying, printing, scanning and/or fax. Walk up users enter a code, Local Name and Password, or LDAP User Authentication to access their features assigned to their group. Users can also login utilizing a human interface device (HID) such as a Smartcard or Common Access Card (CAC).*

Data Erase and Encryption*

To help protect your data, the MX Monochrome Series offers an optional data security kit that encrypts document data using **AES** (Advanced Encryption Standard) **encryption**. Additionally, the data security kit erases the temporary memory on the hard drive by overwriting the encrypted data up to seven times, offering an unprecedented level of assurance. Additionally, the data security kits for these models comply to the new IEEE-2600-2008 security standard for MFP devices. This new standard specifies security requirements and provides a new international reference to assess contemporary MFP security.

Network Scanning Access

To help protect your network from unauthorized e-mail communications, the MX Monochrome Series supports **User Authentication**, requiring users to login before performing any network scanning operations.

Control Device Access Over the Network

To help restrict access to the device over the network, the MX Monochrome Series offers IPsec, SMB and extended support for **SSL Encryption** (Secure Sockets Layer), **IP/MAC address filtering**, IEEE 802.1x authentication, protocol enable/disable and port management for maximum security.

Documents Remain Confidential

To help protect your printed documents from unauthorized viewing, the MX Monochrome Series offers encrypted PDF files for printing and scanning as well as **Confidential Printing** that requires users to enter a PIN code in order to print a queued document. Additionally, **Secure Fax Release** ensures received fax documents are held in memory until an authorized user enters a PIN code. So compliance with healthcare regulations such as HIPAA is easier.

Tracking and Auditing Information

Legislation and industry policies require companies to be more aware of information flow from their offices. Sharp offers both built-in and additional hardware/software which allows users to control, access and track usage of each device on the network.

These scalable security offerings aim to protect your intellectual property, preserve confidential information and help your business to meet regulatory requirements, such as the Health Insurance Portability and Accountability Act (HIPAA), and the Gramm Leach Bliley Act (GLB). For additional information visit: www.sharpusa.com/security.



ENVIRONMENTALLY FRIENDLY







Sharp's ongoing commitment and dedication to developing eco-friendly document systems set a high standard for the industry

Designed with a Strong Commitment to Protecting the Environment

The MX Monochrome Series document systems utilize Sharp's second generation micro-fine toner technology, which offers a lower consumption rate than conventional toners. This also results in less packaging material and longer replacement intervals. Additionally, all Sharp supplies are packaged using fully recyclable materials. Power consumption on the MX Monochrome Series is among the lowest in the industry and supports two different energy saving modes to reduce or shut off power after a set interval. All Sharp document systems belong to the EnergyStar® program, and RoHS program.

An Economical, Low Maintenance Document System That Makes Sense

The MX Monochrome Series is designed to accommodate both large and small office environments. With a compact wingless design, the footprint of each base model is less than 25" x 27". Our new long-life consumable parts and supplies minimize service intervals and down time, resulting in lower operating costs.

Sharp's Environmental Leadership

Reinforcing our commitment to the environment, in 2007, Sharp received the *Excellence in Partnership* **Green Contractor Award** and the **Evergreen Award** from the U.S. Government's General Services Administration and the Coalition for Government Procurement.

The Green Contractor Award recognizes contractors that have made the best overall commitment to the environment by offering environmentally friendly products and services or adhering to environmentally sound manufacturing procedures. The Evergreen Award identifies environmentally-friendly businesses and their efforts in recycling and waste reduction practices. Please visit www.sharpusa.com/environment to learn more about our environmental leadership.

Toner Recycling Program

As part of our commitment to preserving the environment, Sharp offers customers a toner recycling program for all Sharp copiers and MFP products. Sharp encourages customers to recycle their used toner cartridges by providing a pre-paid shipping label for their return to our facility. Please visit www.sharpusa.com/recycle to learn more.

MX-M503/M453/M363/M283 SPECIFICATIONS

	Includes 8.5" Color Display, Standard	Copying, PCL6	Network	PDL	ystem (standard on N models) PCL® 6/PCL5e compatible, Optional Postscript®3™, optional XPS
M363N/M283N:	Printing, Network Color Scanning, Doc			Resolution	1200 dpi x 1200 dpi (N models), 600 dpi x 600 dpi (U models)
	DSPF (except MX-M283N), Auto Duple	-		Print Speed	28/36/45/50 pages per minute depending on model (8½"x 11"
	drawers, 100-sheet Bypass tray & 800			Print Drivers	Windows® 98, Windows Me, Windows NT® 4 (with SP5 or later
MX-M503U/M453U/	Includes 8.1" Mono Display, Standard				Windows 2000, Windows Server® 2003, Windows Server 2008
M363U:	Auto Duplex, 2 x 500-sheet paper draws				Windows XP, Windows XP x64, Windows Server 2003 x64,
Type	Multi-Function digital document system		Буразэ пау		Windows Server 2008 x64, Windows Vista™, Windows Vista x64
Functions	Copy, print, network print, network scal		ling and fav2		MAC OS®, 9.2.2, OS-X (including 10.2.8, 10.3.9, 10.4.11,
Copy System	Dry electrostatic transfer/Dual componer				10.5-10.5.5), all MAC PPD, UNIX, Linux. ¹
оору зузісііі	development/OPC drums/Heat Roller fu		-	Features	Continuous printing, duplex printing, pamphlet printing,
Originals	Sheets and bound documents	Siriy/Activit iai	iih evhosnie	i catules	N-up printing, image rotation, different cover page/last page,
Max Original Size	11" x 17"				transparency inserts, tab printing, carbon copy print mode,
Copy Size	Min. 5 ½" x 8 ½", Max. 11 "x 17"				fit-to-page, poster print, margin shift, mirror image, watermarks,
Copy Speed	MX-M503N/U 50 ppm; MX-M453N/U	45 nnm:			overlay, confidential print, margin srint, minor image, watermarks,
сору эреец	MX-M363N/U 36 ppm; MX-M283N 28		4 4 11/1		proof print, bypass printing, job priority printing, print job control,
Multiple Conv	11 7	ppiii (6 /2 X	11)		
Multiple Copy	Max. 999 copies	MV Maca	MV MOOO	Direct Drinting	tandem printing and direct printing 1
First Copy Time	MX-M503 MX-M453	MX-M363	MX-M283	Direct Printing	File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF,
(Seconds) ³	Platen Glass 3.9 sec 3.9 sec	4.6 sec	4.6 sec		High Compression PDF, Postscript and XPS ² Methods: FTP,
	RSPF 9.3 sec 9.3 sec	10.1 sec	10.1 sec		Web page, E-mail and USB memory
	DSPF 8.8 sec 8.8 sec	9.5 sec		Resident Fonts	80 outline fonts
Warm Up Time	20 Seconds or less ³			Interface	RJ-45 Ethernet 10/100/1000 Base-T
Magnification	25% to 400% in 1% increments (RSP	F/DSPF 25%-2	200%)	Network	Windows 98/ME, NT 4.0, XP, 2003/2008 Server, Vista, Novell®
Original Feed	100-Sheet RSPF: MX-M503U/M453U/M	//363U/M283N		Environments	Netware® 3x to 6x, MAC OS 9, OSX 10 to 10.5.6), Sun® OS
	100-Sheet DSPF: MX-M503N/M453N	/M363N			4.1x, Solaris® 2x, UNIX®, Linux®, SAP, AS400, Citrix® (Metaframe
Scan Speed	RSPF Copy: Up to 50 IPM @ 600 x 40	0 dpi; 36 IPM	@ 600 x		Presentation Server 4, 4.5) and Windows Terminal Services.
	600 dpi / DSPF Copy: Up to 70 IPM @	600 x 300 d	pi.	Network Protocols	TCP/IP (IPv4, IPv6, IPSEC) SSL (HTTP, IPP, FTP), SNMPv3, 802.12
	RSPF Scan: Up to 50 IPM @ 200 x 20				for Windows and UNIX. LPD and LPR for UNIX. IPX/SPX® (Novell
	to 70 IPM @ 200 x 200 dpi.				environments). EtherTalk® and NetBEUI. AppleTalk® (Macintosh®)
Original Sizes	5 ½" x 8 ½", 8 ½" x 11", 8 ½" x 11"	R. 8 1/2" x 14"	'. 11" x 17"	Printing Protocols	LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FTP and Novell
Paper Feed System	Standard: (2) 500-sheet drawers (letter/				Pserver/Rprinter
rapor rood ojotom	100-sheet bypass tray (letter/legal/ledd			Network Security	IP/Mac address filtering, protocol filtering, port management,
	Optional: (1) 500-sheet paper drawer (I	•		notifican cooding	user authentication and document administration.
	size) or (2) 500-sheet paper drawers (le			Security Standards	IEEE-2600-2008, DoD (NSTISSP) #11, DoD 8500.2, DoD (DISA) ¹
	size) and 3500-sheet large capacity tr			occurry Standards	IEEE-2000-2000, DOD (NOTION) #11, DOD 0000.2, DOD (DION)
Donor Typon				Notwork Coonsing	System (standard on M models)
Paper Types	Paper drawers/Bypass tray: 16 lb. bond				System (standard on N models)
	paper types include plain, pre-printed	recyclea, pre	-puncnea,	Max Original Size	11" x 17"
	letterhead and color paper.		Optical Resolution	600 dpi	
	Bypass tray also supports: 13-16 lb. bo			Output Modes	600 dpi, 400 dpi, 300 dpi, 200 dpi, 100 dpi
	bond (Monarch/Com-10 envelope), tab		size only);	Scan Modes	Color, monochrome, grayscale
	other types include label paper and C	HP film.		Image Formats	Monochrome: TIFF, PDF, Encrypted PDF, XPS ¹
	Large capacity tray: 16-28 lb. bond.				Color (N models only): Grayscale, Color TIFF, JPG, PDF, Encrypted
Duplexing	Standard automatic duplex copying an	d printing			PDF, High Compression PDF, ² XPS ²
CPU	MX-M503/M453: 667 MHZ, MX-M36	3/M283: 533 I	MHZ	Image	Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR)
Interface		LICE 2 A hoot	/device	Compression	Color/Grayscale (N models only): JPG (high, medium, low), High
	RJ-45 Ethernet (10/100/1000Base-T)	000 2.0 11031			
Memory	RJ-45 Ethernet (10/100/1000Base-T) Copy: 640MB (320MB U models); Print/				Compression PDF1, Internet FAX mode: MH/MMR (option)
Hard Disk Drive		scan: 1GB		Scan Destinations	
	Copy: 640MB (320MB U models); Print/	scan: 1GB m (N models)	lpi	Scan Destinations One-touch Dial	
Hard Disk Drive	Copy: 640MB (320MB U models); Print/80GB; 38GB for document filing syste	scan: 1GB m (N models)	lpi		E-mail, Desktop, FTP, Folder (SMB), USB, Internet/G3 fax (options)
Hard Disk Drive	Copy: 640MB (320MB U models); Print/ 80GB; 38GB for document filing syste Scan: B&W/color: 600 dpi, Copy Output (N models)	scan: 1GB m (N models) : B&W: 1200 d		One-touch Dial Group Destinations	E-mail, Desktop, FTP, Folder (SMB), USB, Internet/G3 fax (options) Up to 1000 (combined scan destinations) Up to 500
Hard Disk Drive Copy Resolution	Copy: 640MB (320MB U models); Print/ 80GB; 38GB for document filing syste Scan: B&W/color: 600 dpi; Copy Output (N models) Modes: Automatic Text, Text/Photo, Tex	scan: 1GB m (N models) : B&W: 1200 d		One-touch Dial Group Destinations Programs	E-mail, Desktop, FTP, Folder (SMB), USB, Internet/G3 fax (options) Up to 1000 (combined scan destinations) Up to 500 Up to 48 (combined)
Hard Disk Drive Copy Resolution Exposure Control	Copy: 640MB (320MB U models); Print/ 80GB; 38GB for document filing syste Scan: 8&W/color: 600 dpi; Copy Output (N models) Modes: Automatic Text, Text/Photo, Tex Photo, Photo, Map. Settings: auto or 9	scan: 1GB m (N models) : B&W: 1200 d t/Printed-Phot step manual.		One-touch Dial Group Destinations Programs Max. Jobs in Memory	E-mail, Desktop, FTP, Folder (SMB), USB, Internet/G3 fax (options) Up to 1000 (combined scan destinations) Up to 500 Up to 48 (combined) Up to 94 (N models), up to 47 (U models)
Hard Disk Drive Copy Resolution Exposure Control Halftone	Copy: 640MB (320MB U models); Print/ 80GB; 38GB for document filing syste Scan: 8&W/color: 600 dpi; Copy Output (N models) Modes: Automatic Text, Text/Photo, Tex Photo, Photo, Map. Settings: auto or 9 256 gradations/2 levels (monochrome	scan: 1GB m (N models) : B&W: 1200 d tt/Printed-Phot step manual.	to, Printed-	One-touch Dial Group Destinations Programs	E-mail, Desktop, FTP, Folder (SMB), USB, Internet/G3 fax (options) Up to 1000 (combined scan destinations) Up to 500 Up to 48 (combined) Up to 94 (N models), up to 47 (U models) TCP/IP, SSL (HTTP, SMTP, LDAP, FTP, POP3), SMB, ESMTP,
Hard Disk Drive Copy Resolution Exposure Control	Copy: 640MB (320MB U models); Print/ 80GB; 38GB for document filing syste Scan: 9&Wcolor: 600 dpi; Copy Output (N models) Modes: Automatic Text, Text/Photo, Tex Photo, Photo, Map. Settings: auto or 9 256 gradations/2 levels (monochrome Scan-Once Print-Many, electronic sort	scan: 1GB m (N models) : B&W: 1200 d tt/Printed-Phot step manual. ng, offset-stad	to, Printed-	One-touch Dial Group Destinations Programs Max. Jobs in Memory Network Protocols	E-mail, Desktop, FTP, Folder (SMB), USB, Internet/G3 fax (options) Up to 1000 (combined scan destinations) Up to 500 Up to 48 (combined) / Up to 94 (N models), up to 47 (U models) TCP/IP, SSL (HTTP, SMTP, LDAP, FTP, POP3), SMB, ESMTP, 802.1x
Hard Disk Drive Copy Resolution Exposure Control Halftone	Copy: 640MB (320MB U models); Print/ 80GB; 38GB for document filing syste Scan: 8&W/color: 600 dpi; Copy Output (N models) Modes: Automatic Text, Text/Photo, Tev Photo, Photo, Map. Settings: auto or 9 256 gradations/2 levels (monochrome Scan-Once Print-Many, electronic sort Paper Sensing (APS), Auto Magnificatii	scan: 1GB m (N models) : B&W: 1200 of tt/Printed-Phot step manual. ng, offset-stac on Sensing (Al	cking, Auto	One-touch Dial Group Destinations Programs Max. Jobs in Memory Network Protocols	E-mail, Desktop, FTP, Folder (SMB), USB, Internet/G3 fax (options) Up to 1000 (combined scan destinations) Up to 500 Up to 48 (combined) Up to 94 (N models), up to 47 (U models) TCP/IP, SSL (HTTP, SMTP, LDAP, FTP, POP3), SMB, ESMTP, 802.1x E-mail server user authentication for LDAP and Active Directory
Hard Disk Drive Copy Resolution Exposure Control Halftone	Copy: 640MB (320MB U models); Print/ 80GB; 38GB for document filing syste Scan: B8W/color: 600 dpi; Copy Output (M models) Modes: Automatic Text, Text/Photo, Tev Photo, Photo, Map. Settings: auto or 9 256 gradations/2 levels (monochrome Scan-Once Print-Many, electronic sort Paper Sensing (APS), Auto Magnificati tray switching, rotation copy, reserve of	scan: 1GB m (N models) : B&W: 1200 d tt/Printed-Phot step manual. ng, offset-stad on Sensing (Al opy, tandem c	cking, Auto MS), auto	One-touch Dial Group Destinations Programs Max. Jobs in Memory Network Protocols Network Security Software	E-mail, Desktop, FTP, Folder (SMB), USB, Internet/G3 fax (options) Up to 1000 (combined scan destinations) Up to 500 Up to 48 (combined) / Up to 94 (N models), up to 47 (U models) TCP/IP, SSL (HTTP, SMTP, LDAP, FTP, POP3), SMB, ESMTP, 802.1x E-mail server user authentication for LDAP and Active Directory Sharpdesk® document management software (1 user license)
Hard Disk Drive Copy Resolution Exposure Control Halftone	Copy: 640MB (320MB U models); Print/ 80GB; 38GB for document filing syste Scan: B&W/color: 600 dpi; Copy Output (N models) Modes: Automatic Text, Text/Photo, Tex Photo, Photo, Map. Settings: auto or 9 256 gradations/2 levels (monochrome Scan-Once Print-Wenly, electronic Scan-Once Print-Wenly, electronic stray Tayer Sensing (APS), Auto Magnificati tray switching, rotation copy, reserve copy, margin shift, tab-paper insertion	scan: 1GB m (N models) : B&W: 1200 d t/Printed-Phot step manual. ng, offset-stac on Sensing (Al opy, tandem c edge erase, c	cking, Auto MS), auto copy, book center erase,	One-touch Dial Group Destinations Programs Max. Jobs in Memory Network Protocols Network Security Software	E-mail, Desktop, FTP, Folder (SMB), USB, Internet/G3 fax (options) Up to 1000 (combined scan destinations) Up to 500 Up to 48 (combined) Up to 94 (N models), up to 47 (U models) TCP/IP, SSL (HTTP, SMTP, LDAP, FTP, POP3), SMB, ESMTP, 802.1x E-mail server user authentication for LDAP and Active Directory
Hard Disk Drive Copy Resolution Exposure Control Halftone	Copy: 640MB (320MB U models); Print/ 80GB; 38GB for document filing syste Scan: B&W/color: 600 dpi; Copy Output (N models) Modes: Automatic Text, Text/Photo, Tex Photo, Photo, Map. Settings: auto or 9 256 gradations/2 levels (monochrome Scan-Once Print-Many, electronic sort Paper Sensing (APS), Auto Magnificati tray switching, rotation copy, reserve of copy, margin shift, tab-paper insertion dual page copy, cover pages, insert pages	scan: 1GB m (N models) : B&W: 1200 of tt/Printed-Phot step manual.) ng, offset-stac on Sensing (Al opy, tandem c edge erase, c gges, OHP inse	cking, Auto MS), auto opy, book center erase, ertion, job	One-touch Dial Group Destinations Programs Max. Jobs in Memory Network Protocols Network Security Software Sharp OSA Platform	E-mail, Desktop, FTP, Folder (SMB), USB, Internet/G3 fax (options) Up to 1000 (combined scan destinations) Up to 500 Up to 54 (combined) Up to 94 (N models), up to 47 (U models) TCP/IP, SSL (HTTP, SMTP, LDAP, FTP, POP3), SMB, ESMTP, 802.1 x E-mail server user authentication for LDAP and Active Directory Sharpdesk® document management software (1 user license) Application Communication Module (MX-AMX2) Standard
Hard Disk Drive Copy Resolution Exposure Control Halftone	Copy: 640MB (320MB U models); Print/ 80GB; 38GB for document filing syste Scan: 8&W/color: 600 dpi; Copy Output (N models) Modes: Automatic Text, Text/Photo, Tex Photo, Photo, Map. Settings: auto or 9 256 gradations/2 levels (monochrome Scan-Once Print-Many, electronic sort Paper Sensing (APS), Auto Magnificati tray switching, rotation copy, reserve c copy, margin shift, tab-paper insertion dual page copy, cover pages, insert pe build, card shot, multi-page enlargeme	scan: 1GB m (N models) : B&W: 1200 d tt/Printed-Phot step manual.) ng, offset-stac on Sensing (Al opy, tandem c edge erase, c gges, OHP inse ent, reverse im	cking, Auto MS), auto opy, book center erase, ertion, job age, black-	One-touch Dial Group Destinations Programs Max. Jobs in Memory Network Protocols Network Security Software Sharp OSA Platform B&W Super G3 Fax	E-mail, Desktop, FTP, Folder (SMB), USB, Internet/G3 fax (options) Up to 1000 (combined scan destinations) Up to 500 Up to 48 (combined) Up to 94 (N models), up to 47 (U models) TCP/IP, SSL (HTTP, SMTP, LDAP, FTP, POP3), SMB, ESMTP, 802.1x E-mail server user authentication for LDAP and Active Directory Sharpdesk® document management software (1 user license) Application Communication Module (MX-AMX2) Standard Kit (option)
Hard Disk Drive Copy Resolution Exposure Control Halftone	Copy: 640MB (320MB U models); Print/ 80GB; 38GB for document filing syste Scan: B8W/color: 600 dpi; Copy Output (N models) Modes: Automatic Text, Text/Photo, Tev Photo, Photo, Map, Settings: auto or 9 256 gradations/2 levels (monochroit Scan-Once Print-Many, electronic sort Paper Sensing (APS), Auto Magnificati tray switching, rotation copy, reserve oc copy, margin shift, tab-paper insertion dual page copy, cover pages, insert pa build, card shot, multi-page enlargeme white reversal, centering, proof copy, 2	scan: 1GB m (N models) : B&W: 1200 o tt/Printed-Phot step manual.) ng, offset-stac on Sensing (Al opy, tandem c edge erase, c edge erase, c ges, OHP inse ent, reverse im 2-in-1/4-in1, p	cking, Auto MS), auto opy, book center erase, ertion, job age, black- amphlet,	One-touch Dial Group Destinations Programs Max. Jobs in Memory Network Protocols Network Security Software Sharp OSA Platform B&W Super G3 Fax Transmission Mode	E-mail, Desktop, FTP, Folder (SMB), USB, Internet/G3 fax (options) Up to 1000 (combined scan destinations) Up to 500 Up to 48 (combined) / Up to 94 (N models), up to 47 (U models) TCP/IP, SSL (HTTP, SMTP, LDAP, FTP, POP3), SMB, ESMTP, 802.1x E-mail server user authentication for LDAP and Active Directory Sharpdesk® document management software (1 user license) Application Communication Module (MX-AMX2) Standard Kit (option) Super G3, G3
Hard Disk Drive Copy Resolution Exposure Control Halftone	Copy: 640MB (320MB U models); Print/ 80GB; 38GB for document filing syste Scan: 88W/color: 600 dpi; Copy Output (N models) Modes: Automatic Text, Text/Photo, Tev Photo, Photo, Map. Settings: auto or 9 256 gradations/2 levels (monochrome Scan-Once Print-Many, electronic sort Paper Sensing (APS), Auto Magnificatii tray switching, rotation copy, reserve c copy, margin shift, tab-paper insertion dual page copy, cover pages, insert pe willid, card shot, multi-page enlargeme white reversal, centering, proof copy, 2 photo repeat, document filing, account	scan: 1GB m (N models) : B&W: 1200 o tt/Printed-Phot step manual.) ng, offset-stac on Sensing (Al opy, tandem c edge erase, c edge erase, c ges, OHP inse ent, reverse im 2-in-1/4-in1, p	cking, Auto MS), auto opy, book center erase, ertion, job age, black- amphlet,	One-touch Dial Group Destinations Programs Max. Jobs in Memory Network Protocols Network Security Software Sharp OSA Platform B&W Super G3 Fax Transmission Mode Modem Speed	E-mail, Desktop, FTP, Folder (SMB), USB, Internet/G3 fax (options) Up to 1000 (combined scan destinations) Up to 500 Up to 48 (combined) / Up to 94 (N models), up to 47 (U models) TCP/IP, SSL (HTTP, SMTP, LDAP, FTP, POP3), SMB, ESMTP, 802.1x E-mail server user authentication for LDAP and Active Directory Sharpdesk® document management software (1 user license) Application Communication Module (MX-AMX2) Standard Kit (option) Super G3, G3 33.6 KBPS³
Hard Disk Drive Copy Resolution Exposure Control Halftone Copy Features	Copy: 640MB (320MB U models); Print/ 80GB; 38GB for document filing syste Scan: 8&W/color: 600 dpi; Copy Output (N models) Modes: Automatic Text, Text/Photo, Tex Photo, Photo, Map. Settings: auto or 9 256 gradations/2 levels (monochrome Scan-Once Print-levels) (monochrome Scan-Once Print-levels) (monochrome Scan-Once Print-levels), Auto Magnificati tray switching, rotation copy, reserve copy, margin shift, tab-paper insertion dual page copy, cover pages, insert pe build, card shot, multi-page enlargeme white reversal, centering, proof copy, 2 photo repeat, document filing, account programs, date/character/page stamp	scan: 1GB m (N models) : B&W: 1200 c t/Printed-Phot step manual.) ng, offset-stat on Sensing (Al opy, tandem c edge erase, c ges, OHP inse nt, reverse im -in-1/4-in1, p management	cking, Auto MS), auto opy, book center erase, ertion, job age, black- amphlet,	One-touch Dial Group Destinations Programs Max. Jobs in Memory Network Protocols Network Security Software Sharp OSA Platform B&W Super G3 Fax Transmission Mode Modem Speed Compression	E-mail, Desktop, FTP, Folder (SMB), USB, Internet/G3 fax (options) Up to 1000 (combined scan destinations) Up to 500 Up to 500 Up to 94 (N models), up to 47 (U models) TCP/IP, SSL (HTTP, SMTP, LDAP, FTP, POP3), SMB, ESMTP, 802.1x E-mail server user authentication for LDAP and Active Directory Sharpdesk® document management software (1 user license) Application Communication Module (MX-AMX2) Standard Kit (option) Super G3, G3 33.6 KBPS³ JBIG, MMR, MR, MH
Hard Disk Drive Copy Resolution Exposure Control Halftone	Copy: 640MB (320MB U models); Print/ 80GB; 38GB for document filing syste Scan: B&W/color: 600 dpi; Copy Output (N models) Modes: Automatic Text, Text/Photo, Tex Photo, Photo, Map. Settings: auto or 9 256 gradations/2 levels (monochrome Scan-Once Print-Many, electronic sort Paper Sensing (APS), Auto Magnificati tray switching, rotation copy, reserve of copy, margin shift, tab-paper insertion dual page copy, cover pages, insert pa build, card shot, multi-page enlargeme white reversal, centering, proof copy, 2 photo repeat, document filing, account programs, date/character/page stamp Up to 1000 users. Supports user-num	scan: 1GB m (N models) : B&W: 1200 o t/Printed-Phot step manual.) ng, offset-stat on Sensing (Ar opy, tandem c e dege erase, c ges, OHP inse nt, reverse im t-in-1/4-in1, p management ber authentica	cking, Auto MS), auto opy, book center erase, ertion, job age, black- amphlet,	One-touch Dial Group Destinations Programs Max. Jobs in Memory Network Protocols Network Security Software Sharp OSA Platform B&W Super G3 Fax Transmission Mode Modem Speed Compression Scanning Method	E-mail, Desktop, FTP, Folder (SMB), USB, Internet/G3 fax (options) Up to 1000 (combined scan destinations) Up to 500 Up to 500 Up to 94 (N models), up to 47 (U models) TCP/IP, SSL (HTTP, SMTP, LDAP, FTP, POP3), SMB, ESMTP, 802.1x E-mail server user authentication for LDAP and Active Directory Sharpdesk® document management software (1 user license) Application Communication Module (MX-AMX2) Standard Kit (option) Super G3, G3 33.6 KBPS³ JBIG, MMR, MR, MH Sheet fed simplex or duplex or book
Hard Disk Drive Copy Resolution Exposure Control Halftone Copy Features	Copy: 640MB (320MB U models); Print/ 80GB; 38GB for document filing syste Scan: B8W/color: 600 dpi; Copy Output (N models) Modes: Automatic Text, Text/Photo, Tex Photo, Photo, Map, Settings: auto or 9 256 gradations/2 levels (monochroit Scan-Once Print-Many, electronic sort Paper Sensing (APS), Auto Magnificati tray switching, rotation copy, reserve oc copy, margin shift, tab-paper insertion dual page copy, cover pages, insert pa build, card shot, multi-page enlargeme white reversal, centering, proof copy, 2 photo repeat, document filing, account programs, date/character/page stamp. Up to 1000 users. Supports user-num device), login name/password (on devi	scan: 1GB m (N models): B&W: 1200 c tt/Printed-Phot step manual.) ng, offset-stat on Sensing (Af opy, tandem c edge erase, c edge erase, c edge erase, c edge arase, c edge arase, c edge arase, c opy, tandem c edge arase, c edge arase, c opy, tandem c edge or arase, c opy, tandem c edge or arase, c opy, tandem c opy, tande	cking, Auto MS), auto opy, book center erase, rition, job age, black- amphlet, , job	One-touch Dial Group Destinations Programs Max. Jobs in Memory Network Protocols Network Security Software Sharp OSA Platform B&W Super G3 Fax Transmission Mode Modem Speed Compression Scanning Method TX Resolution	E-mail, Desktop, FTP, Folder (SMB), USB, Internet/G3 fax (options) Up to 1000 (combined scan destinations) Up to 500 Up to 48 (combined) Up to 94 (N models), up to 47 (U models) TCP/IP, SSL (HTTP, SMTP, LDAP, FTP, POP3), SMB, ESMTP, 802.1x E-mail server user authentication for LDAP and Active Directory Sharpdesk® document management software (1 user license) Application Communication Module (MX-AMX2) Standard Kit (option) Super G3, G3 33.6 KBPS³ JBIG, MMR, MR, MH Sheet fed simplex or duplex or book 400 dpi (max.)
Hard Disk Drive Copy Resolution Exposure Control Halftone Copy Features	Copy: 640MB (320MB U models); Print/ 80GB; 38GB for document filing syste Scan: 88W/color: 600 dpi; Copy Output (k) models) Modes: Automatic Text, Text/Photo, Tev Photo, Photo, Map. Settings: auto or 9 256 gradations/2 levels (monochrome Scan-Once Print-Many, electronic sort Paper Sensing (APS), Auto Magnificati tray switching, rotation copy, reserve c copy, margin shift, tab-paper insertion dual page copy, cover pages, insert pa build, card shot, multi-page enlargeme white reversal, centering, proof copy, photo repeat, document filing, account programs, date/character/page stamp Up to 1000 users. Supports user-num device), login name/password (on devi name/password (on device via LDAP s	scan: 1GB m (N models): B&W: 1200 c tt/Printed-Phot step manual.) ng, offset-stac on Sensing (Al opy, tandem c, edge erase, c, edge or login erver) for Copi	cking, Auto MS), auto opy, book center erase, rition, job age, black- amphlet, , job	One-touch Dial Group Destinations Programs Max. Jobs in Memory Network Protocols Network Security Software Sharp OSA Platform B&W Super G3 Fax Transmission Mode Modem Speed Compression Scanning Method TX Resolution Transmit Speed	E-mail, Desktop, FTP, Folder (SMB), USB, Internet/G3 fax (options) Up to 1000 (combined scan destinations) Up to 500 Up to 48 (combined) / Up to 94 (N models), up to 47 (U models) TCP/IP, SSL (HTTP, SMTP, LDAP, FTP, POP3), SMB, ESMTP, 802.1x E-mail server user authentication for LDAP and Active Directory Sharpdesk® document management software (1 user license) Application Communication Module (MX-AMX2) Standard Kit (option) Super G3, G3 33.6 KBPS³ JBIG, MMR, MR, MH Sheet fed simplex or duplex or book 400 dpi (max.) Approximately 2 Seconds with Super G3/JBIG⁴
Hard Disk Drive Copy Resolution Exposure Control Halftone Copy Features Account Control	Copy: 640MB (320MB U models); Print/ 80GB; 38GB for document filing syste Scan: B8W/color: 600 dpi; Copy Output (N models) Modes: Automatic Text, Text/Photo, Tex Photo, Photo, Map, Settings: auto or 9 256 gradations/2 levels (monochroit Scan-Once Print-Many, electronic sort Paper Sensing (APS), Auto Magnificati tray switching, rotation copy, reserve oc copy, margin shift, tab-paper insertion dual page copy, cover pages, insert pa build, card shot, multi-page enlargeme white reversal, centering, proof copy, 2 photo repeat, document filing, account programs, date/character/page stamp. Up to 1000 users. Supports user-num device), login name/password (on devi	scan: 1GB m (N models): B&W: 1200 c tt/Printed-Phot step manual.) ng, offset-stac on Sensing (Al opy, tandem c, edge erase, c, edge or login erver) for Copi	cking, Auto MS), auto opy, book center erase, rition, job age, black- amphlet, , job	One-touch Dial Group Destinations Programs Max. Jobs in Memory Network Protocols Network Security Software Sharp OSA Platform B&W Super G3 Fax Transmission Mode Modem Speed Compression Scanning Method TX Resolution	E-mail, Desktop, FTP, Folder (SMB), USB, Internet/G3 fax (options) Up to 1000 (combined scan destinations) Up to 500 Up to 48 (combined) Up to 94 (N models), up to 47 (U models) TCP/IP, SSL (HTTP, SMTP, LDAP, FTP, POP3), SMB, ESMTP, 802.1x E-mail server user authentication for LDAP and Active Directory Sharpdesk® document management software (1 user license) Application Communication Module (MX-AMX2) Standard Kit (option) Super G3, G3 33.6 KBPS³ JBIG, MMR, MR, MH Sheet fed simplex or duplex or book 400 dpi (max.)
Hard Disk Drive Copy Resolution Exposure Control Halftone Copy Features Account Control	Copy: 640MB (320MB U models); Print/ 80GB; 38GB for document filing syste Scan: 88W/color: 600 dpi; Copy Output (k) models) Modes: Automatic Text, Text/Photo, Tev Photo, Photo, Map. Settings: auto or 9 256 gradations/2 levels (monochrome Scan-Once Print-Many, electronic sort Paper Sensing (APS), Auto Magnificati tray switching, rotation copy, reserve c copy, margin shift, tab-paper insertion dual page copy, cover pages, insert pa build, card shot, multi-page enlargeme white reversal, centering, proof copy, photo repeat, document filing, account programs, date/character/page stamp Up to 1000 users. Supports user-num device), login name/password (on devi name/password (on device via LDAP s	scan: 1GB m (N models) : B&W: 1200 c tt/Printed-Phot step manual.) ng, offset-stac on Sensing (AN opy, tandem c edge erase, c ges, OHP inse mt, reverse im th, reverse im the rauthentica ce) or login cerver) for Copy	cking, Auto MS), auto opy, book senter erase, writion, job age, black- amphilet, , job tion (on	One-touch Dial Group Destinations Programs Max. Jobs in Memory Network Protocols Network Security Software Sharp OSA Platform B&W Super G3 Fax Transmission Mode Modem Speed Compression Scanning Method TX Resolution Transmit Speed	E-mail, Desktop, FTP, Folder (SMB), USB, Internet/G3 fax (options) Up to 1000 (combined scan destinations) Up to 500 Up to 48 (combined) / Up to 94 (N models), up to 47 (U models) TCP/IP, SSL (HTTP, SMTP, LDAP, FTP, POP3), SMB, ESMTP, 802.1x E-mail server user authentication for LDAP and Active Directory Sharpdesk® document management software (1 user license) Application Communication Module (MX-AMX2) Standard Kit (option) Super G3, G3 33.6 KBPS³ JBIG, MMR, MR, MH Sheet fed simplex or duplex or book 400 dpi (max.) Approximately 2 Seconds with Super G3/JBIG⁴
Hard Disk Drive Copy Resolution Exposure Control Halftone Copy Features	Copy: 640MB (320MB U models); Print/ 80GB; 38GB for document filing syste Scan: 8&W/color: 600 dpi; Copy Output (N models) Modes: Automatic Text, Text/Photo, Tev Photo, Photo, Map. Settings: auto or 9 256 gradations/2 levels (monochrome Scan-Once Print-Many, electronic sort Paper Sensing (APS), Auto Magnificatii tray switching, rotation copy, reserve c copy, margin shift, tab-paper insertion dual page copy, cover pages, insert pe build, card shot, multi-page enlargeme white reversal, centering, proof copy, 2 photo repeat, document filing, account programs, date/character/page stamp Up to 1000 users. Supports user-num device), login name/password (on device via LDAP's Scan, Fax and document management	scan: 1GB m (N models) : B&W: 1200 c tt/Printed-Phot step manual.) ng, offset-stac on Sensing (AN opy, tandem c edge erase, c ges, OHP inse mt, reverse im th, reverse im the rauthentica ce) or login cerver) for Copy	cking, Auto MS), auto opy, book senter erase, writion, job age, black- amphilet, , job tion (on	One-touch Dial Group Destinations Programs Max. Jobs in Memory Network Protocols Network Security Software Sharp OSA Platform B&W Super G3 Fax Transmission Mode Modem Speed Compression Scanning Method TX Resolution Transmit Speed Auto Dialing	E-mail, Desktop, FTP, Folder (SMB), USB, Internet/G3 fax (options Up to 1000 (combined scan destinations) Up to 500 Up to 500 Up to 94 (N models), up to 47 (U models) TCP/IP, SSL (HTTP, SMTP, LDAP, FTP, POP3), SMB, ESMTP, 802.1x E-mail server user authentication for LDAP and Active Directory Sharpdesk® document management software (1 user license) Application Communication Module (MX-AMX2) Standard Kit (option) Super G3, G3 33.6 KBPS³ JBIG, MMR, MR, MH Sheet fed simplex or duplex or book 400 dpi (max.) Approximately 2 Seconds with Super G3/JBIG⁴ Up to 1000 (combined scan destinations)
Hard Disk Drive Copy Resolution Exposure Control Halftone Copy Features Account Control Output Tray Capacity	Copy: 640MB (320MB U models); Print/ 80GB; 38GB for document filing syste Scan: 8&W/color: 600 dpi; Copy Output (N models) Modes: Automatic Text, Text/Photo, Tex Photo, Photo, Map. Settings: auto or 9 256 gradations/2 levels (monochrome Scan-Once Print-Many, electronic sort Taya switching, rotation copy, reserve of copy, margin shift, tab-paper insertion dual page copy, cover pages, insert per build, card shot, multi-page enlargeme white reversal, centering, proof copy, 2 photo repeat, document filing, account programs, date/character/page stamp. Up to 1000 users. Supports user-num device), login name/password (on device via LDAP s Scan, Fax and document managemen Main output tray (top) 400 sheets (fac	scan: 1GB m (N models): B&W: 1200 c tt/Printed-Phot step manual.) ng, offset-stat on Sensing (Al opy, tandem c edge erase, c edge erase, c edge erase, c edge orase, c or or or or or or or or or management ber authentica ce) or login erver) for Copy e down); option	co, Printed- liking, Auto MS), auto opy, book penter erase, rtrion, job age, black- amphlet, , job tion (on y, Print, nal exit tray	One-touch Dial Group Destinations Programs Max. Jobs in Memory Network Protocols Network Security Software Sharp OSA Platform B&W Super G3 Fax Transmission Mode Modem Speed Compression Scanning Method TX Resolution Transmit Speed Auto Dialing Group Dial Inbound Routing	E-mail, Desktop, FTP, Folder (SMB), USB, Internet/G3 fax (options Up to 1000 (combined scan destinations) Up to 500 Up to 500 Up to 94 (N models), up to 47 (U models) TCP/IP, SSL (HTTP, SMTP, LDAP, FTP, POP3), SMB, ESMTP, 802.1x E-mail server user authentication for LDAP and Active Directory Sharpdesk® document management software (1 user license) Application Communication Module (MX-AMX2) Standard Kit (option) Super G3, G3 33.6 KBPS³ JBIG, MMR, MR, MH Sheet fed simplex or duplex or book 400 dpi (max.) Approximately 2 Seconds with Super G3/JBIG ⁴ Up to 1000 (combined scan destinations) Up to 500
Hard Disk Drive Copy Resolution Exposure Control Halftone Copy Features Account Control Output Tray Capacity Firmware	Copy: 640MB (320MB U models); Print/ 80GB; 38GB for document filing syste Scan: 88W/color: 600 dpi; Copy Output (M models) Modes: Automatic Text, Text/Photo, Tev Photo, Photo, Map. Settings: auto or 9 256 gradations/2 levels (monochrome Scan-Once Print-Many, electronic sort Paper Sensing (APS), Auto Magnificati tray switching, rotation copy, reserve of copy, margin shift, tab-paper insertion dual page copy, cover pages, insert pa build, card shot, multi-page enlargeme white reversal, centering, proof copy, 2 photo repeat, document filing, account programs, date/character/page stamp Up to 1000 users. Supports user-num device), login name/password (on devi name/password (on device via LDAP s Scan, Fax and document management Main output tray (top) 400 sheets (face (right side) 100 sheets (face down)	scan: 1GB m (N models): B&W: 1200 c tt/Printed-Phot step manual.) ng, offset-stac on Sensing (Af opy, tandem c, edge erase, c, edge erase, c, edge erase, c, edge orase, c, edge, offer inches cellor inches orase, c, edge, offer inches orase, c	co, Printed- cking, Auto WS), auto opy, book center erase, retrion, job age, black- amphlet, job tion (on y, Print, nal exit tray ability.	One-touch Dial Group Destinations Programs Max. Jobs in Memory Network Protocols Network Security Software Sharp OSA Platform B&W Super G3 Fax Transmission Mode Modem Speed Compression Scanning Method TX Resolution Transmit Speed Auto Dialing Group Dial Inbound Routing	E-mail, Desktop, FTP, Folder (SMB), USB, Internet/G3 fax (options Up to 1000 (combined scan destinations) Up to 500 Up to 500 Up to 94 (Kn models), up to 47 (U models) TCP/IP, SSL (HTTP, SMTP, LDAP, FTP, POP3), SMB, ESMTP, 802.1 x E-mail server user authentication for LDAP and Active Directory Sharpdesk® document management software (1 user license) Application Communication Module (MX-AMX2) Standard Kit (option) Super G3, G3 33.6 KBPS³ JBIG, MMR, MR, MH Sheet fed simplex or duplex or book 400 dpi (max.) Approximately 2 Seconds with Super G3/JBIG⁴ Up to 1000 (combined scan destinations) Up to 500 Forwards received fax data to E-mail
Hard Disk Drive Copy Resolution Exposure Control Halftone Copy Features Account Control Output Tray	Copy: 640MB (320MB U models); Print/ 80GB; 38GB for document filing syste Scan: B&W/color: 600 dpi; Copy Output (k) models) Modes: Automatic Text, Text/Photo, Tev Photo, Photo, Map. Settings: auto or 9 256 gradations/2 levels (monochrome Scan-Once Print-Many, electronic sort Paper Sensing (APS), Auto Magnificati tray switching, rotation copy, reserve c copy, margin shift, tab-paper insertion dual page copy, cover pages, insert pa build, card shot, multi-page enlargeme white reversal, centering, proof copy, 2 photo repeat, document filing, account programs, date/character/page stamp Up to 1000 users. Supports user-num device), login name/password (on devi name/password (on device via LDAP s Scan, Fax and document managemen Main output tray (top) 400 sheets (face down) Flash ROM with local (USB) and netwo	scan: 1GB m (N models) : B&W: 1200 c tt/Printed-Phot step manual.) ng, offset-stac nn Sensing (Al) opy, tandem c edge erase, c ges, OHP inse min, reverse im i-in-1/4-in1, p. management ber authentica ce) or login erver) for Copy c d down); option rk update cap ser/administral	cking, Auto VIS), auto opy, book age, black- amphlet, , job tion (on y, Print, nal exit tray ability. tor level login	One-touch Dial Group Destinations Programs Max. Jobs in Memory Network Protocols Network Security Software Sharp OSA Platform B&W Super G3 Fax Transmission Mode Modem Speed Compression Scanning Method TX Resolution Transmit Speed Auto Dialing Group Dial Inbound Routing Long length Originals	E-mail, Desktop, FTP, Folder (SMB), USB, Internet/G3 fax (options Up to 1000 (combined scan destinations) Up to 500 Up to 500 Up to 94 (N models), up to 47 (U models) TCP/IP, SSL (HTTP, SMTP, LDAP, FTP, POP3), SMB, ESMTP, 802.1x E-mail server user authentication for LDAP and Active Directory Sharpdesk® document management software (1 user license) Application Communication Module (MX-AMX2) Standard Kit (option) Super G3, G3 33.6 KBPS³ JBIG, MMR, MH Sheet fed simplex or duplex or book 400 dpi (max.) Approximately 2 Seconds with Super G3/JBIG⁴ Up to 1000 (combined scan destinations) Up to 500 Forwards received fax data to E-mail
Hard Disk Drive Copy Resolution Exposure Control Halftone Copy Features Account Control Output Tray Capacity Firmware Configuration Method	Copy: 640MB (320MB U models); Print/ 80GB; 33GB for document filing syste Scan: 8&W/color: 600 dpi; Copy Output (N models) Modes: Automatic Text, Text/Photo, Tev Photo, Photo, Map. Settings: auto or 9 256 gradations/2 levels (monochrome Scan-Once Print-Many, electronic sort Paper Sensing (APS), Auto Magnificatii tray switching, rotation copy, reserve copy, margin shift, tab-paper insertion dual page copy, cover pages, insert pe build, card shot, multi-page enlargeme white reversal, centering, proof copy, 2 photo repeat, document filing, account programs, date/character/page stamp Up to 1000 users. Supports user-num device), login name/password (on device via LDAP s Scan, Fax and document managemen Main output tray (top) 400 sheets (face down) Flash ROM with local (USB) and netwo Web-based management system with u security, cloning (1 to N) with PAU and	scan: 1GB m (N models) : B&W: 1200 c tt/Printed-Phot step manual.) ng, offset-stac on Sensing (Al opy, tandem c edge erase, c ges, OHP inse management ber authentica ce) or login ce) or login ce) or login trk update cap ser/administrar remote front	cking, Auto VIS), auto opy, book age, black- amphlet, , job tion (on y, Print, nal exit tray ability. tor level login	One-touch Dial Group Destinations Programs Max. Jobs in Memory Network Protocols Network Security Software Sharp OSA Platform B&W Super G3 Fax Transmission Mode Modem Speed Compression Scanning Method TX Resolution Transmit Speed Auto Dialing Group Dial Inbound Routing Long length Originals Programs Memory	E-mail, Desktop, FTP, Folder (SMB), USB, Internet/G3 fax (options Up to 1000 (combined scan destinations) Up to 500 Up to 94 (N models), up to 47 (U models) TCP/IP, SSL (HTTP, SMTP, LDAP, FTP, POP3), SMB, ESMTP, 802.1x E-mail server user authentication for LDAP and Active Directory Sharpdesk® document management software (1 user license) Application Communication Module (MX-AMX2) Standard Kit (option) Super G3, G3 33.6 KBPS³ JBIG, MMR, MR, MH Sheet fed simplex or duplex or book 400 dpi (max.) Approximately 2 Seconds with Super G3/JBIG⁴ Up to 1000 (combined scan destinations) Up to 500 Forwards received fax data to E-mail Up to 48 (combined)
Hard Disk Drive Copy Resolution Exposure Control Halftone Copy Features Account Control Output Tray Capacity Firmware Configuration Method Service/Maintanence	Copy: 640MB (320MB U models); Print/ 80GB; 33GB for document filing syste Scan: 8&W/color: 600 dpi; Copy Output (N models) Modes: Automatic Text, Text/Photo, Tex Photo, Photo, Map. Settings: auto or 9 256 gradations/2 levels (monochrome Scan-Once Print-Many, electronic Scan-Once Print-Many, electronic Scan-Once Print-Many, electronic stray switching, rotation copy, reserve cropy, margin shift, tab-paper insertion dual page copy, cover pages, insert pe build, card shot, multi-page enlargeme white reversal, centering, proof copy, 2 photo repeat, document filing, account programs, date/character/page stamp. Up to 1000 users. Supports user-num device), login name/password (on device via LDAP's Scan, Fax and document managemen Main output tray (top) 400 sheets (face (right side) 100 sheets (face down) Flash ROM with local (USB) and netwo Web-based management system with u security, cloning (1 to N) with PAU and Remote front panel and remote service	scan: 1GB m (N models) : B&W: 1200 c tt/Printed-Phot step manual.) ng, offset-stac on Sensing (Al opy, tandem c edge erase, c ges, OHP inse management ber authentica ce) or login ce) or login ce) or login trk update cap ser/administrar remote front	cking, Auto VIS), auto opy, book age, black- amphlet, , job tion (on y, Print, nal exit tray ability. tor level login	One-touch Dial Group Destinations Programs Max. Jobs in Memory Network Protocols Network Security Software Sharp OSA Platform B&W Super G3 Fax Transmission Mode Modem Speed Compression Scanning Method TX Resolution Transmit Speed Auto Dialing Group Dial Inbound Routing Long length Originals Programs Memory Halftone	E-mail, Desktop, FTP, Folder (SMB), USB, Internet/G3 fax (options) Up to 1000 (combined scan destinations) Up to 500 Up to 500 Up to 94 (N models), up to 47 (U models) TCP/IP, SSL (HTTP, SMTP, LDAP, FTP, POP3), SMB, ESMTP, 802.1x E-mail server user authentication for LDAP and Active Directory Sharpdesk® document management software (1 user license) Application Communication Module (MX-AMX2) Standard Kit (option) Super G3, G3 33.6 KBPS³ JBIG, MMR, MR, MH Sheet fed simplex or duplex or book 400 dpi (max.) Approximately 2 Seconds with Super G3/JBIG⁴ Up to 1000 (combined scan destinations) Up to 500 Forwards received fax data to E-mail Up to 31.5" (for transmission) Up to 48 (combined) 8 (exclusive) 256 levels
Hard Disk Drive Copy Resolution Exposure Control Halftone Copy Features Account Control Output Tray Capacity Firmware Configuration Method Service/Maintanence Power	Copy: 640MB (320MB U models); Print/ 80GB; 38GB for document filing syste Scan: B8W/color: 600 dpi; Copy Output (k) models) Modes: Automatic Text, Text/Photo, Tex Photo, Photo, Map, Settings: auto or 9 256 gradations/2 levels (monochrous Scan-Once Print-Many, electronic sort Paper Sensing (APS), Auto Magnificatio tray switching, rotation copy, reserve of copy, margin shift, tab-paper insertion dual page copy, cover pages, insert pa build, card shot, multi-page enlargeme white reversal, centering, proof copy, 2 photo repeat, document filing, account programs, date/character/page stamp Up to 1000 users. Supports user-num device), login name/password (on devi name/password (on device via LDAP s Scan, Fax and document managemen Main output tray (top) 400 sheets (face down) Flash ROM with local (USB) and netwo Web-based management system with u Security, cloning (1 to N) with PAJ and Remote front panel and remote service AC 100-127 VAC, 60Hz, 12 Amps	scan: 1GB m (N models) : B&W: 1200 c tt/Printed-Phot step manual.) ng, offset-stac on Sensing (Al opy, tandem c edge erase, c ges, OHP inse management ber authentica ce) or login ce) or login ce) or login trk update cap ser/administrar remote front	cking, Auto VIS), auto opy, book age, black- amphlet, , job tion (on y, Print, nal exit tray ability. tor level login	One-touch Dial Group Destinations Programs Max. Jobs in Memory Network Protocols Network Security Software Sharp OSA Platform B&W Super G3 Fax Transmission Mode Modem Speed Compression Scanning Method TX Resolution Transmit Speed Auto Dialing Group Dial Inbound Routing Long length Originals Programs Memory	E-mail, Desktop, FTP, Folder (SMB), USB, Internet/G3 fax (options) Up to 1000 (combined scan destinations) Up to 500 Up to 500 Up to 94 (knowleds), up to 47 (U models) TCP/IP, SSL (HTTP, SMTP, LDAP, FTP, POP3), SMB, ESMTP, 802.1x E-mail server user authentication for LDAP and Active Directory Sharpdesk® document management software (1 user license) Application Communication Module (MX-AMX2) Standard Kit (option) Super G3, G3 33.6 KBPS³ JBIG, MMR, MR, MH Sheet fed simplex or duplex or book 400 dpi (max.) Approximately 2 Seconds with Super G3/JBIG⁴ Up to 1000 (combined scan destinations) Up to 500 Forwards received fax data to E-mail Up to 31.5" (for transmission) Up to 48 (combined) 8 (exclusive) 256 levels Quick on-line transmission, direct transmission, F-Code
Hard Disk Drive Copy Resolution Exposure Control Halftone Copy Features Account Control Output Tray Capacity Firmware Configuration Method Service/Maintanence Power	Copy: 640MB (320MB U models); Print/ 80GB; 33GB for document filing syste Scan: 8&W/color: 600 dpi; Copy Output (N models) Modes: Automatic Text, Text/Photo, Tex Photo, Photo, Map. Settings: auto or 9 256 gradations/2 levels (monochrome Scan-Once Print-Many, electronic Scan-Once Print-Many, electronic Scan-Once Print-Many, electronic stray switching, rotation copy, reserve cropy, margin shift, tab-paper insertion dual page copy, cover pages, insert pe build, card shot, multi-page enlargeme white reversal, centering, proof copy, 2 photo repeat, document filing, account programs, date/character/page stamp. Up to 1000 users. Supports user-num device), login name/password (on device via LDAP's Scan, Fax and document managemen Main output tray (top) 400 sheets (face (right side) 100 sheets (face down) Flash ROM with local (USB) and netwo Web-based management system with u security, cloning (1 to N) with PAU and Remote front panel and remote service	scan: 1GB m (N models) : B&W: 1200 c tt/Printed-Phot step manual.) ng, offset-stac on Sensing (Al opy, tandem c edge erase, c ges, OHP inse management ber authentica ce) or login ce) or login ce) or login trk update cap ser/administrar remote front	cking, Auto VIS), auto opy, book age, black- amphlet, , job tion (on y, Print, nal exit tray ability. tor level login	One-touch Dial Group Destinations Programs Max. Jobs in Memory Network Protocols Network Security Software Sharp OSA Platform B&W Super G3 Fax Transmission Mode Modem Speed Compression Scanning Method TX Resolution Transmit Speed Auto Dialing Group Dial Inbound Routing Long length Originals Programs Memory Halftone	E-mail, Desktop, FTP, Folder (SMB), USB, Internet/G3 fax (options) Up to 1000 (combined scan destinations) Up to 500 Up to 500 Up to 94 (N models), up to 47 (U models) TCP/IP, SSL (HTTP, SMTP, LDAP, FTP, POP3), SMB, ESMTP, 802.1x E-mail server user authentication for LDAP and Active Directory Sharpdesk® document management software (1 user license) Application Communication Module (MX-AMX2) Standard Kit (option) Super G3, G3 33.6 KBPS³ JBIG, MMR, MR, MH Sheet fed simplex or duplex or book 400 dpi (max.) Approximately 2 Seconds with Super G3/JBIG⁴ Up to 1000 (combined scan destinations) Up to 500 Forwards received fax data to E-mail Up to 31.5" (for transmission) Up to 48 (combined) 8 (exclusive) 256 levels

Network Printing System	(standard on N models)
--------------------------------	------------------------

PDL	PCL® 6/PCL5e compatible, Optional Postscript®31 ^m , optional XPS
Resolution	1200 dpi x 1200 dpi (N models), 600 dpi x 600 dpi (U models)
Print Speed	28/36/45/50 pages per minute depending on model (81/2"x 11")
Print Drivers	Windows® 98, Windows Me, Windows NT® 4 (with SP5 or later),
	Windows 2000, Windows Server® 2003, Windows Server 2008,
	Windows XP, Windows XP x64, Windows Server 2003 x64,
	Windows Server 2008 x64, Windows Vista™, Windows Vista x64,
	MAC OS®, 9.2.2, OS-X (including 10.2.8, 10.3.9, 10.4.11,
	10.5-10.5.5), all MAC PPD, UNIX, Linux.1
Features	Continuous printing, duplex printing, pamphlet printing,
	N-up printing, image rotation, different cover page/last page,
	transparency inserts, tab printing, carbon copy print mode,
	fit-to-page, poster print, margin shift, mirror image, watermarks,
	overlay, confidential print, confidential batch print, print hold,
	proof print, bypass printing, job priority printing, print job control,
	tandem printing and direct printing 1
Direct Printing	File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF,
	High Compression PDF, Postscript and XPS ² Methods: FTP,
	Web page, E-mail and USB memory
Resident Fonts	80 outline fonts
Interface	RJ-45 Ethernet 10/100/1000 Base-T
Network	Windows 98/ME, NT 4.0, XP, 2003/2008 Server, Vista, Novell®
Environments	Netware® 3x to 6x, MAC OS 9, OSX 10 to 10.5.6), Sun® OS
	4.1x, Solaris® 2x, UNIX®, Linux®, SAP, AS400, Citrix® (Metaframe,
	Presentation Server 4, 4.5) and Windows Terminal Services.
Network Protocols	TCP/IP (IPv4, IPv6, IPSEC) SSL (HTTP, IPP, FTP), SNMPv3, 802.1x
	for Windows and UNIX. LPD and LPR for UNIX. IPX/SPX® (Novell
	environments). EtherTalk® and NetBEUI. AppleTalk® (Macintosh®).
Printing Protocols	LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FTP and Novell
	Pserver/Rprinter
Network Security	IP/Mac address filtering, protocol filtering, port management,
	user authoritiestion and decument administration

canning System (standard on N models)

Max Original Oizo	11 A 17
Optical Resolution	600 dpi
Output Modes	600 dpi, 400 dpi, 300 dpi, 200 dpi, 100 dpi
Scan Modes	Color, monochrome, grayscale
Image Formats	Monochrome: TIFF, PDF, Encrypted PDF, XPS ¹
	Color (N models only): Grayscale, Color TIFF, JPG, PDF, Encrypted
	PDF, High Compression PDF, ² XPS ²
Image	Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR)
Compression	Color/Grayscale (N models only): JPG (high, medium, low), High
	Compression PDF1, Internet FAX mode: MH/MMR (option)
Scan Destinations	E-mail, Desktop, FTP, Folder (SMB), USB, Internet/G3 fax (options)
One-touch Dial	Up to 1000 (combined scan destinations)
Group Destinations	Up to 500
Programs	Up to 48 (combined)
Max. Jobs in Memory	Up to 94 (N models), up to 47 (U models)
Network Protocols	TCP/IP, SSL (HTTP, SMTP, LDAP, FTP, POP3), SMB, ESMTP,
	802.1x
Network Security	E-mail server user authentication for LDAP and Active Directory
Software	Sharpdesk® document management software (1 user license)

G3 Fax Kit (option)

Transmission Mode Super G3, G3 Modem Speed 33,6 KBPS³ Compression JBIG, MMR, MR, MH Scanning Method Sheet fed simplex or duplex or book TX Resolution 400 dpi (max.) Transmit Speed Approximately 2 Seconds with Super G3/JBIG⁴ Auto Dialing Up to 1000 (combined scan destinations) Group Dial Up to 500 Inbound Routing Forwards received fax data to E-mail Long length Originals Up to 31.5" (for transmission) Programs Up to 48 (combined) Memory 8 (exclusive) Halftone 256 levels Features Quick on-line transmission, direct transmission, F-Code transmission/reception, rotate transmission, anti-junk fax, staple received faxes, secure fax release, out of paper reception, auto redial, 2-in-1 reception, duplex reception TX reports, and PC fax.		
Compression JBIG, MMR, MR, MH Scanning Method Sheet fed simplex or duplex or book 1X Resolution 400 dpi (max.) Transmit Speed Approximately 2 Seconds with Super G3/JBIG ⁴ Auto Dialing Up to 1000 (combined scan destinations) Group Dial Up to 500 Inbound Routing Forwards received fax data to E-mail Long length Originals Up to 31.5" (for transmission) Programs Up to 48 (combined) Memory 8 (exclusive) Halftone 256 levels Features Quick on-line transmission, direct transmission, F-Code transmission/reception, rotate transmission, anti-junk fax, staple received faxes, secure fax release, out of paper reception, auto	Transmission Mode	Super G3, G3
Scanning Method TX Resolution A00 dpi (max.) Transmit Speed Approximately 2 Seconds with Super G3/JBIG ⁴ Auto Dialing Up to 1000 (combined scan destinations) Group Dial Inbound Routing Long length Originals Up to 31.5" (for transmission) Programs Up to 48 (combined) Memory Halftone 256 levels Features Quick on-line transmission, direct transmission, F-Code transmission/reception, rotate transmission, auto-junk fax, staple received faxes, secure fax release, out of paper reception, auto	Modem Speed	33.6 KBPS ³
TX Resolution 400 dpi (max.) Transmit Speed Approximately 2 Seconds with Super G3/JBIG ⁴ Auto Dialing Up to 1000 (combined scan destinations) Grup Dial Up to 500 Inbound Routing Forwards received fax data to E-mail Long length Originals Up to 31.5" (for transmission) Programs Up to 48 (combined) Memory 8 (exclusive) Halftone 256 levels Features Quick on-line transmission, direct transmission, F-Code transmission/reception, rotate transmission, anti-junk fax, staple received faxes, secure fax release, out of paper reception, auto	Compression	JBIG, MMR, MR, MH
Transmit Speed Approximately 2 Seconds with Super G3/JBIG ⁴ Auto Dialing Up to 1000 (combined scan destinations) Group Dial Up to 500 Inbound Routing Forwards received fax data to E-mail Long length Originals Up to 31.5" (for transmission) Programs Up to 48 (combined) Memory 8 (exclusive) Halftone 256 levels Features Quick on-line transmission, direct transmission, F-Code transmission/reception, rotate transmission, anti-junk fax, staple received faxes, secure fax release, out of paper reception, auto	Scanning Method	Sheet fed simplex or duplex or book
Auto Dialing Up to 1000 (combined scan destinations) Group Dial Up to 500 Inbound Routing Forwards received fax data to E-mail Long length Originals Up to 31.5" (for transmission) Programs Up to 48 (combined) Memory 8 (exclusive) Halftone 256 levels Features Quick on-line transmission, direct transmission, F-Code transmission/reception, rotate transmission, anti-junk fax, staple received faxes, secure fax release, out of paper reception, auto	TX Resolution	400 dpi (max.)
Group Dial Up to 500 Inbound Routing Forwards received fax data to E-mail Long length Originals Up to 31.5" (for transmission) Programs Up to 48 (combined) Memory 8 (exclusive) Halftone 256 levels Features Quick on-line transmission, direct transmission, F-Code transmission/reception, rotate transmission, anti-junk fax, staple received faxes, secure fax release, out of paper reception, auto	Transmit Speed	Approximately 2 Seconds with Super G3/JBIG ⁴
Inbound Routing Forwards received fax data to E-mail	Auto Dialing	Up to 1000 (combined scan destinations)
Long length Originals Up to 31.5" (for transmission) Programs Up to 48 (combined) Memory 8 (exclusive) Halftone 256 levels Features Quick on-line transmission, direct transmission, F-Code transmission/reception, rotate transmission, anti-junk fax, staple received faxes, secure fax release, out of paper reception, auto	Group Dial	Up to 500
Programs Up to 48 (combined) Memory 8 (exclusive) Halftone 256 levels Features Quick on-line transmission, direct transmission, F-Code transmission/reception, rotate transmission, anti-junk fax, staple received faxes, secure fax release, out of paper reception, auto	Inbound Routing	Forwards received fax data to E-mail
Memory 8 (exclusive) Halftone 256 levels Features Quick on-line transmission, direct transmission, F-Code transmission/reception, rotate transmission, anti-junk fax, staple received faxes, secure fax release, out of paper reception, auto	Long length Originals	Up to 31.5" (for transmission)
Halftone 256 levels Features Quick on-line transmission, direct transmission, F-Code transmission/reception, rotate transmission, anti-junk fax, staple received faxes, secure fax release, out of paper reception, auto	Programs	Up to 48 (combined)
Features Quick on-line transmission, direct transmission, F-Code transmission/reception, rotate transmission, anti-junk fax, staple received faxes, secure fax release, out of paper reception, auto	Memory	8 (exclusive)
transmission/reception, rotate transmission, anti-junk fax, staple received faxes, secure fax release, out of paper reception, auto	Halftone	256 levels
received faxes, secure fax release, out of paper reception, auto	Features	Quick on-line transmission, direct transmission, F-Code
		received faxes, secure fax release, out of paper reception, auto

Inner Finisher (option)

Type	Built-in tinisner (noie-punch unit option)
Output Capacity	500 sheets (letter/statement) or 250 sheets (ledger/legal size)
Stapling Media	Plain paper, (letter, legal, or ledger size)
Stapling Positions	1 front, 1 rear, or both
Power Source	Supplied from main unit
Stapling	Up to 50 sheets (letter size) or 30 sheets (legal, ledger or mixed)
Stapled Sets	30 bundles or 500 sheets (letter or statement size) or 30
	bundles or 250 sheets (legal or ledger size)
Hole Punching	Optional hole punch unit MX-PNX1B (2 holes/3 holes)
Weight	Approx: 28.7 lbs.
Dimensions	25 1/4" (w) x 29" (d) x 8 1/4" (h) (with tray extended)

Saddle Stitch Finisher (ontion)

Saudie Stiteli i illisi	ici (opuoli)
Туре	Console finisher with dual exit trays (mounts on left side)
Output Trays	Upper tray: Offset stack tray
	Lower tray: Book tray for saddle stitch
Output Capacity	1000 sheets (letter/statement size) or 500 sheets (legal, ledger
	or letter-R size)
Stapling	Up to 50 sheets (letter/statement), 25 sheets (legal, ledger, mixed)
Output Delivery	Face down
Stapling Media	Plain paper, letter/legal/ledger size or mixed
Stapling Positions	1 front, 1 rear, or both
Saddle Stitch	Center stitch/folding (2 staples) letter/legal/ledger paper sizes.
Function	Up to 10 sets (11-15 sheets per set)/15 sets (6-10 sheets per
	set)/20 sets, Max. Sets (1-5 sheets per set).
Power Consumption	70 W or less
Hole Punching	Optional hole punch unit MX-PNX5B (2 holes/3 holes)
Weight	Approx: 88.18 lbs.
Dimensions	26" (w) x 25" (d) x 39" (h) (with tray extended)

4K Stacking Fillish	5I
Type	Console stacking finisher with dual exit trays
Output Trays	Fixed position upper tray and offset stacking lower tray
Output Capacity	Upper tray: 1,550 sheets (letter size, non-stapled)
	Lower tray: 2,450 sheets (letter size, non-stapled)
Stapling	Three position; Up to 50 sheets (letter size)
Hole punching	Optional punch unit MX-PNX6B (2 hole/3 hole)
Power Consumption	Approx: 140W
Weight	Approx: 97 lbs.
Dimensions	Approx: 20 ½" (w) x 25 ½" (d) x 43 ½" (h)

Optional Equipment

MX-DEX8	Stand/1 x 500 Sheet Paper Drawer
MX-DEX9	Stand/2 x 500 Sheet Paper Drawer
MX-50ABD	Rolling Cabinet Base
MX-LCX1	Large Capacity Tray (requires MX-DEX8 or MX-DEX9)
MX-FNX9	Inner Finisher
MX-FN10	Saddle Stitch Finisher
MX-FN11	4K Stacking Finisher
MX-RBX3	Paper Pass Unit (Required for MX-FN10 or MX-FN11)
MX-PNX1B	3 Hole Punch Unit (for Inner Finisher)
MX-PNX5B	3 Hole Punch (for Saddle Stitch Finisher)
MX-PNX6B	3 Hole Punch Unit (for 4K Stacking Finisher)
MX-TRX2	Exit Tray Unit
MX-PB10	Printer Expansion Kit (U models)
MX-PB11	Printer Expansion Kit with Hard Drive (U models)
MX-PKX1	Postscript 3 Kit ¹
MX-PUX1	XPS Expansion Kit (Requires MX-SHP1GBXPS)
MX-SHP1GBXPS	1GB Memory Upgrade (Required for MX-PUX1)
MX-EBX3	Enhanced Scanner Compression Kit (N models only)
MX-FWX1	Internet Fax Kit ¹
MX-FXX2	Fax Expansion Kit
AR-PF1	Bar Code Font Kit ¹
MX-AMX1	Application Integration Module ¹
MX-AMX2	Application Communication Module ¹
MX-AMX3	External Accounting Module ¹
MX-NSX1	Network Scanner Expansion Kit
MX-FR14U	Commercial Data Security Kit for models with Hard Disk Drive
MX-FR15U	Commercial Data Security Kit for models w/o Hard Disk Drive

MX-500NR	Drum
MX-500NV	Black Developer
MX-500NT	Black Toner Cartridge

Actual transmission speed and time will vary based on line conditions Based on Sharp Standard Test Chart with approximately 700 characters, letter size in standard resolution.















Some features may require optional equipment.

² May vary depending on product configuration, machine settings and operating and/or environmental conditions.