

**e-STUDIO™ 5508A**  
**e-STUDIO™ 6508A**  
**e-STUDIO™ 7508A**  
**e-STUDIO™ 8508A**

- > Black & White Multifunction Printer
- > Up to 85 PPM
- > Large Workgroup
- > Copy, Print, Scan, Fax
- > Secure MFP
- > Solutions Ready



# CONNECT. INTEGRATE. SIMPLIFY.

## Technology for every office, delivering advanced functionality, ease of use and peace of mind.

Every industry has unique workflow needs. Toshiba has developed customizable MFPs to make your job easier. Intuitive and smartly integrated, our products simplify complex tasks and give you control while providing the reliability Toshiba is known for.

Toshiba's latest series delivers on our promise of Together Information – our commitment to collaborate with clients in order to provide tailored, cost-effective solutions that meet your print, document management and content needs while helping you meet your green objectives.

- > Speeds of 55, 65, 75 and 85 PPM black & white
- > Outstanding image quality and extra-high volume
- > Advanced e-BRIDGE Next technology
- > Fast dual-core processor

## Faster, sleeker, and more volume than ever.

Toshiba is now introducing a sleek new lineup that looks great inside and out. Along with an ultra-modern look, you'll also find innovative technology like crisp, clean monochrome output delivered at up to 85 pages per minute with an impressive 6,020-sheet maximum capacity.

- > Precise 2,400 dpi x 600 dpi with smoothing for text
- > Up to 3,600 dpi x 1,200 dpi in PostScript mode
- > New high-speed, high-capacity Dual-Scan Document Feeder
- > Up to 720K maximum monthly copy volume

## Simple, smart and stylish.

A new 9" tablet-style touch screen with an embedded web browser is easy to use and customizable to meet your needs. And, it is part of the bold new look being introduced across the e-STUDIO series.



# FEATURES AND BENEFITS AND MORE OF THEM.

With the Toshiba e-STUDIO8508A series, you can improve workgroup connection, integrate and simplify while improving efficiency with ultra-high quality output at unprecedented volumes.

**Higher Robust Speeds** include 55/65/75/85 monochrome pages per minute.

**Fast Dual-Scan Document Feeder** handles up to 300 sheets at a time and seamlessly scans both sides of each page in a single pass to produce a full 240 images per minute (IPM).

**Fast First Copy Out Times** at 5.2/5.2/4.5/4.1 seconds respectively.

**9" Tablet-Style Touch Screen** works intuitively, helping you access instructions, functions, and commands with the swipe of the finger.

**Print Around** eliminates printing bottlenecks by allowing other print jobs to go around one job that's held-up due to requiring a specific paper size or type.

**Limitless Job Reservation** will queue up multiple copy or print jobs so users can send jobs whenever.

**Saddle/Fold Capabilities** offer saddle-stitch finishing and the option to fold without stapling.

**Scan-to and Print-from USB** lets you print straight from your USB drive or scan documents to it.

**Advanced e-BRIDGE Next Technology** enables the MFP to drive Toshiba's internally developed embedded solutions or those from a third party with ease.

**Notifications Feature** takes the hassle out of checking for depleted supplies or maintenance needs.

**Paper Volume Indicators** on the front panel make it easy to see the paper sizes, types and levels in each cassette.

**Help Button** provides instant, thorough explanations straight from the manual to help as needed.



# HOW TOSHIBA IS RAISING THE STANDARD.

When it comes to seamless workflow and simplified integration, the e-STUDIO8508A series represents the finest Toshiba has to offer. The latest e-BRIDGE Next technology enables complete third-party integration and support for internally driven solutions. A universal driver along with PCL 6, PS3, and XPS support provide fast and easy connectivity to Windows®, Macintosh® and more.

AirPrint and Mopria™ support means mobile users can print to the MFP with ease. The e-BRIDGE Print & Capture application provides additional capabilities including the ability to scan from the MFP back to your mobile device. Also, a Dual-Line Fax option can handle heavy fax volumes with ease.

## Cloud Support

New Scan-to-Cloud and Cloud Print capabilities increase productivity by allowing users to access, store and print documents remotely from the MFP. Whether it's Dropbox, OneDrive or Google Drive, the new e-STUDIO8508A series makes scanning to these cloud-based locations a breeze, while embedded support for Google Cloud Print enables easy printing to the MFP from anywhere you may be.

## Advanced Security

Even more important than functionality is the security offered by the e-STUDIO8508A series. Such technological advancements include:

- > A 320GB Self-Encrypting Drive (SED) with Automatic Drive Invalidation (ADI) & Data Overwrite capability provides top level security
- > FIPS 140-2 Validated SED meets and exceeds government requirements
- > IPsec is available to securely encrypt data sent to and from the MFP

## Environmental Responsibility

Because we have been working to protect the environment as well as your security, you can rest assured Toshiba has what it takes to protect both.

- > RoHS compliance, the use of recycled plastics, and Low-Power (0.6W) Super Sleep Mode work to help the environment
- > EPEAT Gold Registered in the global registry for greener electronics, designed to help purchasers choose products that reduce environmental impact
- > Energy Star V2.0 meets the latest, more stringent requirements



# PROOF WE'RE CONSTANTLY REACHING HIGHER.

## 1 Accessory Tray & Keyboard Options

- GR1250 – Accessory Tray
- GR9000 – Bluetooth Keyboard
- GR1260 – 10-Key Numeric Keypad

## 2 Finishing Options

- MJ1111 – 50-Sheet Console Finisher
- MJ1112 – 50-Sheet Saddle Stitch Finisher
- MJ6106 – Hole Punch Unit
- KA6551 – Side Exit Tray

## 3 Connectivity Options

- GD1370 – Fax Unit/2nd Line for Fax Unit
- GN4020 – Wireless LAN/Bluetooth Module

## 4 Additional Paper Options

- MP2502 – 2,500 Sheet Large Capacity Feeder

## Additional Option Highlights

- > IPsec Security Enabler
- > Multi-Station Print Enabler
- > Embedded OCR Enabler



The Toshiba e-STUDIO8508A series tops all previous machines and helps large workgroups improve productivity and connectivity while simplifying the overall workflow.

## Double the Scan Speed

A 300-sheet high-speed, high-capacity Dual-Scan Document Feeder (DSDf) produces up to 120 IPM simplex and 240 IPM duplex.

## Bluetooth/WiFi Option

Bluetooth feature provides support for a wireless keyboard to simplify workflow processes at the MFP, while the WiFi capability enables WiFi-Direct printing making it ideal for mobile users

## Volumes and Volumes

A high monthly copy volume is 520K/590K/660K/720K respectively. Impressive toner yields are 106,600 at 5% coverage.

## Multi-Station Print Enabler

Toshiba's internally developed Multi-Station Print Enabler allows users to send print jobs from their desktop and retrieve them at any convenient MFP by simply swiping their badge and authenticating at that device.

## Advanced e-BRIDGE Next Technology

Built on Linux®, this latest generation e-BRIDGE Next architecture features an Embedded Web Browser, an Intel Atom™ dual-core processor, 4GB RAM and a 320GB FIPS 140-2 Validated SED enabling the MFP to easily drive Toshiba's internally developed solutions or even third-party applications.

# e-STUDIO™ 5508A/6508A/7508A/8508A

## Main Specifications

<b>Copy System</b>	Indirect Electrostatic Photographic Method/OPC/Laser Printing/ Heat Roller Fusing
<b>Display</b>	9" Color WVGA Touch Screen Tilting Display
<b>Copy Speed</b>	55/65/75/85 PPM (LT)
<b>First Copy Out</b>	5.2/5.2/4.5/4.1
<b>Warm-Up Time</b>	Approx. 24/24/20/20 Seconds
<b>Copy Resolution</b>	600 x 600 dpi
<b>Stack Feed Bypass</b>	3.9" x 5.8" to 13" x 19", 12" x 47" Banner, Envelope
<b>Multiple Copying</b>	Up to 9,999 Copies
<b>Paper Capacity</b>	Standard 3,520 Sheets/Max. 6,020 Sheets (Tandem Drawer)
<b>Original Feed</b>	Standard 300-Sheet DSDf
<b>Scan Speed &amp; Weights</b>	DSDf Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Color), Simplex: 9.3-110 lb Index, Duplex: 9.3-110 lb Index
<b>Max. Original Size</b>	LD
<b>Paper Feed Sizes</b>	Drawers: 540 Sheets-ST-R to 12" x 18" Integral Tandem LCF 1,160 x 2 LT-Only Stack Feed Bypass: 120 Sheets-3.9" x 5.8" to 13" x 19", 12" x 47" Banner 2,500-Sheet Ext. LCF LT-Only Tandem LCF 1,160 Sheets x 2-16 lb Bond-140 lb Index Plus 540 Sheets x 2-16 lb Bond-140 lb Index Stack Feed Bypass: 120 Sheets-16 lb Bond-110 lb Cover Opt. 2,500-Sheet Ext. LCF LT-Only -16 lb Bond-140 lb Index Standard Automatic Duplex Unit (16 lb Bond-140 lb Index)
<b>Paper Weights</b>	
<b>Duplex</b>	
<b>Reproduction Ratio</b>	25% to 400%
<b>Max Duty Cycle</b>	Max. 520K/590K/660K/720K Month
<b>Weight</b>	Approx. 430 lb
<b>Approx. Dimensions</b>	37.6" (W) x 28.9" (D) x 48.3" (H)
<b>Toner Yield</b>	106,600 @ 5%
<b>Power Source</b>	120 Volts, 50/60 Hz, 16 Amps
<b>Power Consumption</b>	Maximum 2.0kW (120V)
<b>CPU</b>	Intel Atom™ 1.33 GHz (Dual-Core)
<b>Memory</b>	4GB
<b>Hard Disk Drive</b>	320GB Self-Encrypting Drive FIPS 140-2 Validated

## e-BRIDGE Next Print Specifications

<b>PDL</b>	PCL5e, PCL5c, PCL6 (PCL XL), PS3, PDF, XPS, JPEG
<b>Print Speed</b>	55/65/75/85 PPM (LT)
<b>Print Resolution</b>	600 x 600 dpi, 2,400 x 600 dpi (With Smoothing), 1,200 x 1,200 dpi (2-bit) or 3,600 x 1,200 dpi (With Smoothing) PS Only
<b>Operating Systems</b>	Windows® Vista, Windows Server® 2008/R2, Windows® 7, 8, 8.1, 10, Windows Server® 2012/R2, Macintosh® (Mac OS X 10.6, 10.7, 10.8, 10.9, 10.10, 10.11), Unix®, Linux®
<b>Network Protocols</b>	TCP/IP (IPv4, IPv6), NetBIOS over TCP/IP, IPX/SPX® for Novell® Environments, EtherTalk® for Macintosh Environments
<b>Printing Protocols</b>	SMB, LPR/LPD, IPP (Ver.1.1) w/Authentication, AppleTalk PAP or EtherTalk™, Port 9100 (bi-directional), NetWare P-SERVER LPD w/ iPrint, WS Print, FTP
<b>Print Drivers</b>	Windows® Vista SP2 (32-bit, 64-bit), Windows Server® 2008 SP2 (32-bit, 64- bit), Windows Server® 2008 R2 SP1 (64-bit), Windows® 7 SP1 (32-bit, 64-bit), Windows® 8/8.1 (32-bit, 64-bit), Windows Server® 2012/R2 (64-bit), Windows® 10 (32-bit, 64-bit), Mac OS® X 10.6.8, 10.7.4, 10.8, 10.9, 10.10, 10.11 RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (High-speed) Optional 802.11b/g/n, Wireless LAN, Optional Bluetooth
<b>Interface</b>	
<b>Wireless Device</b>	AirPrint™, Mopria®, e-BRIDGE Print & Capture Application on iOS and Android (Available via Apple App Store or Google Play)
<b>Device Management</b>	TopAccess, EFMS 6.2 (e-BRIDGE Fleet Management Software)
<b>Account Control</b>	Up to 10,000 users or 1,000 Departments Supports User Authentication (on Device), Login Name/Password (via Windows domain) or Login Name/ Password (via LDAP Server) for Copy, Print, Scan, Fax, List, and User Function
<b>Accessibility Features</b>	Tilt Front Panel, Job Programs, Universal Grip for Paper Trays, Disable Screen Timeout and Audible Beep Message Alerts



## Security Features

User Authentication, On-Board Data Scramble Function, SCEP, Disable e-Filing, Disable Copy, Disk Overwrite, IP Address Filtering (10 Sets), MAC Address Filtering (10 Sets), Network Service Control, Network Port Control, SMB Packet Signing, SSL (HTTP, IPP, LDAP, SMTP, POP, FTP, DPWS), IPsec (IKEv1, IKEv2), Security Mode Change, CC Certified (ISO/IEC15408 EAL3+), IEEE2600.1, IEEE802.1X, Digital Signature for Client Utilities, Password Policy, Password Lock, Password Expiration, Self Testing, Job Access Control, Log Access Control for Job Log, Security Stamp  
\*Compliant with IEEE2600.1 in High Security Mode.

## Environmental Stds. Certification

Energy Star (V2.0), EPEAT Gold, RoHS  
WHQL (Windows 7, 8, 8.1, 10, 2008 R2, 2012, 2012 R2), Novell, Citrix, SAP

## Scan Specifications

<b>Scan Speed</b>	DSDf Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Color)
<b>Scan Modes</b>	Standard: Full Color, Auto Color, Monochrome, Grayscale
<b>Scan Resolution</b>	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi
<b>File Formats</b>	Monochrome: TIFF-Multi/Single Page, PDF-Multi/Single Page, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.) Color/Grayscale: JPEG, TIFF-Multi/Single Page, PDF-Multi/Single Page, Slim PDF, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.)
<b>Image Compression</b>	Color/Grayscale: JPEG (High, Middle, Low)

## Facsimile Specifications

<b>Compatibility</b>	Super G3
<b>Data Compression</b>	MH/MR/MMR/JBIG
<b>Transmission Speed</b>	Approx. 3 Seconds Per Page
<b>Fax Modem Speed</b>	Up to 33.6 Kbps
<b>Memory Transmission</b>	100 Jobs (with HDD), 2,000 Destinations/Max. 400 Destinations/Job
<b>Scan Speed</b>	0.7 Seconds Per Page, Maximum 73 IPM

## e-Filing Specifications

<b>Operation Method</b>	Color Touch Screen Control Panel or Client PC
<b>Number of Boxes</b>	1 Public Box, 200 Private User Boxes
<b>Capacity of Boxes</b>	100 Folders Per Box, 400 Documents Per Folder/Box, 200 Pages Per Document

## Accessories (Options)

<b>Additional Paper Options</b>	Unicode Font Enabler	GS1007	
Large Capacity Feeder	MP2502	Embedded OCR Enabler	
<b>Finishing Options</b>	MJ1111	Single License	GS1080
50-Sheet Staple Finisher	MJ1111	Five Licenses	GS1085
Saddle-Stitch Finisher	MJ1112	Multi-Station Print Enabler	
Hole Punch Unit for MJ1111/MJ1112	MJ6106	Single License	GS1090
Side Exit Tray	KA6551	Five Licenses	GS1095
Finisher Guide Rail	KN1103	Advanced Scanning (ReRite)	GB1280V8
<b>Connectivity/Security Options</b>	GD1370	SharePoint Connector	GB1440
FAX Unit/2nd Line for FAX Unit	GN4020	Exchange Connector	GB1450
Wireless LAN/Bluetooth	GR9000	Google Drive Connector	GB1540
Bluetooth Keyboard	GR1250	<b>Miscellaneous Options</b>	
Accessory Tray	GR1260	Accessible Arm	KK2560
Panel 10-Key Option	GR1290	Harness Kit for Coin Controller	GQ1280
Card Reader Holder	GS1010		
Meta Scan Enabler	GP1080		
IPsec Enabler			

Designs and specifications subject to change without notice. Specifications may vary by conditions of use and/or environmental usage. For best results and reliable performance, always use supplies manufactured or designated by Toshiba. Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership for availability. Toner yields are estimates based on 5% coverage, letter-size page. Driver and connectivity feature support varies by client/network operating system. Product names may be trademarks of their respective companies. AirPrint and the AirPrint logo are trademarks of Apple Inc. This is a Class 1 laser product complying with IEC60825-1.

## Corporate Office

9740 Irvine Blvd., Irvine, CA 92618  
Tel: 949-462-6000

## East Coast

959 Route 46 East, 5th Floor, Parsippany, NJ 07054  
Tel: 973-316-2700

## Midwest

8770 W. Bryn Mawr Ave., Suite 700, Chicago, IL 60631  
Tel: 773-380-6000

## South

2037 Bakers Mill Rd., Dacula, GA 30019  
Tel: 678-546-9385

## West Coast

9740 Irvine Blvd., Irvine, CA 92618  
Tel: 949-462-6000

## Web Site

www.business.toshiba.com