

# Desktop Manager

- Multifunctional monochrome system for high quality documents at speeds of up to 52 ppm
- Sophisticated e-BRIDGE technology for flexible workflow solutions and network integration
- Large colour LCD touch panel for an intuitive and effective user experience
- Equipped with the Toshiba Secure HDD for highest document security standards
- Compliant with ENERGY STAR<sup>®</sup> criteria thanks to the low energy consumption





Official Office Automation Supporter

## C-STUDIO477s C-STUDIO527s



SAP<sup>®</sup> Printer Vendo Solution









Networking Documents.

# Highly reliable and professional document managers: The e-STUDIO477s/527s

Toshiba introduces two brand new A4 monochrome systems which deliver high quality document output. Designed to meet the most challenging demands of today's offices these systems offer all features required to enhance efficiency

### Made for you

In today's business world you need reliable office equipment which is capable of meeting your individual needs. Flexible configuration, hassle-free integration into existing workflows and user-friendliness are essential if you want to increase your efficiency. The e-STUDIO477s/527s offer exactly that.

## Elegant design packed with functionality

Both systems are network capable and offer advanced print, colour scan, copy and optional fax functionality. With a print speed of 47 and 52 pages per minute respectively, they ensure that even larger print jobs can be processed in a timely manner.

Various options enable you to configure a tailor-made system. By adding additional paper sources you can increase your paper capacity up to 3,160 sheets. Stapling can be made available via the offline stapler, which can staple up to 20 sheets, or via the inner finisher, which can not only staple up to 50 sheets automatically, but also functions as an additional output tray with a 500-sheet capacity. And to optimise your digital document workflow Toshiba offers a large range of software solutions. So whatever your needs – the e-STUDIO systems will always be a perfect fit.

### **Easy efficiency**

To be efficient you need a system which is easy to use. The e-STUDIO477s/527s feature a 9-inch colour LCD touch panel which allows intuitive access all the functions. The possibility to store individual user templates and settings increase the usability of the systems.

Additionally, preferred settings can also be saved in the Toshiba Universal Printer Driver. This ways creating professional looking documents can be done with just a few clicks directly from the application you are using.



The optional Toshiba e-BRIDGE Re-Rite software enables you to convert hard copies into editable and searchable files.



## **Outstanding image quality**

Fine lines and tiny dots are reproduced with exceptional clarity and sharpness. Whether text or images, whether monochrome prints and copies or colour scans – the documents created with the e-STUDIO477s/527s will impress.

#### Flexible – now and in future

The sophisticated Toshiba e-BRIDGE controller guarantees you full flexibility. It allows the easy integration of additional software and gives you access to advanced administration of your entire Toshiba fleet. The e-BRIDGE controller is designed in such a way that when your business grows your Toshiba system can easily adapt to the new requirements.

#### **Ultimate security**

Your data is valuable and needs to be protected. The 160 GB Toshiba Secure HDD, with which the e-STUDIO477s/527s are equipped, offer state-of-the-art protection. The 256-bit AES encryption combined with the self-wiping technology make it virtually impossible for your data to fall into the wrong hands.

## Environment

Environmental issues are becoming more and more important in today's world. Businesses try to reduce their impact on the environment and Toshiba helps achieve this. Duplex printing to save paper and energy save modes to reduce the power consumption are just some of the features of the e-STUDIO477s/527s to minimise the use of valuable resources. Both models fully comply with the ENERGY STAR<sup>®</sup> emission standards.

What's more, the e-STUDIO477s/527s are delivered carbon neutral via Toshiba's Carbon Zero Scheme to help you reduce the impact of your printing and copying.







## 

General	Print & Copy Speed Warm-up Time Paper Size & Weight Paper capacity Automatic Duplex Inner Output Tray Controller Type Controler Panel Memory Interface Dimension & Weight Starter kit	47/52 ppm Approx. 35 seconds Cassette: A5-A4, 64-220 gsm banner paper (up to 216 x 1321 mm, 80-128 gsm) 1 x 530 sheets (Cassette), 100 sheets (Bypass) Maximun 3,160 sheets A5-A4, 64-220 gsm 500 sheets Toshiba e-BRIDGE 9" (22.8 cm) colour touch panel LCD Toshiba Secure HDD 160GB <sup>1)</sup> HDD / 2GB RAM 10/100/1000 BaseT (incl. IPv6), High Speed USB 2.0, WLAN <sup>2</sup> (IEEE802.11b/g/n) 522 x 564 x 811 mm (W x D x H), ~ 47 kg Toner, Drum	OF PA 533 522 LA 2,0 703 1NI 1 t 500 A5
Print	Resolution Page Description Language Supported Systems Print Functions	600 x 600 dpi, 1,200 x 1,200 dpi (1 bit, PS driver only) XPS, PCL 6 and PostScript 3 compatible Windows 8/7/Vista/XP/Server 2008/ Server 2003 (32/64 bit), Server 2012/ Server 2008R2 (64 bit), Mac OS X 10.4.11-10.8, Citrix, Linux/Unix, Novell NetWare (NDPS), SAP, AS/400 Universal Printer Driver, One-Touch Templates, Driver plug-ins <sup>2</sup> , Print from USB, Multiple pages per sheet	38 OF 20 CA Sta 79 ~ 1
Scan	Resolution Scan Speed Document Feeder Scan Modes File Formats Scan Functions	Max. 600 x 600 dpi 52/40 ipm (monochrome/colour with 300 dpi) Simplex: Max 100 sheets, A6-A4, 60-105 gsm Duplex: Max. 100 sheets, A5-A4, 60-105 gsm Auto-Colour (ACS), Colour, Greyscale, Monochrome JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PDF, Searchable PDF <sup>2</sup> (and other formats like DOCX, XLSX, RTF, TXT, PDF/A) <sup>2</sup> WS scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, SPX/IPX, local), Meta Scan <sup>2</sup> , Scan to Box (e-filing), WIA, TWAIN	SP 52: DE FA WI e-E DA ME
Сору	Resolution First Copy Output Time Zoom Copy Modes Copy Functions	Scan: 600 x 600 dpi Print: 600 x 600 dpi Approx. 8 seconds 25-400% (platen), 25-200% (RADF) Text, Text/Photo, Photo Electronic sort, ID card copy, Edge Erase, 2-in-1 / 4-in-1 mode	UN UN e-E
Fax <sup>2)</sup>	Communication Transmission Speed Compression Fax Memory Network-fax Incoming Fax Routing	Super G3, G3, Internet Fax T.37 Approx. 3 seconds per page JBIG, MMR, MR, MH 1GB Transmission/Receiption Driver Windows 8/7/Vista/XP/ Server 2008/ Server 2003 (32/64 bit), Server 2012/ Server 2008R2 (64 bit) To shared folders (SMB, FTP, IPX), E-Mail, e-Filing	-
System & Security	Device Management System Features Accounting & Security	e-BRIDGE Fleet Management System <sup>2</sup> ), Top Access for remote administration and configuration e-Filing document server for secure storage, document distribution and print on demand (1 public box, 200 user boxes), 12,060 One-Touch Templates for storage of personalised settings or workflows, Scan/fax preview, Rip-while-Print, e-BRIDGE Open Platform <sup>2</sup> ), Embedded Web Browser, Job Skip Role Based Access, LDAP support, 1,000 department & 10,000 user codes, card reader <sup>2</sup> ), privat print, standard data encryption with Toshiba Secure HDD, Data Overwrite Enabler <sup>2</sup> , IP and MAC address filter, port filter, support of SSL and IPSec <sup>2</sup> )	יי 10 is מן 2י סן
	Productivity and paper specifications are rel otherwise mentioned.	protocols, IEEE802.1x support, Scan to Secure PDF ated to a paper size of A4 and a paper weight of 80 gsm if not	



### PTIONS

APER FEED UNIT - MY-1046

30-sheet cassette, A5-A4, 64-220 gsm 22 x 485 x 136 mm (W x D x H) ~ 7.3 kg

ARGE CAPACITY FEEDER - KD-1040 ,000 sheets (1 cassette), A4, 64-220 gsm 05 x 758 x 404 (W x D x H) ~ 31 kg

## NNER FINISHER – MJ-1038

tray, 500-sheet capacity 0-sheet stapling, offset stacking 5-A4, 64-104 gsm (stapling mode) 87 x 566 x 215 mm (W x D x H), ~ 8.3 kg

## FFLINE STAPLER – MJ-1039

0-sheet offline stapler, one position

## ASTER - GR-1170

tabiliser 95 x 765 x 132 mm (W x D x H, incl. Stand), 14.7 kg

## PACER - GR-1160

22 x 485 x 136 mm (W x D x H) ~ 5.3 kg

## THER OPTIONS

ESK – MH-3400 AX BOARD - GD-1340EU /IRELESS LAN MODULE - GN-1060 -BRIDGE ID-GATE – TWN3/4xx ATA OVERWRITE ENABLER - GP-1070 IETA SCAN ENABLER – GS-1010 Psec ENABLER – GP-1080 INICODE ENABLER – GS-1007 -BRIDGE RE-RITE – GB-1280

1GB = 1 billion bytes; the actual formatted capacity is less. Available capacity will also be less if software

applications are pre-installed. optional

TOSHIBA TEC UK IMAGING SYSTEMS LTD

ABBEY CLOISTERS, ABBEY GREEN, CHERTSEY, SURREY KT16 8RB TEL 01932 580100 FAX 01932 580101



Jav.63492.0813