

TOSHIBA
Leading Innovation >>>

- > Black & White Fax
- > Up to 19 PPM
- > Med/Large Workgroup
- > Fax, Print, Scan
- > Secure Fax
- > Eco Features

e-STUDIO™ 191F





- > Black & White Fax
- > Up to 19 PPM
- > Med/Large Workgroup
- > Fax, Print, Scan
- > Secure Fax
- > Eco Features

Specifications

Type	Desktop
Power Requirement	AC 120V, 50/60 Hz
Power Consumption	Max: Approximately 1000 W Power saver mode 9.5 W Sleep Mode 4.5 W
Dimensions (W x D x H) ^{*1}	17.3" x 17.7" x 14.2" (Excluding optional equipment)
Weight	Approx. 48.5 lb (Approx. 22 kg) (Excluding optional equipment)

Fax Specifications

Compatibility	ITU-T Group 3, ECM
Modem Speed	33.6 Kbps - 2.4 Kbps with Automatic Fallback
Coding Scheme	MH/MR/MMR/JBIG
Transmission Speed ^{*2}	Approximately 2.7 Seconds/Page (Letter)
Number of Memory Job Files	50
Document Size	Max: 8.5" x 78.7" (216mm x 2000mm ³) Min: 5.8" x 5" (140mm x 140mm)
Effective Scanning Width	8.34" (212mm)
Automatic Document Feeder	100 Pages (20 lb, 75 g/m)
Scanning Speed ^{*4}	Approximately 0.7 Seconds/Page (Letter 203 dpi x 98 lpi)
Scanning Resolution	Standard: 203 dots/inch x 98 lines/inch (8 dots/mm x 3.85 lines/mm) Fine: 203 dots/inch x 196 lines/inch (16 dots/mm x 15.4 lines/mm) Super Fine: 406 dots/inch x 391 lines/inch (16 dots/mm x 15.4 lines/mm) 600 dpi: 600 dots/inch x 600 dots/inch
Recording Method	Monochrome Laser Printing on Plain Paper
Recording Paper Size	Letter/Legal
Effective Recording Width	8.15" (207mm)
Paper Feed	Standard Tray: 550 Sheets plus Single Sheet Bypass Maximum 1100 Sheets with Optional Paper Tray
Image Memory Capacity ^{*5}	Standard: 12 MB (720 Pages) Maximum: 2 GB with Optional SD Memory Card
Number of Auto Dialers	Standard: 500 Maximum: 1,000 with Optional SD Memory Card

Printer Specifications

Network Printer Interface	Ethernet 10BaseT/100BaseT
Local Printer Interface	USB 1.1
Printing Speed ^{*6}	Up to 19 PPM
Paper Size	Letter/Legal ^{*7}
Printing Resolution	1200 dpi equivalent ^{*8} x 600 dpi
Printer Memory	32 MB
Printer Language	Printing System for Windows [®] (GDI)
Compatible Operating System	Windows [®] XP, 2000, Server 2003, Vista

Network Scanner Specifications

Network Scanner Interface	Ethernet 10BaseT/100BaseT
Scanning Resolution	600 x 600 dpi, 300 x 300 dpi, 150 x 150 dpi
Network Scanning Speed ^{*4}	Approximately 1.1 Seconds (Letter, 150 x 150 dpi)
Data Format	TIFF, PDF

Scan-toEmail / Internet Fax Specifications

Compatibility	IETF RFC 2305, ITU-T T.37
Communication Protocol	TCP/IP, SMTP, POP3, MIME, DHCP
Network Connectivity	Ethernet 10BaseT/100BaseT
Data Format ^{*9}	TIFF-FX (Profile S/F/J), PDF

Notes

- *1 Dimensions and weight are approximate
- *2 Transmission time applies to memory transmission of text data using only ITU-T Image No.1 between the same models at maximum modem speed. Transmission time may vary in actual usage. Usually public telephone lines can only support communication speeds of 28.8 Kbps or lower. Via PBX, transmission speed may fall back to a lower speed
- *3 Standard/Fine mode
- *4 Scanning speed applies to the feeding process from the top to the end of a single page test chart. The time for the feeding process does not include the time that it takes for the top edge of the page to reach the scanning point and page ejection. Time for entire storing process is not applied
- *5 Based on ITU-T Image No.1 scanned in Standard mode
- *6 Speeds are contingent upon applications, machine configuration, and status. Individual speeds may vary
- *7 Bypass only
- *8 With optional Printer Controller Module
- *9 Internet Fax only supports TIFF-FX format

Microsoft® Windows® and Windows NT® are registered trademarks of Microsoft Corporation. PCL is a registered trademark of Hewlett-Packard Company and/or its subsidiaries. All other brand or product names are the property of their respective holders.



Corporate Office	2 Musick, Irvine, CA 92618-1631 Tel: 949-462-6000
East Coast	959 Route 46 East, 5th Floor, Parsippany, NJ 07054 Tel: 973-3136-2700
Midwest	8770 W. Bryn Mawr Ave., Suite 700, Chicago, IL 60631 Tel: 773-380-6000
South	2037 Bakers Mill Rd., Dacula, GA 30019 Tel: 678-546-9385
West Coast	142 Technology, Suite 150, Irvine, CA 92618 Tel: 949-462-6262
Web Site	www.copiers.toshiba.com

Designs and Specifications subject to change without notice. For best results and reliable performance, always use supplies manufacturer or designated by Toshiba. Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership for Availability. Toner yields are estimates based on 6% coverage, letter-size page. Driver and connectivity feature support varies by client/network operating system.