

Phaser® 6010 and
WorkCentre® 6015
Letter-size
Color Printer and
Color Multifunction Printer



Xerox® Phaser® 6010 Color Printer
and WorkCentre® 6015
Color Multifunction Printer
Vibrant color and efficiency
in a compact design



Phaser® 6010 Color Printer and WorkCentre® 6015 Color Multifunction Printer

Xerox makes outstanding color the easy, affordable choice with the Phaser 6010 and WorkCentre 6015. Our smallest color MFP* and even smaller printer are powerful, office-friendly products for your team's document handling demands.

Outstanding color

- **High-end print technology.** The proven Hi-Q LED print engine is the same breakthrough technology found in some of our higher-end devices used by graphic artists.
- **Impressive color depth.** Both devices deliver amazing colors and impressive image quality for effective business graphics.
- **Unique Xerox EA toner technology.** Engineered to give you crisp text and printed images with superior gloss, detail and clarity. Plus, a low fusing temperature helps you conserve electricity. It's the same high-quality toner used in our high-end products for the graphic arts industry.

Productive performance

- **Multifunction productivity.** The space saving WorkCentre 6015 multifunction printer saves energy and supplies costs by combining the functions of a copier, printer, scanner, and fax — all in one device.
- **Print graphics with confidence.** With ultra-fast processors and 128 MB standard memory, they handle your daily workload — even pages with graphics, photos and charts.
- **Affordability.** Whether you choose USB or network connectivity, the Phaser 6010 and WorkCentre 6015 mean business for your desktop or small team, providing real-world print productivity and a host of built-in features.
- **Superior performance.** Get your projects out fast, with print speeds as fast as 12 ppm for color and 15 ppm for black-and-white.

Easy in the office and easy on the network

- **Up and printing in a snap.** Easy installation onto the network and pre-loaded toner cartridges make this printer virtually plug-and-play.
- **Wireless freedom.** Place the WorkCentre 6015NI anywhere in the office with standard, internal wireless networking.
- **Easy remote management.** When connected to the network, the CentreWare® IS internal web server lets you check the status of a print job or manage the device without leaving your computer.
- **Super-quiet operation.** Feel comfortable with these products operating at your side. Their low noise output reduces distractions, so you can stay productive.
- **Convenient supplies.** Save time and storage space with the easy-loading and ultra-slim toner cartridges used in both the printer and MFP.
- **Media flexibility.** The main paper tray supports a wide range of custom media and sizes, from labels to card-stock to envelopes. A convenient 10-sheet manual feed slot lets you feed media and envelopes easily.



* When in a closed state compared to letter-size color multifunction printer products utilizing toner-based print technology as of June 2011.

Brilliant color and efficiency at your fingertips. The WorkCentre 6015 color multifunction printer adds powerful productivity features to the office-friendly Phaser 6010. Produce professional-grade materials and free up space by consolidating several office machines into a single, cost-saving color multifunction printer.

1

The internal wireless card comes standard on the 6015NI, providing the freedom to locate the machine anywhere in the office.

2

Easily configure settings with the bright, back-lit LCD screen's intuitive menu structure and the front panel's well placed buttons.

3

The 15-sheet automatic document feeder helps process multiple page documents on media sizes from 5.83 x 8.27 in. to 8.5 x 14 in.

4

The front-side USB port allows users to quickly scan to any standard portable USB memory device.

5

Powerful scanning features include Scan to Network, Email or USB memory device with resolution up to 1200 x 1200 dpi, 24-bit color / 8-bit grayscale.

6

Copy features include reduce/enlarge of 25% – 400%, Automatic Background Suppression, ID Card Copy and many others.

7

Packed with the most common fax capabilities at a speed of 33.6 Kbps.



WorkCentre® 6015 Quick Facts

- Print up to 12 ppm color and 15 ppm black-and-white
- Built-in wireless connectivity
- Copy at 600 x 600, scan at 1200 x 1200 dpi resolution
- 15-sheet ADF
- Powerful 295 MHz processor
- Speedy first-copy-out-time as fast as 37 seconds color and 20 seconds black-and-white
- PANTONE® Color calibrated solid-color simulations



Copy / Print / Scan / Fax / Email



8.5 x 11 in. / A4



12/15 ppm color/
black-and-white

WxDxH:

16.1 x 15.3 x 13.2 in.
410 x 389 x 337 mm

Weight:

33 lbs., 15.2 kg



Phaser® 6010 Quick Facts

- Print up to 12 ppm color and 15 ppm black-and-white
- 1200 x 2400 dpi
- Powerful 384 MHz processor
- Robust duty cycle of up to 30,000 pages per month
- Speedy first-page-out-time as fast as 17 seconds color and 14 seconds black-and-white
- PANTONE® Color calibrated solid-color simulations



Print



8.5 x 11 in. / A4



12/15 ppm color/
black-and-white

WxDxH:

15.5 x 12 x 9.2 in.
394 x 304 x 233 mm

Weight:

23.4 lbs., 10.7 kg

Phaser® 6010 and WorkCentre® 6015



	Phaser 6010N	WorkCentre 6015NI
Speed	Up to 12 ppm color / 15 ppm black-and-white	
Duty Cycle	Up to 30,000 pages / month ¹	
Paper Handling Paper input	NA	Automatic Document Feeder: 15 sheets; Custom Sizes: 5.83 x 8.27 in. to 8.5 x 14 in. / A5 to 216 x 356 mm
	Main Tray: 150 sheets, Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76.2 x 127 mm to 215.9 x 355.6 mm	
	Bypass Tray: 10 sheets, Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76.2 x 127 mm to 215.9 x 355.6 mm	
Paper output	100 sheets	
Two-sided printing	Manual	
Print		
First-page-out-time	As fast as 17 seconds color / 14 seconds black-and-white	
Resolution (max)	1200 x 2400 dpi	
Processor	384 MHz	295 MHz
Memory	128 MB	
Connectivity	USB 2.0, 10/100Base-T Ethernet	USB 2.0, 10/100Base-T Ethernet, Wi-Fi
Page description languages	Host-Based	
Print features	PANTONE® Color calibrated solid-color simulations, Watermarks, Poster printing, N-up, Custom page sizes, Fit to page, Scaling, Built-in support links, Run Black, Black and white only print mode, Draft mode, Collation, Skip Blank Pages ²	
Copy		
First-copy-out-time	As fast as 37 seconds color / 20 seconds black-and-white	
Copy resolution	NA	600 x 600 dpi
Copy features	Collation, Reduce/enlarge, Automatic background suppression, Darkness control, Book copying, Edge erase, Photo mode, N-up, ID Card Copy	
Fax		
Fax features	NA	33.6 Kbps with MH/MR/MMR/JBIG compression, Auto redial, Auto reduction, Address book (up to 8 one-touch dials, up to 99 address entries), Delay send, Remote receive (with external phone), Junk fax barrier, Last number redial, Memory receive, Polling
Scan		
Scan destinations	NA	Scan to Network, Email, USB
Scan features	Up to 1200 x 1200 dpi resolution, 24-bit color / 8-bit grayscale, PDF/JPEG/TIFF	
Security	IP Filtering, SNMPv2, IPv6	IPv6
Warranty	One-year quick-exchange warranty, Xerox Total Satisfaction Guarantee	One-year quick-exchange warranty, Xerox Total Satisfaction Guarantee

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis. ² Phaser 6010 only

Device Management

Xerox CentreWare® Internet Services, CentreWare Web, Low toner email alert, PrintingScout®, Apple® Bonjour

Print Drivers

Windows® XP, Server 2003, Server 2008, Vista, 7; Mac OS® version 10.5 and higher; Linux® (32-bit): Red Hat® Enterprise Linux 4 WS, 5 Client, SUSE® Linux Enterprise Desktop 10, 11, Ubuntu® 8.04, 10.04 LTS (Server and Desktop)

Media Handling

Automatic Document Feeder: 16 – 28 lb. bond / 60 – 105 gsm; Bypass Tray: 16 – 60 lb. cover / 60 – 163 gsm; Tray 1: 16 – 43 lb. bond / 60 – 163 gsm; Media types: Plain, Plain-thick, Recycled, Labels, Covers, Coated, Envelope

Operating Environment

Temperature: Operating: 10° to 32° C;
Relative Humidity: Operating: 10% to 85%;
Sound power levels: Phaser 6010: Printing: 6.38 B(A), Standby: 4.2 B(A); WorkCentre 6015: Printing: 6.32 B(A), Standby: 3.88 B(A); Sound pressure levels: Phaser 6010: Printing: 49 dB(A), Standby: 21 dB(A); WorkCentre 6015: Printing: 50 dB(A), Standby: 23 dB(A)

Electrical

115V: 110-127V, 50/60Hz, 7A; Power Consumption: Phaser 6010: Printing: 180 W; Standby: 31 W; Sleep Mode: 9 W; Deep Sleep: 5 W; WorkCentre 6015: Printing: 220 W; Standby: 34 W; Sleep Mode: 13 W; Deep Sleep: 7 W; 230V: 220-240V, 50Hz, 5A; Power Consumption: Phaser 6010: Printing: 173 W; Standby: 32 W; Sleep Mode: 10 W; Deep Sleep: 4 W; WorkCentre 6015: Printing: 220 W; Standby: 34 W; Sleep Mode: 13 W; Deep Sleep: 7 W

Dimensions (WxDxH)

Open Trays: Phaser 6010: 15.5 x 16.9 x 11.5 in. / 394 x 429.5 x 293 mm; Weight: 23.4 lbs. / 10.7 kg; WorkCentre 6015: 16.1 x 15.3 x 13.3 in. / 410 x 389 x 337 mm; Weight: 33 lbs. / 15 kg

What Comes in the Box

- Phaser 6010 Color Printer or WorkCentre 6015 Color Multifunction Printer
- Software and Documentation (Quick Installation Guide, Quick Use Guide, User Manual)
- Starter Toner Cartridge: 500 pages*
- Power Cable
- Fax Cord (WorkCentre 6015 only)

Certifications

Certified to UL 60950-1/CSA 60950-1-07, 2nd Edition; Low Voltage Directive 2006/95/EC; EN 60950-1, 2nd Edition; FCC Part 15 Class B; EMC Directive 2004/108/EC; EN 55022 Class B; EN 55024; ROHS Directive 2002/95/EC; Section 508; ENERGY STAR® Qualified

Supplies

Toner Cartridges*:
Black: 2,000 std. pages 106R01630
Cyan: 1,000 std. pages 106R01627
Magenta: 1,000 std. pages 106R01628
Yellow: 1,000 std. pages 106R01629

(Product ships with 500 page* black and color toner cartridges.)

* Average standard pages. Declared Yield in accordance with ISO/IEC 19798. Yield will vary based on image, area coverage and print mode.



(Pending for the WorkCentre 6015)

For more information, call 1-877-362-6567 or visit us at www.xerox.com/office

©2011 Xerox Corporation. All rights reserved. XEROX®, XEROX and Design®, Phaser®, WorkCentre® and CentreWare® are registered trademarks of Xerox Corporation in the United States and/or other countries. As an ENERGY STAR® partner, Xerox Corporation has determined that this product meets the ENERGY STAR guidelines for energy efficiency. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. All other trademarks are the property of their respective manufacturers. The information in this brochure is subject to change without notice. BR137. Updated 9/11 610P730206E 601BR-01UF

