

Xerox[®] Phaser 6600 Printer and WorkCentre 6605 Multifunction Printer Grow your business with easy office efficiency.



Phaser® 6600 Color Printer and WorkCentre® 6605 Color Multifunction Printer

The value of enhancing your company's image is immeasurable. And with the value-packed Phaser 6600 Color Printer and WorkCentre 6605 Color Multifunction Printer, today's busy workgroups can easily make important business communications stand out from the competition with exceptional color printing.

Color That Gets Your Work Noticed

No matter what business you're in, the Phaser 6600 and WorkCentre 6605 give your image an essential, colorful advantage.

- **Prints that sell your business.** A print resolution of up to 600 x 600 x 4 dpi (1200 x 1200 enhanced image quality) makes your printed communications stand out and grab attention.
- Enhanced output. Photo Mode makes your images and graphics look exceptional, producing deeper, richer colors for lifelike vibrancy.
- Unique Xerox EA Toner. Fuses at a much lower temperature, and reduces power consumption by up to 20% and CO₂ emissions by up to 35%, compared to conventional toner. It's also oil-free, delivering brilliant, glossy output, even on ordinary or recycled paper.
- Always the right color. Pantone® Color calibrated solid-color simulations and Xerox color correction technology ensure results that match your expectations.
- Consistent precision. True Adobe®
 PostScript® 3™ ensures your print jobs are consistently accurate, with the brightest, truest colors and superior graphics.

High-power Capabilities

The Phaser 6600 and WorkCentre 6605 deliver a host of capabilities and powerful options made affordable for small workteams.

- Reduce your paper usage. Automatic
 two-sided printing on the DN configurations
 makes saving paper easy, and gives your
 documents a professional appearance. Plus,
 N-up printing lets you output multiple pages
 on one sheet, which is particularly useful when
 printing presentations.
- Wireless freedom. Place the Phaser 6600 and WorkCentre 6605 anywhere in the office with optional Wi-Fi.
- Less to replace. High-capacity toner cartridges allow longer periods of uninterrupted productivity, and help you reduce your total cost of operation over time.
- Consolidate and save. The value packed WorkCentre 6605 saves energy and supplies costs by combining the functions of a copier, printer, scanner and fax all in one device.
- Stay secure. Keep your sensitive documents away from unintended recipients with available secure print*, and protect access to device features with front-panel PIN code authentication.
- Total peace of mind. In addition to renowned Xerox reliability, our standard one-year onsite warranty is backed by the industry-leading Xerox® Total Satisfaction Guarantee, which also comes standard.

Productivity Simplified

The Phaser 6600 and WorkCentre 6605 support fast-paced workteams with time-saving productivity advantages and features designed for total simplicity.

- Print and go. The Phaser 6600 and WorkCentre 6605 work quickly, with color and black-and-white print speeds of up to 36 ppm.
- Load paper less often. The main 550-sheet paper tray holds a full ream of paper — no more half-empty packages taking up valuable storage space. An optional 2nd tray increases total capacity up to 1,250 sheets for even longer periods of uninterrupted productivity.
- Simple as can be. The innovative 4.3-inch touch screen on the WorkCentre 6605 features bright, colorful icons and intuitive navigation for optimal ease-of-use.
- Digitize your workflows. Use the WorkCentre 6605 to scan your hard copy documents and get text-searchable digital files that can be automatically shared via email or network folder, or saved on the device or any USB memory device for true portability.
- Easy startup and everyday operation.
 You'll be up and running in minutes, and
 with Xerox® CentreWare® IS, remote device
 administration is handled with ease right
 from any networked computer's browser.

One device, multiple functions. The WorkCentre 6605 Color Multifunction Printer builds on the outstanding print performance offered by the Phaser 6600, delivering a host of powerful productivity tools designed to make your daily office tasks more efficient than ever.





1

The WorkCentre 6605 includes a 4.3-inch touch screen with easily understood instructions and help screens to streamline walkup operations.



A 50-sheet Duplex Automatic Document Feeder scans two-sided originals for copy, scan and fax jobs.



A front-side USB port allows users to quickly print from or scan to any standard USB memory device.

4

Powerful electronic workflows include scan to email and network scanning, plus LAN Fax for fast, efficient network faxing from your PC or Mac.

5

250-sheet output tray with tray-full sensor.

6

150-sheet Multipurpose Tray handles media sizes from 3×5 in. to 8.5×14 in.

7

With the 550-sheet paper tray, standard paper capacity for the WorkCentre 6605 totals 700 sheets.

8

Optional 550-sheet paper tray increase total paper capacity to 1,250 sheets.



Phaser® 6600 Quick Facts

- Print up to 36 ppm color and black-and-white
- First-page-out time as fast as 9 seconds black-and-white, 10 seconds color
- Optional Wi-Fi connectivity
- Standard automatic two-sided printing (6600DN configuration)
- Standard 550-sheet paper capacity (expandable to 1,100 sheets)

Phaser 6600 WxDxH:

16.9 x 19.2 x 15.1 in./ 430 x 488 x 384 mm

Weight:

56.2 lbs / 25.5 kg



Print

8.5 x 11 in. / A4

36

ppm



WorkCentre 6605 WxDxH:

16.9 x 20.8 x 22 in./ 430 x 528 x 560 mm

Weight:

71.7 lbs. / 32.5 kg

WorkCentre® 6605 Quick Facts

All features of the Phaser 6600 plus:

- Workflow-enhancing scanning capabilities
- Full range of copy features
- LAN Fax and walkup fax functionality
- 4.3-inch color touch screen user interface
- 50-sheet Duplex Automatic Document Feeder



Copy / Print / Scan / Fax / Email



8.5 x 11 in. / A4



opm

		Phaser 6600N	Phaser 6600DN	WorkCent	re 6605N	WorkCentre 6605DN	
Speed		Up to 36 ppm Letter / Up to 35 ppm A4, color and black-and-white					
Duty Cycle		Up to 80,000 pages / month ¹					
Paper Handling Paper input	Standard	N/A			Duplex Automatic Document Feeder (DADF): 50 sheets: Custom sizes: 5 x 5 in. (140 x 140 mm) to 8.5 x 14 in. (216 x 356 mm)		
		Multipurpose Tray: 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76.2 x 127 mm to 216 x 356 mm					
		Tray 1: 550 sheets; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in. / 148 x 210 mm to 216 x 356 mm					
	Optional	Tray 2: 550 sheets; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in. / 148 x 210 mm to 216 x 356 mm					
Paper output	Standard	250 sheets face down with tray full sensor					
Automatic two-sided ou	tput	N/A	Standard	N/A		Standard	
Print First-page-out-time		As fast as 9 seconds black-and-white / 10 seconds color					
Print Resolution (max)		Up to 600 x 600 x 4 dpi (1200 x 1200 enhanced image quality)					
Processor		533 MHz					
Memory (std / max)		256 MB / 768 MB		512 MB / 1	512 MB / 1 GB		
Connectivity		USB 2.0, 10/100/1000Base-TX Ethernet, optional Wi-Fi (802.11 n/g/b)					
Page description languages		True Adobe® PostScript® 3™, PCL5/6, XPS, PDF Emulation					
Print features		PANTONE® Color calibrated solid-color simulations, Saved settings, Earth Smart settings, Color Corrections, N-up, Booklet layout, Watermark, Photo mode, Collation, Secure Print², Saved Print², Font/Form/Macro Storage³					
Copy First-page-out-time		NA NA		As fast as 1	As fast as 13 seconds black-and-white / 16 seconds color		
Copy features				Saturation,	Up to 600 x 600 dpi, Reduce/Enlarge (25 %-400 %), Lighter/Darker, Color Saturation, Sharpness, Color Balance, Auto Exposure, Up to 99 copies, 2-up Output, AutoFit, Cloning, Collate (up to 50 pages)		
Fax ⁴ Walk-Up Fax features		NA		Detection, (up to 24 h	MH/MR/MMR/JBIG Compression, Reject Junk Fax, Distinctive Ring Pattern Detection, Fax Forwarding and Local Print, Polling Receive, Delayed Start (up to 24 hours), Broadcast Sending (up to 200 destinations), Fax Address Book (up to 200 speed dial), Secure Fax Receive		
LAN Fax Features				Auto Fit, Ro	Delayed Start (up to 24 hours), Broadcast Sending (up to 30 destinations), Zoom, Auto Fit, Rotation, N-up, Watermark, Phonebook (Up to 500 speed dial numbers, Up to 500 group dial, Phonebook stored on PC)		
Scan Scan destinations		NA		Server via F	TWAIN/WIA scanning via USB or Network, Scan to Computer via SMB, Scan to Server via FTP, Scan to Email with LDAP support, Scan to USB Memory Device, WSD Scanning		
Scan features				Email addr	JPEG/TIFF/Multipage TIFF/PDF File Formats, Email Address Book (up to 100 Email addresses, up to 10 Email group addresses), Express Scan Manager, Scan to PC Desktop® SE Small Business Edition (1-seat license)		
Security		Secure Fax Receive (WorkCentre 6605 only), Secure Print ² , 256-bit disk encryption and overwrite ³ , Secure HTTPS (SSL, Secure LDAP ³), IPsec, 802.1x Authentication, IPv6, SNMPv3, Audit Log, IP Filtering					
Warranty		One-year on-site warranty, earn free service coverage with Xerox eConcierge®, Xerox Total Satisfaction Guarantee					

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.; ² Standard on 6605, 6600 requires an optional Productivity Kit; ³ Requires Productivity Kit (with 160 GB Hard Drive);

Device Management

CentreWare® Internet Services, CentreWare Web, Email alerts, Apple® Bonjour

Print Drivers

Windows XP and later, OSX 10.5 and later, various Linux and Unix distributions, Xerox Global Print Driver, Xerox Mobile Express Driver

Media Handling

Duplex Automatic Document Feeder (6605): Simplex: 50 – 125 gsm, 13 – 32 lb. bond; Duplex: 60 – 125 gsm, 16 – 32 lb. bond; Multipurpose Tray, Tray 1, Tray 2: 16 lb. bond – 58 lb. cover / 60 - 216 gsm; Media types: Plain, hole punched, letterhead, colored, lightweight cardstock, lightweight glossy cardstock, heavyweight cardstock, heavyweight glossy cardstock, labels, envelopes

Operating Environment

Temperature: Storage: 32° to 104° F / 0° to 40° C; Operating: 50° to 90° F / 10° to 32° C; Humidity: Operating: 10 % to 85 %; Sound power levels: 6600: Printing: 6.9 B, Standby: 4.5 B; 6605: Printing/

copying: 6.8 B, Standby: 4.4 B; Sound pressure levels: 6600: Printing: 53 dB(A), Standby: 29 dB(A); 6605: Printing/copying: 52 dB(A), Standby: 29 dB(A); Warm-up time (from sleep mode) 6600: as fast as 21 seconds 6605; as fast as 25 seconds

Power: 110-127 VAC, 50/60 Hz, 10A or 220-240 VAC, 50/60 Hz, 5A; Power consumption: 6600: Standby: 65 W, Printing: 535 W, Sleep: 4 W; 6605: Standby: 72 W, Printing: 560 W, Sleep: 6 W; ENERGY STAR® qualified (DN configuration)

Supplies

Standard-Capacity Print Cartridge*: Black: 3,000 std. pages 106R02244 Cyan: 2,000 std. pages 106R02241 106R02242 Magenta: 2,000 std. pages Yellow: 2,000 std. pages 106R02243 High-Capacity Print Cartridge*: Black: 8,000 std. pages 106R02228 Cyan: 6,000 std. pages 106R02225 Magenta: 6,000 std. pages 106R02226 106R02227 Yellow: 6,000 std. pages

Routine Maintenance Items

Imaging Unit Kit: Up to 60,000 pages**	108R01121
Waste Cartridge: Up to 30,000 pages**	108R01124

Options

550-Sheet Feeder

Productivity Kit (512 MB RAM)	097S04269
Productivity Kit (160 GB HD)	097S04403
Wireless Networking Adapter	097S04409
Wireless Network Adapter	
– N. America power converter	097S03740
– European power converter	097S03741
– UK power converter	097S03742

^{*} Average standard pages. Declared Yield in accordance with ISO/IEC 19798. Yield will vary based on image, area coverage and print mode.























©2012 Xerox Corporation. All rights reserved. XEROX®, XEROX and Design®, CentreWare®, Phaser® and WorkCentre® are trademarks of Xerox Corporation in the United States and/or other countries. Adobe® and PostScript® 3™ are registered trademarks or trademarks of Adobe Systems, Incorporated. PCL® is a registered trademark of Hewlett-Packard. As an ENERGY STAR® partner, Xerox Corporation has determined that this product meets the ENERGY STAR guidelines for energy efficiency (DN configuration). ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. All other trademarks are the property of their respective manufacturers. The information in this brochure is subject to change without notice. 9/12 BR2826



097S04400

⁴ Requires analog phone line

 $^{^{\}star\star}$ Approximate pages. Declared yield based on an average job size of 3 A4-/letter-size pages. Yield will vary depending on job run length and media size and orientation.