

Xerox® WorkCentre®  
7535/7556  
Tabloid-size  
Color  
Multifunction Printer



# Xerox® WorkCentre® 7535/7556 Color Multifunction Printer

Superior color. Solid performance.



# Xerox® WorkCentre® 7535/7556 Color Multifunction Printer

**The print quality you need to succeed.** With the Xerox® WorkCentre 7535/7556 Color Multifunction Printer, you'll achieve high-impact color documents that impress customers and deliver results — while minimizing costs.

## Take color to a whole new level.

- **High-resolution output, highly impactful documents.** With 1200 x 2400 dpi, photo-quality color images and rich, crisp text, your output always makes a huge impact.
- **Always accurate image quality.** The WorkCentre 7535/7556 Color Multifunction Printer employs advanced print heads with Digital Image Registration Control Technology, which ensures consistently outstanding image registration.
- **Impressive results.** Print brilliant, attention-grabbing images on a variety of stock as large as 12.6 x 19 in. and on paper weights up to 300 gsm, and take advantage of impressive finishing capabilities from saddle-stitch booklets to folded brochures.
- **Hi-Q LED Print engine.** Proven Hi-Q LED print engine technology consumes less energy and space and produces less noise, while printing resolution of 1200 x 2400 dpi.

## Get more work done in less time.

- **Get fast results.** Experience high output performance with print speeds up to 35 or 50 ppm color and up to 35 or 55 ppm black-and-white, with a first-page-out time as fast as 5.9 seconds.
- **Keep the busiest workgroups productive.** Robust concurrent processing and massive 2 GB system memory and 1 GB page memory handle multiple complex jobs with ease.
- **Scan faster.** The WorkCentre 7535/7556 Color Multifunction Printer quickly scans your documents at up to 70 images per minute.
- **Xerox® Smart Kit® technology.** Easy-to-change critical components of the WorkCentre 7535/7556 are constantly monitored to predict and prevent downtime.
- **Walk-up simplicity.** Print from and scan to most USB memory device for faster document delivery when you're not at your computer.
- **Your job, your priority.** Our Print Around feature lets your job move ahead of stalled documents in the queue.

## Maximize your investment.

- **Reduce outsourcing costs.** Bring expensive printshop operations in-house with powerful finishing options that include everything from folded brochures to saddle-stitched booklets, on media up to 12 x 18 in.
- **Manage print costs.** Use Xerox® Standard Accounting tools to control print quantities and charge-back options. Plus, color authorization via MS Active Directory™ makes it easy to integrate the WorkCentre 7535/7556 with existing IT systems.
- **Customize your print driver's default application settings.** Now you can choose default settings per application, such as always printing Microsoft® Outlook® emails in black-and-white, PowerPoint® presentations in duplex mode and more.
- **Easy, accurate billing.** WorkCentre 7535/7556 devices connect to the network to automatically submit meters reads and automate supplies replenishment.
- **Maintenance Assistant** offers a fast (and free) way to resolve potential issues and receive assistance, enhancing the troubleshooting/repair process. It allows for a diagnosis of service issues before a technician arrives on site, resulting in less downtime and increased productivity.

## Total security – standard.

The WorkCentre 7535/7556 helps you protect vulnerable access points and comply with the latest security standards.


- **Prevent unauthorized access.** Powerful authentication features such as network authentication, smart cards, and role-based and function-level login ensure only authorized users can access the device.
- **Keep your documents safe at all times.** With Secure Print, jobs are stored in a separate queue until the appropriate user chooses which jobs to release for printing. Plus, users can enter their "User ID" when sending jobs to the WorkCentre 7535/7556 via Secure Print, and then release them upon authentication at the device.
- **Maintain information integrity.** Hard disk encryption and overwrite supports the FIPS 140-2 standard to ensure your data stays secure.
- **Proven security with closed-loop response.** The WorkCentre 7535/7556 meets Common Criteria<sup>1</sup> standards. This ensures end-to-end protection and with our proactive response system we keep devices and information secure by identifying potential vulnerabilities and providing quick updates.

<sup>1</sup> Undergoing evaluation

### Simplified User Experience

Spend less time on support and more time getting the job done with simple-to-use interfaces that make it easy to find and manage features.

- The WorkCentre 7535/7556 features intuitive commands and navigation that make it easy to find the right function, fast.
- A simplified user interface for Web, PC and front panel operations keeps learning to a minimum.
- On-board information pages give you flexibility over hard copy documentation. Access and print documentation about how to use particular features and functions right from the device's front panel.



The innovative touch screen on the WorkCentre 7535/7556 series front panel makes walk-up operation simple as can be. It features bright icons and intuitive navigation for optimal ease-of-use.



**1 High-Capacity Feeder** holds 2,000 sheets of paper. Choose our 2,180-sheet capacity (WorkCentre 7535) or our 3,140-sheet capacity (WorkCentre 7556) model, then add our High Capacity Feeder to bring maximum capacity to 4,180 or 5,140 sheets.

**2 Exceptional media flexibility.** The WorkCentre 7535/7556 handles a wider range of media types and weight from more trays than most devices in its class. It supports up to 300 gsm and media sizes up to 12.6 x 19 in.

**3 Print envelopes easily** using our optional envelope tray (replaces Tray 1).

**4 Large work surface** (included with Convenience Stapler) gives you plenty of room to sort documents.

**5 Xerox Extensible Interface Platform®** (standard) enables easy creation of customized workflows, letting you personalize scan menus, retrieve scanned files, and route documents to pre-assigned destinations at the push of a button.

**6 Office Finisher LX\*** (optional) gives you advanced finishing functions at a great value.

**7 Integrated Office Finisher** (optional with WorkCentre 7535) provides 500-sheet stacking and 50-sheet, single-position stapling.

**8 Professional Finisher** (optional) adds 50-sheet multiposition stapling, hole punch, V-fold and saddle-stitch booklet making.

\* Large image shown above is WorkCentre 7556 equipped with optional booklet maker

### Environmentally Sound

The WorkCentre 7535/7556 delivers cutting-edge reductions in energy consumption.

#### Energy saving performance.

- Low energy consumption. The WorkCentre 7535/7556 consumes less power in standby, low power and operating modes, resulting in greater energy savings in the office.
- Fast warm up. Ready when you are, the WorkCentre 7535/7556 recovers from sleep mode in less than 10 seconds.

#### Responsible printing.

- Earth-smart. Our innovative Earth Smart feature allows you to choose the most environmentally sensitive options for your job.

- Print only what you need. When enabled, the Hold All Jobs feature stores a user's print jobs at the device until released for printing from that user's "My Jobs" print queue. This reduces paper usage by ensuring that users print only the pages they need.

#### Cutting-edge technology.

- EA Toner. Our EA Toner with ultra low-melt technology achieves minimum fusing temperature at 68 degrees F (20 degrees C) lower than conventional toner for even more energy savings and brilliant glossy output even on ordinary paper.

- Induction heating. The newly developed, heat-efficient IH fuser consumes substantially less power in standby mode and achieves a start-up time of less than 15 seconds.

#### Environmentally aware.

- The WorkCentre 7535/7556 meets stringent environmental standards: ENERGY STAR®, Reduction of Hazardous Substances (RoHS) Directive, and ECO label.
- Built to be sustainable. As Factory Produced New Models, WorkCentre 7535/7556 Color Multifunction Printers contain on average 60% new, reprocessed and/or recovered parts by weight.

# Xerox® WorkCentre® 7535/7556

Device Specifications		WorkCentre 7535	WorkCentre 7556
Speed		Up to 35 ppm color / 35 black-and-white	Up to 50 ppm color / 55 black-and-white
Duty Cycle <sup>1</sup>		Up to 110,000 pages / month	Up to 300,000 pages / month
Hard Drive / Processor / Memory		Minimum 160 GB / 1.5 GHz / 2 GB system plus 1 GB page memory	
Connectivity		10/100/1000BaseT Ethernet, High-Speed USB 2.0 direct print, Wireless Ethernet 802.11b (via third-party adapters)	
<b>Copy and Print</b>			
Copy and Print Resolution		<b>Copy:</b> 1200 x 2400 dpi; <b>Print:</b> Up to 1200 x 2400 image quality	
First-print-out Time (as fast as)		10.8 seconds color / 8.3 seconds black-and-white	7.4 seconds color / 5.9 seconds black-and-white
Page Description Languages		Adobe® PostScript® 3™, PDF, XML Paper Specification (XPS®), PCL® 5c / PCL 6 emulations, HP-GL2™	
Copy Features		Automatic two-sided, Automatic reduction/enlargement, Color touch screen interface, Electronic pre-collation, Automatic tray selection, Build Job, Negative/Mirror image, Booklet creation, Multi-up, Covers and dividers insertion, Sample set, Book copying, Edge erase, Single color, Repeat image, Mixed size originals, Image shift, Store and recall job programming, Annotation, Large job interrupt, Transparencies, Bates stamping, Color presets, ID Card Copy	
Print Features		Print from USB, Automatic two-sided, Secure Print, Delay print, Earth Smart, Job identification, Sample set, Booklet creation, Cover selection, Inserts and exception pages, Paper selection by attribute, N-up, Watermarks, Banner sheets, Fit to new paper size, Transparency Separators, Output tray selection, Image quality, Toner Saver, Store and recall driver settings, Reduce/enlarge, Mirror image, Bi-directional status, Scaling, Overlays, Print to Fax (requires optional Fax kit), Rotate image, Job Monitoring	
<b>Scan</b>	Standard	Scan to Network, Scan to Email, Scan to Mailbox, Scan to Network, Text searchable PDF, PDF/A, XPS, Linearized PDF, JPEG, TIFF, Scan to USB memory device, Single/Multi-Page PDF / XPS / TIFF	
	Optional	Xerox® Scan to PC Desktop®, Nuance eCopy® ShareScan®, Various Xerox Business Innovation Partner Solutions	
<b>Fax</b>	Standard	Internet Fax, Network Server Fax enablement, print on fax up to 11 x 17 in. / A3, Fax Build Job	
	Optional	Fax Forward to Email or SMB, Walk-up Fax (one-line and two-line options, includes LAN Fax), Various Xerox Business Innovation Partner Solutions	
<b>Security</b>	Standard	Secure Print, Authentication with NDS/LDAP/Kerberos/SMB, Hard disk overwrite security, Password Protected PDF, 256 bit Hard Disk Encryption, FIPS 140-2 Encryption Support, Encrypted Email (only via CAC), IPsec, 802.1X, SNMP v3.0, Common Criteria Certified (IEEE 2600.2 standard) <sup>1</sup>	
	Optional	Xerox Secure Access Unified ID System®, USB card reader, Common Access Card Enablement Kit	
<b>Accounting</b>		Xerox® Standard Accounting (Copy, Print, Scan, Fax, Email), Network Accounting Enablement, Various Xerox Business Innovation Partner Solutions	
<b>Other Options</b>		Work Surface (included with Convenience Stapler), Foreign Device Interface, Unicode Font Kit, Xerox® Mobile Print Solution	
<b>Paper Input</b>	Standard	<b>Duplex Automatic Document Feeder:</b> 110 sheets; Size: 5.5 x 8.5 in. to 11 x 17 in. / 148 x 210 mm to 297 x 420 mm <b>Bypass Tray:</b> 100 sheets; Custom sizes: 3.5 x 3.9 in. to 12.6 x 19 in. / 89 x 98 mm to 320 x 483 mm <b>Tray 1:</b> 520 sheets; Custom sizes: 5.5 x 7.5 in. to 11.7 x 17 in. / 140 x 182 mm to 297 x 432 mm <b>3 Tray Option (Total 2,180 sheets):</b> Adds three 520-sheet paper trays; Size: 5.5 x 7.2 in. to 12 x 18 in. / 139.7 x 182 mm to SRA3	<b>Duplex Automatic Document Feeder:</b> 110 sheets; Size: 5.5 x 8.5 in. to 11 x 17 in. / 148 x 210 mm to 297 x 420 mm <b>Bypass Tray:</b> 100 sheets; Custom sizes: 3.5 x 3.9 in. to 12.6 x 19 in. / 89 x 98 mm to 320 x 483 mm <b>Tray 1:</b> 520 sheets; Custom sizes: 5.5 x 7.5 in. to 11.7 x 17 in. / 140 x 182 mm to 297 x 432 mm
	Choose One	NA	<b>3 Tray Option (Total 2,180 sheets):</b> Adds three 520-sheet paper trays; Size: 5.5 x 7.2 in. to 12 x 18 in. / 139.7 x 182 mm to SRA3 <b>High Capacity Tandem Tray Option (Total 3,140 sheets)<sup>2</sup>:</b> Adds one 520-sheet paper tray, one 867-sheet paper tray and one 1,133-sheet paper tray; Size: 8.5 x 11 in. / A4
	Optional	<b>High Capacity Feeder (HCF):</b> 2,000 sheets; Size 8.5 x 11 in. / A4 long edge feed <b>Envelope Tray:</b> Up to 60 envelopes: #10 commercial, Monarch, DL, C5, Large U.S. Postcard, A6, Custom sizes: 3.9 x 5.8 in. to 6.4 x 9.5 in. / 98 x 148 to 162 x 241 mm	
<b>Paper Output / Finishing</b>	Standard	<b>Dual Offset Catch Tray:</b> 250-sheets each <b>Face up Tray:</b> 100 sheets	
	Optional	<b>Office Finisher LX:</b> 2,000-sheet stacker, 50 sheets stapled, 2-position stapling, optional hole-punch, optional booklet maker (score, saddle stitch) <b>Integrated Office Finisher (optional with 7535):</b> 500-sheet stacker, 50 sheets stapled, single-position stapling <b>Professional Finisher:</b> 1,500-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and hole punch, saddle-stitch booklet maker, V-Fold <b>Convenience Stapler:</b> staples 50-sheets (based on 20 lb. bond), includes Work Surface	

<sup>1</sup> Undergoing evaluation; <sup>2</sup> Available early 2015

For more information, call 1-800-ASK-XEROX or visit us at [www.xerox.com/office](http://www.xerox.com/office).

©2014 Xerox Corporation. All rights reserved. Xerox® and Xerox and Design®, Smart Kit®, Xerox Secure Access Unified ID System®, and Scan to PC Desktop® are trademarks of Xerox Corporation in the United States and/or other countries. As an ENERGY STAR® partner, Xerox Corporation has determined that this product meets the ENERGY STAR guidelines for energy efficiency. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Terra Choice Environmental Services, Inc., of Canada has verified that these products conform to all applicable Environmental Choice Ecologo requirements for minimized impact to the environment. All other trademarks are the property of their respective manufacturers. The information in this brochure is subject to change without notice. Updated 11/14 BR12065 W7RBR-01UB

